

# CONTENTS

---

<b>LETTER OF TRANSMITTAL</b>	<b>III</b>
<b>FOREWORD</b>	<b>XIII</b>
<b>SUPERVISING SCIENTIST'S OVERVIEW</b>	<b>XIV</b>
<b>ABBREVIATIONS</b>	<b>XX</b>
<b>1 INTRODUCTION</b>	<b>1</b>
1.1 Role and function of the Supervising Scientist	1
1.2 Performance summary	1
1.3 Business planning	2
1.4 The Alligator Rivers Region and its uranium deposits	2
1.4.1 Ranger	2
1.4.2 Jabiluka	3
1.4.3 Nabarlek	3
1.4.4 Koongarra	3
1.4.5 South Alligator Valley mines	4
<b>2 ENVIRONMENTAL ASSESSMENTS OF URANIUM MINES</b>	<b>5</b>
2.1 Supervision process	5
2.1.1 Minesite Technical Committees	5
2.1.2 Audits and inspections	5
2.1.3 Assessment of reports, plans and applications	6
2.2 Ranger	6
2.2.1 Developments	6
2.2.2 On-site environmental management	9
2.2.3 Off-site environmental protection	19
2.3 Jabiluka	35
2.3.1 Developments	35
2.3.2 On-site environmental management	35
2.3.3 Off-site environmental protection	37
2.4 Nabarlek	40
2.4.1 Developments	40
2.4.2 On-site conditions	41
2.4.3 Off-site environmental protection	42
2.5 Other activities in the Alligator Rivers Region	42
2.5.1 Rehabilitation of the South Alligator Valley uranium mines	42
2.5.2 Exploration	44

2.6	Radiological issues	44
2.6.1	Background	44
2.6.2	Radiation at and from Ranger	45
2.6.3	Jabiluka	48
<b>3</b>	<b>ENVIRONMENTAL RESEARCH AND MONITORING</b>	<b>50</b>
3.1	Continuous monitoring of water quality in Magela Creek	52
3.2	Development of in situ toxicity monitoring methods for Magela Creek	60
3.3	A longitudinal study of radionuclide and metal uptake in mussels from Magela Creek and Mudginberri Billabong	64
3.4	Influence of dissolved organic carbon on the toxicity of uranium	71
3.5	Assessing the toxicity of flocculants	74
3.6	Assessing mining-related impacts on stream mud loads downstream of Ranger	77
3.7	Update: impact of Cyclone Monica on sediment transport – Ranger and Jabiluka leases	81
3.8	Restoration of monitoring infrastructure following an extreme flood event in March 2007	85
3.9	Impacts of upper catchment landslips on sediment delivery in Magela Creek	86
3.10	Remediation of the remnants of past uranium mining activities in the South Alligator River valley	89
3.11	Fire and weed disturbance as landscape factors influencing vegetation development: implications for minesite revegetation	94
3.12	Tropical Rivers Inventory and Assessment Project	95
<b>4</b>	<b>STATUTORY COMMITTEES</b>	<b>97</b>
4.1	Introduction	97
4.2	Alligator Rivers Region Advisory Committee	97
4.3	Alligator Rivers Region Technical Committee	98
<b>5</b>	<b>COMMUNICATION AND LIAISON</b>	<b>101</b>
5.1	Introduction	101
5.2	Research support and communication	101
5.2.1	Indigenous employment and consultation	102
5.2.2	Research protocols for Kakadu National Park	104
5.2.3	Internal communication	104
5.2.4	Communication with technical stakeholders and the general community	105

5.3	National and international environmental protection activities	106
5.3.1	Environmental radiation protection	106
5.3.2	Kakadu National Park Landscape Change Symposia series	106
5.3.3	AusAID Public Sector Linkage Program (PSLP) Projects	107
5.3.4	Basslink	107
5.3.5	Contribution to the Northern Australian Taskforce and Futures Assessment	108
5.4	Science communication	108
<b>6</b>	<b>ADMINISTRATIVE ARRANGEMENTS</b>	<b>110</b>
6.1	Human resource management	110
6.1.1	Supervising Scientist	110
6.1.2	Structure	110
6.1.3	Investors in People	111
6.1.4	Occupational Health and Safety	111
6.2	Finance	112
6.3	Facilities	113
6.3.1	Darwin facility	113
6.3.2	Jabiru Field Station	113
6.3.3	Information management	114
6.4	Interpretation of Ranger Environmental Requirements	114
6.5	Ministerial directions	114
6.6	Sustainability	114
6.6.1	How the Department applies the principles	115
6.6.2	Contribution of outcomes	115
6.6.3	Summary of performance 2007–08	116
6.6.4	Social and community involvement	119
6.7	National Centre for Tropical Wetland Research	119
6.8	Animal experimentation ethics approvals	120
	<b>APPENDIX 1 ARRTC KEY KNOWLEDGE NEEDS</b>	<b>121</b>
	Appendix 1A ARRTC Key Knowledge Needs 2004–2006	121
	Appendix 1B ARRTC Key Knowledge Needs 2008–2010	133
	<b>APPENDIX 2 PUBLICATIONS FOR 2007–2008</b>	<b>146</b>
	<b>APPENDIX 3 PRESENTATIONS TO CONFERENCES AND SYMPOSIA, 2007–2008</b>	<b>150</b>
	<b>INDEX</b>	<b>152</b>

## Tables

Table 2.1 Ranger production activity for 2007–2008 by quarter	7
Table 2.2 Ranger production activity for 2003–2004 to 2007–2008	7
Table 2.3 Audit and RPI	13
Table 2.4 Applications and proposals subject to 2008 Ranger audit	14
Table 2.5 Grading System	15
Table 2.6 Ranger Minesite Technical Committee meetings	16
Table 2.7 Ranger Authorisation Changes	17
Table 2.8 RPI Focus during the reporting period	36
Table 2.9 Jabiluka Minesite Technical Committee meetings	37
Table 2.10 Annual radiation doses received by workers at Ranger mine	45
Table 2.11 Radon decay product concentrations at Jabiru and Jabiru East, and total and mine derived annual doses received at Jabiru in 2005–07	47
Table 3.1 Results of uranium toxicity testing with three local freshwater species	72
Table 3.2 Summary of toxicity of the flocculant block and its constituents to five tropical freshwater species	75
Table 3.3 Derived trigger values for the flocculant block and its constituents	76
Table 3.4 Eleven status codes used to describe the level of impact of Cyclone Monica on each tree $\geq 2$ m in height	83
Table 3.5 Summary of the impact of Cyclone Monica on trees for each study area	84
Table 3.6 Summary of the impact of Cyclone Monica on trees in rehabilitated sites	84
Table 3.7 Volume of sediment in the rootballs of fallen trees in each study area	84
Table 5.1 International conferences, seminars and workshops, 2007–08	109
Table 6.1 Staffing numbers and locations	111
Table 6.2 Summary of cost of outputs	113
Table 6.3 Occupancy and area of building 2007–08	116
Table 6.4 Total power consumption 2007–08	117
Table 6.5 Performance – transport 2007–08	117
Table 6.6 Materials – paper	118
Table 6.7 Animal experimentation ethics approvals	120

## Figures

Map 1 Alligator Rivers Region	xvii
Map 2 Ranger minesite	xviii
Map 3 Sampling locations used in SSD's research and monitoring programs	xix
Figure 2.1 Tailings storage facility – March 2007	8
Figure 2.2 Annual rainfall Jabiru Airport 1971–72 to 2007–08	9
Figure 2.3 Evaporation ponds prior to decommissioning, November 2007	11
Figure 2.4 Uranium concentrations measured in Magela Creek by SSD and ERA between November 2007 and July 2008	21
Figure 2.5 Turbidity concentrations in Magela Creek between November 2007 and July 2008	21
Figure 2.6 Uranium concentrations in Magela Creek since the 2000–01 wet season	21
Figure 2.7 Radium-226 in Magela Creek 2001–08	22
Figure 2.8 Turbidity measurements in Gulungul Creek for the 2007–08 wet season	24
Figure 2.9 Uranium concentrations in Gulungul Creek between 2000 and 2008	24
Figure 2.10 Uranium concentrations measured in Gulungul Creek by SSD and ERA during the 2007–08 wet season	24
Figure 2.11 Creekside monitoring results for freshwater snail egg production for wet seasons between 1992 and 2008	25
Figure 2.12 Mean concentrations of U measured in mussel soft-parts, sediment and water samples collected from Mudginberri Billabong and control billabongs since 2000	27
Figure 2.13 <sup>226</sup> Ra activity concentrations in the dried flesh of freshwater mussels collected from Mudginberri Billabong 2000–2007 and Sandy Billabong 2002–2006	28
Figure 2.14 Mean concentrations of U measured in the flesh of forktail catfish, sediment and water samples collected from Mudginberri and Sandy Billabongs, since 2000	29
Figure 2.15 Paired upstream-downstream dissimilarity values calculated for community structure of macroinvertebrate families in several streams in the vicinity of the Ranger mine for the period 1988 to 2008	31
Figure 2.16 Ordination plot of macroinvertebrate communities sampled from sites in several streams in the vicinity of Ranger mine for the period 1988 to 2008	32

Figure 2.17 Paired control-exposed dissimilarity values calculated for community structure of fish in Mudginberri ('exposed') and Sandy ('control') Billabongs in the vicinity of the Ranger mine over time	33
Figure 2.18 Uranium concentrations in Ngarradj since the 1998–99 wet season	39
Figure 2.19 Uranium concentrations measured in Ngarradj by SSD and ERA in the 2007–08 wet season	39
Figure 2.20 Radium-226 in Ngarradj 2001–08	40
Figure 2.21 Radon decay product concentration measured by SSD and ERA in Jabiru and Jabiru East from January 2004 to March 2008	47
Figure 2.22 Radon decay product and long lived alpha activity concentrations measured at SSD's Mudginberri Four Gates Rd radon station from January 2004 to March 2008	49
Figure 3.1 Relationships between EC and Mg concentration for the upstream and downstream sites on Magela Creek.	54
Figure 3.2 Predicted continuous Mg concentration along with grab sample values measured upstream and downstream of Ranger mine for the 2007–08 wet season	54
Figure 3.3 Mean hourly net EC in Magela Creek over the 2005–06, 2006–07 and 2007–08 wet seasons	55
Figure 3.4 Frequency distribution curve for predicted Mg concentration in Magela Creek downstream of the mine	56
Figure 3.5 Cross-section of Magela Creek 200 m downstream of G8210009 showing three distinct channels separated by sandbanks	57
Figure 3.6 Cumulative Mg loads measured at the upstream and both downstream sites during the 2007–08 wet season, along with discharge measured at G8210009	58
Figure 3.7 Cumulative Mg loads calculated at the upstream site and the downstream west site using total discharge at G8210009 and the net Mg load	58
Figure 3.8 Comparison of snail egg production for creekside monitoring and in situ monitoring, 2005–06, 2006–07 and 2007–08 wet seasons	62
Figure 3.9 Comparison of test water temperatures recorded between creekside and in situ tests over the 2006–07 and 2007–08 wet seasons	63
Figure 3.10 Comparison of test water electrical conductivity recorded between creekside and in situ tests over the 2006–07 and 2007–08 wet seasons	63
Figure 3.11 Location of sampling sites along Magela Creek	65

Figure 3.12 Mussel dry weight plotted versus age at the sampling locations along the Magela Creek channel and from the control site, Sandy Billabong	67
Figure 3.13 $^{228}\text{Ra}/^{226}\text{Ra}$ activity ratio measured in sieved sediment and in mussels collected along Magela Creek	68
Figure 3.14 Comparison of May 2007 uranium concentrations in mussels along Magela Creek, upstream and downstream of the mine with historical (1980) data	69
Figure 3.15 $^{206}\text{Pb}/^{207}\text{Pb}$ plotted versus $^{208}\text{Pb}/^{207}\text{Pb}$ isotope ratios measured in mussel tissue and < 63 $\mu\text{m}$ sediment fraction (1 N HCl digest) from Magela Creek	70
Figure 3.16 Effect of DOC on U toxicity to <i>Mogurnda mogurnda</i> , <i>Hydra viridissima</i> and <i>Chlorella</i> sp	73
Figure 3.17 Temporal variation of the difference in the logarithms of the discrete event mud loads measured in Magela and Gulungul Creeks during the 2005–06, 2006–07 and 2007–08 wet seasons	78
Figure 3.18 Event-based mud load relationships and associated +1, +2, and +3 standard deviation lines for MCDS and MCUS	80
Figure 3.19 Event-based mud load relationships for GCDS and GCUS	80
Figure 3.20 Estimated track of Cyclone Monica across the ARR	82
Figure 3.21 Gauging station at GCDS submerged by floodwaters during the March 2007 flood	85
Figure 3.22 Original station at GCUS and the new permanent gauging station constructed during the 2007 dry season	86
Figure 3.23 Location of the landslips in the upper Magela Catchment in relation to Ranger mine	87
Figure 3.24 Field measurement of one of the landslips in the upper Magela Catchment	88
Figure 3.25 Red coloured sediment laden plume in Magela Creek downstream of G8210009 on 5 February 2008	88
Figure 3.26 Alligator Rivers Region, with a detailed excerpt of the southern area showing the extent of two airborne gamma surveys conducted in 2000 and 2002, the location of known uranium anomalies and some historic mining and milling areas	90
Figure 3.27 Extent of the area at the original tailings dam footprint for various dose rate thresholds, and location of trenches 1 to 4	91
Figure 3.28 Terrestrial gamma dose rates calculated from radionuclide activity concentrations measured in trenches 1 to 4	92
Figure 3.29 Histogram of $\gamma$ -dose rates measured at the planned containment site at the El Sherana airstrip	93
Figure 3.30 El Sherana airstrip groundwater monitoring bore locations	93

Figure 4.1 ERA staff explaining to ARRTC and SSD visitors wet season management of runoff from waste rock stockpiles during a field trip to Ranger mine	99
Figure 5.1 Collecting snails as part of the creekside monitoring program during the wet season	102
Figure 5.2 Kakadu Junior Ranger visit to JFS; staff from NLC and Kakadu Health Services and residents from Mudginberri at a creekside monitoring station	103
Figure 5.3 The Environmental Radioactivity program running an information session at Gunbalanya for local Aboriginal people; cross-cultural training	103
Figure 5.4 The SSD stand at Mahbilil; Top End Science Fair	105
Figure 6.1 Organisational structure of the Supervising Scientist Division (as at 30 June 2008)	110
Figure 6.2 Building 20 ready for relocation	113
Figure 6.3 Total greenhouse emissions 2007–08	119