

REFERENCES

A Statement by the Prime Minister of Australia; *Safeguarding the Future: Australia's Response to Climate Change*

ABS (1995) Survey of Motor Vehicle Use.

ABS (1997) Motor Vehicle Census.

ACEA, 1993. Report No AE83/93, October 1993.

ACIL (1997), '*A Study of the Australian Oil Refining Industry and Marketing Industry*'.

ACIL Consulting (1999) *Downstream Petroleum Products Action Agenda*, Working group workshop facilitators report.

ACIL Economics and Policy Pty Ltd (1998) *A study of the Australian oil refining and marketing industry*, a report to the Australian Institute of Petroleum

ACVEN Main Working Group (1997), 'Comprehensive Review of the Australian Design Rule (ADR) 37.01 Emissions Control for Light Vehicles'.

AIP (1997) Oil and Australia, *Statistical Review 1997*

AIP (1997), *Australia's Oil Industry* Australian Institute of Petroleum, General publication No. 92003

AIP (1998), *Australian Refinery Product Characteristics – 1997*, Australian Institute of Petroleum – special publication and review for oil company members.

AIP (1998), *Statistical Review 1998 (Australian Petroleum in Facts and Figures)*, Australian Institute of Petroleum, General Publication No. 920512

AIP, *Downstream Oil Industry Financial Survey*, January 1993 to December 1997

Air Resources Board (1998), 'Proposed Identification of Diesel Exhaust as a Toxic Air Contaminant'.

Alperstein M, Schafer G, Villforth F, 1974. *Texaco's Stratified Charge Engine – Multifuel, Efficient, Clean and Practical*. SAE 740563.

American Automobile Manufacturers Association (AAMA), Engine Manufacturers Association (EMA), European Automobile Manufacturers Association (ACEA), Japan Automobile Manufacturers Association (JAMA), December 1998. *World-Wide Fuel Charter*.

Andersen P and Rieck J (Johnson Matthey), 1997. *Advances in Pd Containing Three Way Catalyst Activity*. SAE 970739.

AQIRP (1992) *Estimated Costs of Modifying Gasoline Properties*, Economics Bulletin No 2.

AQIRP (1993) *Auto/ Oil Air Quality Improvement Program, Phase 1 Final Report*

AQIRP (1997) *Auto /Oil Air Quality Improvement Research Program, Program Final report*

Associated Octel, 1996, Petrol Surveys, 5-Month to Mar 1995, Australia Av (Super Leaded, Pg 35; Regular Unleaded, Pg 13)

Association for Emission Control by Catalyst (AECC), 1999. *Newsletter, International Regulatory Developments, September – October 1999*.

Australian Academy of Technological Sciences and Engineering AATSE (1997) *Urban Air Pollution in Australia*

Australian Design Rules for Road Vehicles – 1998

Australian Greenhouse Office (1998), *The National Greenhouse Strategy*

Australian Greenhouse Office (1999), *Alternative Fuels Programs*.

Australian Institute of Petroleum (1997), *Australia's Oil Industry*

Australian Institute of Petroleum (1998), *Australian Petroleum in Facts and Figures, Statistical Review 1998*

Australian Institute of Petroleum (1998), *Australian Petroleum in Facts and Figures, Forecasts 1998-2007*

Australian Institute of Petroleum (1998), *Downstream Oil Industry Financial Survey*

Auto Oil technical bulletins:

- Initial mass exhaust results from reformulated gasolines, Dec 1990
- Effects of fuel sulphur levels on mass exhaust emissions, Feb 1991
- Air quality modelling results for reformulated gasolines in older vehicles in year 2005/2010, May 1991
- Mass exhaust emission results from reformulated gasolines in older vehicles, May 1991

Auto Oil Technical bulletins (cont'd):

- Exhaust emissions of toxic air pollutants using reformulated gasolines, June 1991
- Emissions results of oxygenated gasolines and changes in RVP, September 1991
- Emissions and air quality modelling results from emthanol / gasoline blends in prototype flexible/variable fuel vehicles, Jan 1992
- Effects of fuel sulphur on mass exhaust emissions, air toxics and reactivity, February 1992
- Comparison of effects of MTBE and TAME on exhaust and evaporative emissions, air toxics and reactivity, April 1992
- Emission of three dedicated-methanol vehicles, June 1992

Auto Oil technical bulletins:

- A study of fuel effects on emissions from high emitting vehicles, December 1992
- Reactivity estimates for reformulated gasolines and methanol / gasoline mixtures, June 1993

Ballinger T, Manning W and Lafyatis D (Johnson Matthey), 1997. *Hydrocarbon Trap Technology for the Reduction of Cold-Start Hydrocarbon Emissions*. SAE 970741.

Bartley G et al, 1993. *Advanced Three-Way Catalyst Formulations for High Temperature Applications*. SAE 930076.

Bauder R., Stock D., 1990. "*The New AUDI 5-Cylinder Turbo-Diesel Engine: The First Passenger Car Diesel Engine with 2nd Generation Direct Injection*", SAE 900648

Benson J D, Burns V R, Gorse R A, Hochhauser A M, Koehl W J, Painter L J and Reuter R M, 1991. *Effects of Gasoline Sulphur Level on Mass Exhaust Emissions – Auto/Oil Air Quality Improvement Research Program*. SAE 912323.

Berman, E and L. Bui 'Clearing the Air, the Impact of Air Quality Regulations on Jobs', Economic Policy Institute.

Bishop, G.A and Stedman, D.H (1990), *Environmental Science and Technology*. Vol. 24, 843-847.

Breuer J, Bruck, Diewald R, Hirth P (Emitec GmbH), 1997. *Temperature Examinations on a Metal Catalyst System*. SAE 971028.

BTE (1996a) Working Paper 24. Costs of reducing greenhouse gas emissions from Australian cars: An application of the BTCE CARMOD model. Bureau of Transport Economics.

BTE (1996b) Working Paper 22. Costs of reducing greenhouse gas emissions from Australian road freight vehicles : An application of the BTCE TRUCKMOD model. Bureau of Transport Economics.

BTE (1996c) Unpublished information provided by Mr David Cosgrove, Bureau of Transport Economics.

Bureau of Transport and Communication Economics, *Greenhouse Gas Emissions from Australian Transport, Long-term Projections*, Australian Government Publishing Service, 1995.

Bureau of transport and communications economics (1994) *Alternative Fuels in Australian transport*

Bureau of Transport and Communications Economics (BTCE) (1995), 'Greenhouse Gas Emissions from Australian Transport, Long Term Projections', AGPA.

California Environmental Protection Agency Air Resources Board, California's Process to Reduce Health Risks Posed by Toxic Air Contaminant Emissions from Diesel Fueled Engines

California Environmental Protection Agency Air Resources Board, The Toxic Air Contaminant Identification Process: Toxic Air Contaminant Emissions from Diesel Fueled Engines

Carnovale et al. (1991) PPCR Emissions Inventory, EPA Vic

Carnovale et al. (1996) Metropolitan Air Quality Study

Chattopadhyay A, Kolbenschmidt AG, 1992. (German language). *Variable Valve Timing as an Integrated Solution for Combustion Engines*. SAE 927155.

Cheng W K, Hamrin D, Heywood J B, Hochgreb S, Min K, Norris M (Massachusetts Institute of Technology), 1993. *An Overview of Hydrocarbon Emissions Mechanisms in Spark-Ignition Engines*. SAE 932708.

Coffey Geosciences Pty Ltd (1999) *Review of Fuel Quality - Stakeholder Consultation and Scenario Development*, Report to Environment Australia.

Coffey Partners International Pty Ltd (1995) Draft report to Queensland Department of Environment and Heritage, Air Emissions Inventory Appendix A - Vic EPA report on distributed sources

Coffey (1995) Future Air Quality for the Brisbane Region, prepared for Brisbane City Council

Coffey (1999), Report E12231/1-CL – Scenario Development, report to Environmental Australia as part of the Review of Fuel Quality Requirement for Australian Transport.

Coffey Partners International Pty Ltd (1996) *Parameter Projections for the reviews of ADR37/01 and ADR70/00 by ACVEN, report to the Federal Office of Road Safety*

Collins N R, Chandler G R, Brisley R J, Andersen P J, Shady P J, Roth S A (Johnson Matthey), 1996. *Catalyst Improvements to Meet European Stage III and ULEV Emissions Criteria*. SAE 960799.

Commission of the European Communities (1995) *A cost effectiveness study of the various measures that are likely to reduce pollutant emissions from road vehicles for the year 2010*

Commission of the European Communities (1995), 'A cost effectiveness study of the various measures that are likely to reduce pollutant emissions from road vehicles for the year 2010'.

Commonwealth Department of Industry, Science and Resources (1998), 'Australian Petroleum Statistics', Issue No. 27.

Commonwealth Government, Summary of 'A New Tax Package', including 'Measures for a Better Environment'

Concawe (1984) report 2/84, *Effects of the introduction of unleaded gasolines on the gasoline storage / distribution system*, Concawe, Brussels

Concawe (1990) Report 90/54, *The sulphur content of diesel fuel and its relationship with particulate emissions from diesel engines*, Concawe, Brussels

Concawe (1993) report 1/93, *The European environmental and refining implications of reducing sulphur content of marine bunker fuels*

Concawe (1995), *Motor vehicle emission regulations and fuel specifications, Part 1 summary and annual 1996 update*, Concawe, Brussels

Concawe (1995), *Motor vehicle emission regulations and fuel specifications, Part 2 detailed information and historic review*

Concawe (1995), report 95/54, *Interim report on the European refining implications of severe reformulation of gasoline and diesel fuel*, Concawe, Brussels

Concawe (1995), report No. 3/95, *A survey of European diesel fuel quality*, Concawe, Brussels

Concawe (1996) report 6/94, *Sulphur dioxide emissions from oil refineries and combustion of oil products in Western Europe and Hungary (1992)*

Concawe (1996), 'The Concawe Refining Planning Cycle', October 1996.

Concawe (1996), report 95/61, *The influence of gasoline mid-range to back-end volatility on exhaust emissions*, Concawe, Brussels

Concawe (1996), report No. 2/95, *Alternative fuels in the automotive market*, Concawe, Brussels

Concawe (1996), Report No. 95/62, *Air Quality Standard for Particulate Matter*, Concawe Health Management Group, Brussels

Concawe (1996), report No. 96/51, *The influence of gasoline benzene and aromatics content on benzene exhaust emissions from non-catalyst and catalyst equipped cars, a study of European data*, Concawe, Brussels

Concawe (1996), report No. 96/60, *Diesel fuel / engine interaction and effects on exhaust emissions*, Concawe, Brussels

Concawe (1997), Report No. 5/97, *Motor vehicle emission regulations and fuel specifications, Part 1 summary and annual 1996 update*, Concawe, Brussels

Concawe (1997), Report No. 6/97, *Motor vehicle emission regulations and fuel specifications, Part 2 detailed information and historic review*

Concawe (1998) report 3/98, *Sulphur dioxide emissions from oil refineries and combustion of oil products in Western Europe and Hungary (1995)*

Concawe (1998), '*Concawe Refinery Planning*', Review Vol.7, April 1998.

Concawe (1998), Report No. 98/51, *A study of the number, size and mass of exhaust particles emitted from European diesel and gasoline vehicles under steady state and European driving cycle conditions*, Brussels, February 1998

Concawe (1999), report No. 99/55, *Fuel Quality, Vehicle Technology and their Interactions*, Concawe, Brussels

Concawe (1999), report No. 99/56, *EU refining industry costs of changing gasoline and diesel fuel characteristics*, Concawe, Brussels

Concawe Report 94/55, *Diesel Fuel Emissions Performance with Oxidation Catalyst Equipped Diesel Passenger Vehicles*, 1994

Concawe Report 94/56, *The effect of diesel fuel properties on exhaust emissions from oxidation catalyst equipped diesel passenger vehicles*, 1994

Concawe report 96/51, *The influence of gasoline benzene and aromatics content on benzene exhaust emissions from non-catalyst and catalyst equipped cars, a study of European data*, 1996

Concawe report 96/56, *The measurement of the size range and number distribution of airborne particles related to automotive sources - a literature study*, 1996

Concawe report 96/60, *Diesel fuel / engine interaction and effects on exhaust emissions*, 1996

Cox and ACG (1999) Interim Report 4.2 – projected diesel fleet characteristics. Prepared for the National Environment Protection Council.

Crane M, Thring R, Podnar D, Dodge L (Southwest Research Institute), 1997. *Reduced Cold-Start Emissions using Rapid Exhaust Port Oxidation (REPO) in a Spark-Ignition Engine*. SAE 970264.

Day P (Corning Inc), 1997. Substrate Effects on Light-Off – Part II: Cell Shape Contributions. SAE 971024.

Dingli R J, Watson H C, Palaniswami M, Glasson N (University of Melbourne), 1996. *Adaptive Air Fuel Ratio Optimisation of a Lean Burn SI Engine*. SAE 961156.

DISR (1999) Annual consumption of petroleum products by state, 1990 – 1997. Department of Industry, Science and Resources.

Dou, D. and Bailey, O., (1998) “*Investigation of NO_x Adsorber Catalyst Deactivation*.” SAE Paper 982594. Presented at SAE International Fall Fuels and Lubricants Meeting and Exposition, San Francisco, CA, Oct. 19, 1998. Society of Automotive Engineers, Inc., Warrendale, PA.

Downstream Petroleum Products Action Agenda Facilitator’s report, February 1999.

Dunleep K G, Meszler D (Energy and Environment Analysis Inc), 1996. *Emission Control Technology to Comply with FTP Revisions*. SAE 961115.

EMEP/CORINAIR (1996) Atmospheric Emission Inventory Guidebook, First Edition, February 1996

Environment Protection Authority, Victoria (1997), ‘*Petrol Volatility Project – Supplementary Report No. 2 to Motor Vehicle Pollution in Australia*’, prepared by EPA Victoria for the Federal Office of Road Safety and Environment Australia.

EPANSW (1995) Motor Vehicle Emissions Testing Results.

Federal Office of Road Safety, Motor Vehicle Environment Committee, *Review of Australia’s Vehicle Emission Standards*, October 1998

Federal Office of Road Safety, *Motor Vehicle Pollution in Australia, Report on the National In-Service Vehicle Emissions Study*, May 1996

Federal Office of Road Safety, Motor Vehicle Pollution in Australia, Supplementary Report Number 1, LPG In-Service Vehicle Emissions Study, May 1997

Federal Office of Road Safety, Motor Vehicle Pollution in Australia, Supplementary Report Number 2, Petrol Volatility Project, November 1997

Fekete N and Kemmler R (Mercedes-Benz AG), Voigtlander D et al (Daimler-Benz AG), Strehlau W et al (Degussa AG), 1997. *Evaluation of NO_x Storage Catalysts for Lean Burn Gasoline Fueled Passenger Cars*. SAE 970746.

Filowitz, M and M. Vataru, *Diesel Particulate Emission Control without engine modifications - a cost effective fuel supplement*. SAE technical paper series.

FORS (1996) In service vehicle emissions study

Fraidl G, Piock W, Wirth M (AVL List GmbH), 1996. *Gasoline Direct Injection: Actual Trends and Future Strategies for Injection and Combustion Systems*. SAE 960465.

Government of Canada Statement on MMT

Gulati S, Jones L (Corning Inc), Brady M, Baker R (Chrysler Corp), Kessler B, Zammit M (Johnson Matthey CSD-NA), Snider B, Rajadurai S (Walker Manufacturing), 1997. *Advanced Three-Way Converter System for High Temperature Exhaust Aftertreatment*. SAE 970265.

Hanel F (ALPINA GmbH & Co), Otto E (BMW AG), Bruck R, Nagel T and Bergau (EMITEC AG), 1997. *Practical Experience with the EHC System in the BMW ALPINA B12*. SAE970363.

Hertl W, Patil M, Williams J (Corning Inc), 1996. *Hydrocarbon Adsorber System for Cold Start Emissions*. SAE 960347.

Houston R, Cathcart G (Orbital Engine Company), 1998. *Combustion and Emissions Characteristics of Orbital's Combustion Process Applied to Multi-Cylinder Direct Injection 4-Stroke Engines*. SAE 980153.

Hydrocarbon Refining Handbook 1992, Gulf Publishing

Jackson S D, Williams P A (University College London), Ma T (Ford Motor Co), 1996. *Development of a Fuelling System to Reduce Cold-Start Hydrocarbon Emissions in an SI Engine*. SAE 961119.

Keesom et al (1998), 'Commercial strategies for Gasoline Sulphur Reduction', from presentation at the 1998 NPRA Environmental Conference

Ketcher, D and R Horrocks, *The Effect of Fuel Sulphur on Diesel Particulate Emissions when using Oxidation Catalysts*, SAE Technical Paper

Ketcher, D. and T. Morris, *A Comparison of Indirect Injection and Direct Injection Passenger Car Diesel Engine Emission Potential*, SAE Technical Paper

Kobayashi T, Yamada T, Kayano K (N E Chemical Corp.), 1997. *Study of NO_x Trap Reaction by Thermodynamic Calculation*. SAE 970745.

Kubsh J, Brunson G (W R Grace and Co), 1996. *EHC Design Options and Performance*. SAE 960341.

Lowenthal et al., 1994, *Characterisation of Heavy Duty Diesel Vehicle Emissions*, Table 4a Pg 734-735, *Atmos. Environ.* 28, 731-743

Luoma M (Kemira Chemicals Oy), Harkonen M, Lylykangas R (Kemira Metalkat Oy), Sohio J (University of Oulu), 1997. *Optimisation of the Metallic Three-Way Catalyst behaviour*. SAE 971026.

Manufacturers of emission controls association (Washington) (1997) *Emission control of diesel fueled vehicles*

Maricq et al., 1999, *Examinations of the Size Resolved and Transient Nature of Motor Vehicle Particle Emissions*, *Environ. Sci. Technol.*, 33, 1618-1626.

MECA - Manufacturers of Emission Controls Association (1998), *'Demonstration of Advanced Emission Control Technologies Enabling Diesel-Powered Heavy-Duty Engines to Achieve Low Emission Levels: Interim Report Number 2 Diesel Particulate Filter Technology.'* Manufacturers of Emission Controls Association, Washington, DC. December 1998.

Memorandum from the Federal Republic of Germany on Updating the EU Fuel Directive 98/70

Minister for Environment, Minister for Industry, Science and Tourism, Minister for Resources and Energy, 1997, Joint Statement, *'Motor Vehicle Industry to play a major part in reducing global warming'*.

Moeller, T, J. Bailar, J. Kleinberg, C. Guss, M.Castellion and C. Metz (1989), *'Chemistry with Inorganic Qualitative Analysis'*, Third Edition, Harcourt Brace Javanovich Publishers, USA.

Motor Research and Development Corporation (1993), *Outlook for Clean Fuel / Clean Vehicle Technology: Meeting the Clean Air Challenge*

Motor Vehicle Environment Committee (MVEC) (1998), *'Review of Australia's Vehicle Emission Standards, Public Comment Document'*.

Motor Vehicle Environment Committee (MVEC) (1998), *'Revised Emissions and Fuel Standard package'*.

Motor Vehicle Environment Committee (MVEC) (1999), *'Review of Australia's Vehicle Emission Standards, Recommendations to NRTC and NEPC'*.

Motor Vehicle Environment Committee, *The Environmental Context Part 2*

National Environment Protection Council (NEPC) (1997), *Draft National Environment Protection Measure and Impact Statement for Ambient Air Quality*

National Greenhouse Gas Inventory Committee (NGGIC), 'National Greenhouse Gas Inventory 1988 to 1994, Summary and Analysis of Trends'.

Needham J. (1991) '*Engine Experience and EPA Regulations*', University of Minnesota Short Course "Diesel Particulate Matter", October 1991

Nelson English, Loxton and Andrews Pty Ltd, 1991, *Study on Potential to Improve Fuel Economy of Passenger Motor Vehicles, Part 1 – Study*. Prepared for Department of Transport and Communications, federal Office of Road Safety.

Nelson et al., 1998, *Toxic Organic Emissions from Motor Vehicles*, Table 2, Pg 251, Clean Air and Environment Conference, Melbourne.

NSW Environment Protection Authority (1995), *NSW Greenhouse Gas Inventory Report, Estimates for 1990 and 2000*.

NSW Environment Protection Authority (1996), *Metropolitan Air Quality Study. Outcomes and Implications for Managing Air Quality*'.

NSW Environment Protection Authority (1998), '*Action for Air, The NSW Government's 25 Year Air Quality Action Plan*'.

Parsons, 1998, Report to DoE, 'National Pollutant Inventory, Estimation of Motor Vehicle Emission Factors'.

Patil M, Hertl W, Williams J, Nagel J (Corning Inc), 1996. *In-line Hydrocarbon Adsorber System for ULEV*. SAE 960348.

Petit A (Renault), Jeffrey J G (Esso), Palmer F H (CEC), Steinbrink R (GM-EA Opel AG), 1996. *European Programme on Emissions, Fuels and Engine technologies (EPEFE) – Emissions from Gasoline Sulphur Study*. SAE 961071.

Petroleum Economics Ltd, *Outlook for the World Refining Industry*, June 1999.

Petroleum Gazette, Volume 34 No.1 (1999); BP's Bulwer Island Refinery

Petroleum Marketing Monthly (Jan 1996), *1995 Reformulated Gasoline Market Affected Refiners Differently*

Proceedings to Workshop on Human Health and Environmental Effects of Motor Vehicle Fuels and their exhaust emissions

Radian (1992), '*Developing an I/M Program for Alternately Fuelled Vehicles*', submitted by Radian Corporation, California Bureau of Automotive Repair, Sacramento, CA.

Reddy S. R. (1989) Prediction of Fuel Vapour Generation from a Vehicle Fuel Tank as a function of fuel RVP and temperature. SAE 892089

- Rijkeboer et al., 1994, Potential Impact of Four Different Car Fuels on the Dutch Environment, Table 2, Pg 30, SAE 941914, 27-38.
- Robnett J, Van Vuuren W N, Siemens Automotive, Molitor M Sealed Power Technologies HY-Lift Corp, 1993. *Performance Characteristics of an Electro-Hydraulic Variable Valve Timing System: Lost motion principle*. SAE 937102.
- Roychoudhury S, Muench G, Bianchi J, Pfefferle W (Precision Combustion Inc), Gonzales F (Ford Motor Co), 1997. Development and Performance of Microlith™ Light-Off Preconverters for LEV/ULEV. SAE 971023.
- SAE (1988), Influence of Fuel Sulphur on Diesel Particulate Emissions
- SAE (1989), Diesel Particulate Emission Control without Engine Modifications – a cost effective fuel supplement
- SAE International (1993), The Effects of Fuel Sulfur Concentration on Regulated and Unregulated Heavy Duty Diesel Emissions
- SAE International (1994), Fuel Quality Effects on Particulate Matter Emissions from Light and Heavy duty Diesel Engines
- Samaras et. al, 'A methodology and a database for forecasting anthropogenic atmospheric emissions in Europe' in Atmospheric Environment 33 (1999) pp. 3389-3404
- Schauer et al., 1999, Measurement of Emissions from Air Pollution Sources, C1 through C30 Organic Compounds from Medium Duty Diesel Trucks, Table 2, Pg 1582-1583, Environ. Sci. Technol., 33, 1578-1587
- Scussel A, Simco A, Wade W, 1978. *The Ford PROCO Engine Update*. SAE 790699.
- Shimasaki Y, Kato H (Honda R&D Co Ltd), Abe F (NGK Insulatots Ltd), Hashimoto S (NGK Locke Inc), Kaneko T (NGK Ceramics USA Inc), 1997. *Development of Extruded Electrically Heated Catalyst System for ULEV Standards*. SAE 971031.
- SMVU (1995) Survey of Motor Vehicle Use, ABS.
- Society of Automotive Engineers (1998), Catalysts: Emission Control and Lean NO_x Technologies
- South East Queensland Regional Air Quality Strategy, Draft Strategy for managing air quality in south east Queensland
- Speight, J (1998), Petroleum Chemistry and Refining, Taylor and Francis Ltd, London.

Steinbrink R (GM-Europe), Cahill G F (PSA), Signer M (IVECO), Smith G (Ford Europe), 1996. *European Programmes on Emissions, Fuels and Engine technologies (EPEFE) – Vehicle/Engine technology*. SAE 961067.

Stocker H (Siemens AG Automobiltechnik) and Houston R (Orbital Engine Co), 1999. *Air Assisted Gasoline Direct Injection*.

The Associated Octel Company Ltd, *European Diesel Fuel Survey 1994-1995*

The Associated Octel Company Ltd, *European Gasoline Survey 1994*

The Associated Octel Company Ltd, *Worldwide Gasoline and Diesel Fuel Survey 1996*

The Associated Octel Company Ltd, *Worldwide Gasoline and Diesel Fuel Survey 1995*

The Natural Energy, Newsletter of the Australasian Natural Gas Vehicles Council, March 1999

Thos J, Rieck J and Bennett C (Johnson Matthey), 1997. *The Impact of Fuel Sulphur Level on FTP Emissions – Effect of PGM Catalyst Type*. SAE 970737.

Touche-Ross (1995), 'A Cost Effectiveness Study of the Various Measures that are Likely to Reduce Pollutant Emissions from Road Vehicles for the Year 2010', Final report to the European Commission DGIII.

Toyota Motor Corporation, 1997. *Car(e) for the Earth. Toyota Automotive Eco-Tecnologies*. PR-E-9710.

Umehara K, Yamada T, Hijikata T, Itchikawa Y, Katsube F (NGK Insulators Ltd), 1997. *Advanced Ceramic Substrate: Catalytic Performance Improvement by High Geometric Surface Area and Low Heat Capacity*. SAE 971029.

United Oil Products (1994) '*The challenge of reformulated gasoline; an update on the Clean Air Act and the Refining Industry*'. General Publication.

United Oil Products (1997) 'Diesel fuel specifications and demand for the 21st century'. General publication.

United Oil Products (1998) '*Commercial Strategies for Gasoline Sulphur Reduction*', NPRA Environmental Conference, Texas.

U.S. Department of Energy (1998) '*Integrated Emission Reduction*' DOE Contract No. 85X-ST800C.

US Federal Register, Vol 64, No. 92, May 1999; *Proposed Rules; Environmental Protection Agency: Control of Diesel Fuel Quality*

USEPA (1993) Motor vehicle related air toxics study.

USEPA (1994) MOBILE 5 Emissions Model

USEPA (1995) AP-42 Mobile Sources

USEPA, 1998. *EPA Staff Paper on Gasoline Sulphur issues*. Environmental Protection Agency Office of Mobile sources, May 1 1998.

Walsh M, May 1999. *Car Lines*, issue 99-3

Walsh M, September 1994. *Car Lines*, issue 94-5.

Westerholm et al., 1996, Regulated and Unregulated Exhaust Emissions from Two Three-Way Catalyst Equipped Gasoline Fuelled Vehicles, Table 2, Pg 3532, *Atmos. Environ.*, 30, 3529-3536.

Williams J, Patil M, Hertl W (Corning Inc), 1996. *By-Pass Hydrocarbon Adsorber System for ULEV*. SAE 960343.

Winebrake, J. and M. Deaton, *Hazardous Air Pollution from Mobile Sources: A comparison of alternative fuels and reformulated gasoline vehicles*

Yamada T, Nagatomo S, Suzuki Y, Kanano K (N E Chemical Corp), 1996. *Impact of Revised FTP on Emissions and New Modifications Required for Catalysts*. SAE 960793.

Zahn W, Kollmann K, Mikulic L, Mercedes Benz-AG, 1995. (German language). *Modern Measures for Reduced Exhaust Emissions of Passenger Cars with Spark Ignition*. SAE 957062.

Zyren, Dale and Riner (1996), '1995 Reformulated Gasoline Market Affected Refiners Differently', *Energy information Administration / Petroleum marketing Monthly*.