

REFERENCES

- American Automobile Manufacturers Association (AAMA), Engine Manufacturers Association (EMA), European Automobile Manufacturers Association (ACEA), Japan Automobile Manufacturers Association (JAMA), December 1998. *World-Wide Fuel Charter*.
- Associated Octel Company Ltd, 1996. Worldwide Gasoline and Diesel Fuel Survey 1996.
- Associated Octel, 1996, Petrol Surveys, 5-Month to Mar 1995, Australia Av (Super Leaded, Pg 35; Regular Unleaded, Pg 13)
- Association for Emission Control by Catalyst (AECC), 1999. Newsletter, 'International Regulatory Developments', September – October 1999.
- Australian Academy of Technological Sciences and Engineering (AATSE), 1997. *Urban Air Pollution in Australia*.
- Australian Bureau of Statistics (ABS), 1995. *Survey of Motor Vehicle Use*.
- ABS, 1997. *Motor Vehicle Census*.
- Australian Institute of Petroleum (AIP), 1997a. Oil and Australia, *Statistical Review 1997*.
- AIP, 1997b, *Australia's Oil Industry*', General publication No. 92003.
- AIP, 1998. *Australian Refinery Product Characteristics – 1997*, Australian Institute of Petroleum – special publication and review for oil company members.
- AIP (1998), *Statistical Review 1998 (Australian Petroleum in Facts and Figures)*, Australian Institute of Petroleum, General Publication No. 920512 CHECK 1998 REF
- Australian Institute of Petroleum (1998), *Australian Petroleum in Facts and Figures, Statistical Review 1998*
- Australian Institute of Petroleum (1998), *Australian Petroleum in Facts and Figures, Forecasts 1998-2007*
- Australian Institute of Petroleum (1998), *Downstream Oil Industry Financial Survey*
- Auto /Oil Air Quality Improvement Research Program (AQIRP), 1997. *Auto /Oil Air Quality Improvement Research Program, Program Final report*.
- Ballinger, T., Manning, W. and Lafyatis, D. (Johnson Matthey), 1997. *Hydrocarbon Trap Technology for the Reduction of Cold-Start Hydrocarbon Emissions*. Society of Automotive Engineers 970741.
- Bartley, G. et al, 1993. Advanced Three-Way Catalyst Formulations for High Temperature Applications. Society of Automotive Engineers 930076.
- Bauder, R., Stock, D., 1990. *The New AUDI 5-Cylinder Turbo-Diesel Engine: The First Passenger Car Diesel Engine with 2nd Generation Direct Injection*, Society of Automotive Engineers 900648.
- Benson, J.D., Burns, V.R., Gorse, R.A., Hochhauser, A.M., Koehl, W.J., Painter, L.J. and Reuter, R.M., 1991. *Effects of Gasoline Sulphur Level on Mass Exhaust Emissions – Auto/Oil Air Quality Improvement Research Program*. Society of Automotive Engineers 912323.
- Breuer, J., Bruck, Diewald R., Hirth, P. (Emitec GmbH), 1997. *Temperature Examinations on a Metal Catalyst System*. Society of Automotive Engineers 971028.

- Bureau of Transport and Communications Economics (BTCE), 1995. *Greenhouse Gas Emissions from Australian Transport, Long-term Projections*, Australian Government Publishing Service.
- Bureau of Transport Economics (BTE) (1996a) Working Paper 24. Costs of reducing greenhouse gas emissions from Australian cars: An application of the BTCE CARMOD model. Bureau of Transport Economics.
- BTE (1996b) Working Paper 22. Costs of reducing greenhouse gas emissions from Australian road freight vehicles : An application of the BTCE TRUCKMOD model. Bureau of Transport Economics.
- BTE (1996c) Unpublished information provided by Mr David Cosgrove, Bureau of Transport Economics.
- Cadle et al., 1999.
- Carnovale et al., 1991. 'PPCR Emissions Inventory', EPA Victoria.
- Carnovale et al., 1996. *Metropolitan Air Quality Study*.
- Coffey Partners International Pty Ltd, 1995. 'Air Emissions Inventory Appendix A - Vic EPA report on distributed sources', Draft report to Queensland Department of Environment and Heritage.
- Coffey, 1995. 'Future Air Quality for the Brisbane Region', prepared for Brisbane City Council
- CONCAWE (1999a), report No. 99/55, *Fuel Quality, Vehicle Technology and their Interactions*, CONCAWE, Brussels.
- CONCAWE (1999b), report No. 99/56, *EU refining industry costs of changing gasoline and diesel fuel characteristics* , CONCAWE, Brussels.
- Cox and Apelbaum Consulting Group (ACG), 1999. 'Interim Report 4.2 – projected diesel fleet characteristics', Prepared for the National Environment Protection Council.
- Crane, M., Thring, R., Podnar, D., Dodge, L. (Southwest Research Institute), 1997. *Reduced Cold-Start Emissions using Rapid Exhaust Port Oxidation (REPO) in a Spark-Ignition Engine*. Society of Automotive Engineers 970264.
- Day, P. (Corning Inc), 1997. *Substrate Effects on Light-Off – Part II: Cell Shape Contributions*. Society of Automotive Engineers 971024.
- Department of Industry, Science and Resources (DISR), 1999. *Annual consumption of petroleum products by state, 1990 – 1997*.
- Dou, D. and Bailey, O., 1998. 'Investigation of NO_x Adsorber Catalyst Deactivation,' Society of Automotive Engineers Paper 982594. Presented at Society of Automotive Engineers International Fall Fuels and Lubricants Meeting and Exposition, San Francisco, CA, Oct. 19, 1998. Society of Automotive Engineers, Inc., Warrendale, PA.
- Dunleep, K.G., Meszler, D. (Energy and Environment Analysis Inc), 1996. *Emission Control Technology to Comply with FTP Revisions*. Society of Automotive Engineers 961115.
- EMEP/CORINAIR, 1996. *Atmospheric Emission Inventory Guidebook*, First Edition, February.
- Environment Protection Authority NSW (EPANSW), 1995. Motor Vehicle Emissions Testing Results.
- EPFEE, 1995.

- Federal Office of Road Safety (FORS), 1996. *Motor Vehicle Pollution in Australia*, Report on the National In-Service Vehicle Emissions Study, May.
- Federal Office of Road Safety, 1997a. 'Motor Vehicle Pollution in Australia, Supplementary Report Number 1, LPG In-Service Vehicle Emissions Study', May.
- Federal Office of Road Safety, 1997b. 'Motor Vehicle Pollution in Australia, Supplementary Report Number 2, Petrol Volatility Project', November.
- Fekete, N. and Kemmler, R. (Mercedes-Benz AG), Voigtlander, D. et al. (Daimler-Benz AG), Strehlau, W. et al. (Degussa AG), 1997. *Evaluation of NO_x Storage Catalysts for Lean Burn Gasoline Fueled Passenger Cars*. Society of Automotive Engineers 970746.
- Fraidl, G., Piock, W., Wirth, M. (AVL List GmbH), 1996. *Gasoline Direct Injection: Actual Trends and Future Strategies for Injection and Combustion Systems*. Society of Automotive Engineers 960465.
- Halberstadt, 1989.
- Hanel, F. (ALPINA GmbH & Co), Otto, E. (BMW AG), Bruck, R., Nagel, T. and Bergau (EMITEC AG), 1997. *Practical Experience with the EHC System in the BMW ALPINA B12*. SAE970363.
- Hertl, W., Patil, M., Williams, J. (Corning Inc), 1996. *Hydrocarbon Adsorber System for Cold Start Emissions*. Society of Automotive Engineers 960347.
- Houston, R., Cathcart, G. (Orbital Engine Company), 1998. *Combustion and Emissions Characteristics of Orbital's Combustion Process Applied to Multi-Cylinder Direct Injection 4-Stroke Engines*. Society of Automotive Engineers 980153.
- Iwamoto, 1991.
- Jackson, S.D., Williams, P.A. (University College London), Ma, T. (Ford Motor Co), 1996. *Development of a Fuelling System to Reduce Cold-Start Hydrocarbon Emissions in an SI Engine*. Society of Automotive Engineers 961119.
- Jakeman et al. 1987.
- Kobayashi, T., Yamada, T., Kayano, K. (N E Chemical Corp.), 1997. *Study of NO_x Trap Reaction by Thermodynamic Calculation*. Society of Automotive Engineers 970745.
- Kubsh, J., Brunson, G. (W R Grace and Co.), 1996. *EHC Design Options and Performance*. Society of Automotive Engineers 960341.
- Luoma, M. (Kemira Chemicals Oy), Harkonen, M., Lylykangas, R. (Kemira Metalkat Oy), Sohio, J. (University of Oulu), 1997. *Optimisation of the Metallic Three-Way Catalyst behaviour*. Society of Automotive Engineers 971026.
- Maricq et al., 1999. 'Examinations of the Size Resolved and Transient Nature of Motor Vehicle Particle Emissions', *Environ. Sci. Technol.*, 33:1618-1626.
- Moeller, T., Bailar, J., Kleinberg, J., Guss, C., Castellion, M. and Metz, C., 1989. *Chemistry with Inorganic Qualitative Analysis*, Third Edition, Harcourt Brace Javanovich Publishers, USA.
- National Greenhouse Gas Inventory Committee (NGGIC), 1996. *National Greenhouse Gas Inventory 1988 to 1994, Summary and Analysis of Trends*.
- Nelson and Quigley, 1984.
- Nelson English, Loxton and Andrews Pty Ltd, 1991. *Study on Potential to Improve Fuel Economy of Passenger Motor Vehicles, Part 1 – Study*. Prepared for Department of Transport and Communications, Federal Office of Road Safety.

- Nelson et al., 1998. 'Toxic Organic Emissions from Motor Vehicles', Clean Air and Environment Conference, Melbourne.
- Parsons, 1998. 'National Pollutant Inventory, Estimation of Motor Vehicle Emission Factors', Report to DoE.
- Patil, M., Hertl, W., Williams, J., Nagel, J. (Corning Inc), 1996. *In-line Hydrocarbon Adsorber System for ULEV*. Society of Automotive Engineers 960348.
- Petit, A. (Renault), Jeffrey, J.G. (Esso), Palmer, F.H. (CEC), Steinbrink, R. (GM-EA Opel AG), 1996. *European Programme on Emissions, Fuels and Engine technologies (EPEFE) – Emissions from Gasoline Sulphur Study*. Society of Automotive Engineers 961071.
- Reddy S. R., 1989. *Prediction of fuel vapour generation from a vehicle fuel tank as a function of fuel RVP and temperature*, Society of Automotive Engineers 892089.
- Rijkeboer et al., 1994, *Potential Impact of Four Different Car Fuels on the Dutch Environment*, Society of Automotive Engineers 941914.
- Robnett, J., Van Vuuren, W.N., Siemens Automotive, Molitor M Sealed Power Technologies HY-Lift Corp, 1993. *Performance Characteristics of an Electro-Hydraulic Variable Valve Timing System: Lost motion principle*. Society of Automotive Engineers 937102.
- Roychoudhury, S., Muench, G., Bianchi, J., Pfefferle, W. (Precision Combustion Inc), Gonzales, F. (Ford Motor Co), 1997. *Development and Performance of Microlith Light-Off Preconverters for LEV/ULEV*. Society of Automotive Engineers 971023.
- Samaras et al, 1998. 'A methodology and a database for forecasting anthropogenic atmospheric emissions in Europe' in *Atmospheric Environment* 33 (1999):3389-3404.
- Schauer et al., 1999. 'Measurement of Emissions from Air Pollution Sources, C1 through C30 Organic Compounds from Medium Duty Diesel Trucks', *Environ. Sci. Technol.*, 33:1578-1587.
- Scussel, A., Simco, A., Wade, W., 1978. *The Ford PROCO Engine Update*. Society of Automotive Engineers 790699.
- Shelef, 1995.
- Shimasaki, Y., Kato, H. (Honda R&D Co Ltd), Abe, F. (NGK Insulatots Ltd), Hashimoto, S. (NGK Locke Inc), Kaneko, T. (NGK Ceramics USA Inc), 1997. *Development of Extruded Electrically Heated Catalyst System for ULEV Standards*. Society of Automotive Engineers 971031.
- Speight, J., 1998. *Petroleum Chemistry and Refining*, Taylor and Francis Ltd, London.
- Stebar et al., 1985.
- Stocker, H. (Siemens AG Automobiltechnik) and Houston, R. (Orbital Engine Co), 1999. *Air Assisted Gasoline Direct Injection*.
- Thos, J., Rieck, J. and Bennett, C. (Johnson Matthey), 1997. *The Impact of Fuel Sulphur Level on FTP Emissions – Effect of PGM Catalyst Type*. Society of Automotive Engineers 970737.
- Toyota Motor Corporation, 1997. *Car(e) for the Earth*. Toyota Automotive Eco-Technologies. PR-E-9710.
- Toyota, 1999.

- Umehara, K., Yamada, T., Hijikata, T., Itchikawa, Y., Katsube, F. (NGK Insulators Ltd), 1997. *Advanced Ceramic Substrate: Catalytic Performance Improvement by High Geometric Surface Area and Low Heat Capacity*. Society of Automotive Engineers 971029.
- United States Environment Protection Agency (USEPA), 1993. *Motor vehicle related air toxics study*.
- USEPA, 1994. MOBILE 5 Emissions Model.
- USEPA, 1998. *EPA Staff Paper on Gasoline Sulphur issues*. Environmental Protection Agency Office of Mobile sources, May 1.
- USEPA, 1999.
- Walsh, M., 1994. *Car Lines*, 94-5, September.
- Walsh, M., 1999. *Car Lines*, 99-3, May.
- Westerholm et al., 1996. 'Regulated and Unregulated Exhaust Emissions from Two Three-Way Catalyst Equipped Gasoline Fuelled Vehicles', *Atmos. Environ.*, 30:3529-3536.
- Williams, J., Patil, M., Hertl, W. (Corning Inc), 1996. *By-Pass Hydrocarbon Adsorber System for ULEV*. Society of Automotive Engineers 960343.