

10. References

- Austin, M.P., R.B. Cunningham and P.M. Fleming. 1984. New approaches to direct gradient analysis using environmental scalars and statistical curve-fitting procedures. *Vegetatio* **55**: 11-27.
- Austin, M.P. 1994. *Data capability, Sub-project 3, Modelling of landscape patterns and processes using biological data*. CSIRO Division of Wildlife and Ecology, Canberra.
- Austin, M.P. and P.C. Heyligers. 1989. Vegetation survey design for conservation: gradient sampling of forests in north-eastern New South Wales. *Biological Conservation* **50**:13-32.
- Austin, M.P. and J.A. Meyers. 1995. *Modelling of landscape patterns and processes using biological data, Sub-project 4: Real data case study*. Consultancy report to ERIN. CSIRO Division of Wildlife and Ecology, Canberra.
- Austin, M.P. and J.A. Meyers. in press. Current approaches to modelling the ecological niche of eucalypts: implication for management of forest biodiversity. *Journal of Forest Ecology and Management*.
- Austin, M.P., Meyers, J.A., Belbin, L. and M.D. Doherty. 1995. *Simulated data case study, Sub-project 5, Modelling of landscape patterns and processes using biological data*. CSIRO Division of Wildlife and Ecology, Canberra.
- Austin, M.P., Meyers, J.A. and M.D. Doherty. 1994. *Predictive models for landscape patterns and processes, Sub-project 2, Modelling of landscape patterns and processes using biological data*. CSIRO Division of Wildlife and Ecology, Canberra.
- Bedward, M., D.A. Keith and R.L. Pressey. 1992. Homogeneity analysis: assessing the utility of classifications and maps of natural resources. *Australian Journal of Ecology* **17**: 133-139.
- Belbin, L. 1987. The use of non-hierarchical allocation methods for clustering large sets of data. *Australian Computer Journal* **19**:32-41.
- Belbin, L. 1991. Semi-strong hybrid scaling, a new ordination algorithm. *Journal of Vegetation Science* **2**: 491-496.
- Belbin, L. 1992. Comparing two sets of community data: a method for testing reserve adequacy. *Australian Journal of Ecology* **17**: 255-262.
- Belbin, L. 1993a. Environmental representativeness: regional partitioning and reserve selection. *Biological Conservation* **66**: 223-230.
- Belbin, L. 1993b *PATN pattern analysis package, user's guide*. CSIRO Division of Wildlife and Ecology, Canberra.
- Braithwaite, L.W., D.L. Binns and R.D. Nowlan. 1988. The distribution of arboreal marsupials in relation to eucalypt forest types in the Eden (NSW) woodchip concession area. *Australian Wildlife Research* **15**: 363-373.

- Bray, J.R. and J.T. Curtis. 1957. An ordination of the upland forest communities of southern Wisconsin. *Ecological Monographs* **27**:325-349.
- Breiman, L., Friedman, J.H., Olshen, R.A. and C.J.Stone. 1984. *Classification and Regression Trees*. Wadsworth International Group, Belmont, California.
- Buckland, S.T. and D.A. Elston. 1993. Empirical models for the spatial distribution of wildlife. *Journal of Applied Ecology* **30**: 478-495.
- Burgman, M.A. 1987. An analysis of the distribution of plants on granite outcrops in southern Western Australia using Mantel tests. *Vegetatio* **71**:79-86.
- Burgman, M.A. 1988. Spatial analysis of vegetation patterns in southern Western Australia: implications for reserve design. *Australian Journal of Ecology* **13**:415-429.
- Busby, J.R. 1986. A biogeoclimatic analysis of *Nothofagus cunninghamii* in southeastern Australia. *Australian Journal of Ecology* **11**: 1-7.
- Busby, J.R. 1991. BIOCLIM - A bioclimate analysis and prediction system. In C.R. Margules and M.P. Austin (eds) *Cost Effective Biological Surveys and Data Analysis*. pp 64-68. CSIRO, Melbourne.
- Carpenter, G., Gillison, A.N., and J. Winter. 1993. DOMAIN: A flexible modelling procedure for mapping potential distributions of plants and animals. *Biodiversity and Conservation* **2**: 667-680.
- Chambers, J.M., Freeny, A.E. and R.M. Heiberger. 1992. Analysis of variance. In J.M. Chambers and T.J. Hastie (eds) *Statistical Models in S*. pp 145-194. Wadsworth and Brooks, California.
- Chambers, J.M. and T.J. Hastie. 1992. *Statistical Models in S*. Wadsworth and Brooks/Cole. Pacific Grove, California.
- Christian, C.S. and G.A. Stewart. 1953. General report on the survey of Katherine-Darwin region, 1946. *Land Research Series* **1**. CSIRO. Melbourne.
- Ciampi, A., Chang, C-H., Hogg S. and S. McKinney. 1987. Recursive partitioning: a versatile method for exploratory data analysis in biostatistics. In *Biostatistics*, I.B. MacNeil and G.J. Umphrey (eds.). D.Reidel Publishing. New York.
- Clark, L.A. and D. Pregibon. 1992. Tree-based models. In J.M. Chambers and T.J. Hastie (eds) *Statistical Models in S*. pp 377-420. Wadsworth and Brooks, California.
- Czekanowski, J. 1913. *Zarys metod statystycznych w zastosowaniu do antropologii*. Warsaw.
- Clark, K.R. and M. Ainsworth. 1993. A method of linking multivariate community structure to environmental variables. *Marine Ecology Progress Series* **92**: 205-219.
- Colwell, R.K. and J.A. Coddington. 1994. Estimating terrestrial biodiversity through extrapolation. *Phil. Trans. Roy. Soc. Lond. B* **345**: 101-118.
- Conover, W.J. 1980. *Practical Nonparametric Statistics*. 2nd ed. John Wiley & Sons. New York.
- Cox, D.R. 1958. Two further applications of a model for binary regression. *Biometrika* **45**: 562-565.

- Crawley, M.J. 1993. *GLIM for Ecologists*. Blackwell Scientific Publications, Oxford, UK.
- Davey, S.M. 1984. Habitat preferences of arboreal marsupials within a coastal forest in southern New South Wales. In A.P. Smith and I.D. Hume (eds.) *Possums and gliders*, pp 509-516. Australian Mammal Society and Surrey Beatty. Chipping Norton, Sydney.
- Dietz, E.J. 1983. Permutation tests for association between two distance matrices. *Systematic Zoology* **32**:21-26.
- Douglas, M.E. and J.A. Endler. 1982. Quantitative matrix comparisons in ecological and evolutionary investigations. *Journal of Theoretical Biology* **99**:777-795.
- Efron, B. 1979. Bootstrap methods: another look at the jackknife. *The Annals of Statistics* **7**: 1-25.
- Efron, B. 1982. The jackknife, the bootstrap and other resampling plans. *CBMS-NSF Regional Conference Series in Applied Mathematics, Monograph no. 38*. Society for Industrial and Applied Mathematics. Philadelphia.
- Efron, B. 1983. Estimating the error rate of a prediction rule: improvement on cross-validation. *Journal of the American Statistical Association* **78**: 316-331.
- Efron, B. and R. Tibshirani. 1993. *An Introduction to the Bootstrap*. Chapman and Hall. New York.
- Emberson, R.M. 1985. Comparison of site conservation value using plant and soil arthropod species. *British Ecological Society Bulletin* **16**: 16-17.
- Faith, D.P. 1986. Comparison of classifications using measures intermediate between metric dissimilarity and consensus similarity. *Journal of Classification* **3**: 257-280.
- Faith, D.P. 1994. Phylogenetic pattern and the quantification of organismal diversity. *Phil. Trans. Royal Soc.* **345**:45-58.
- Faith, D.P., P.R. Minchin and L. Belbin. 1987. Compositional dissimilarity as a robust measure of ecological distance. *Vegetatio* **69**:57-68.
- Faith, D.P. and P.A. Walker. 1993. DIVERSITY: a software package for sampling phylogenetic and environmental diversity. Reference and user's guide v. 1.0. CSIRO Division of Wildlife and Ecology, Canberra.
- Faith, D.P. and P.A. Walker. 1996. Environmental diversity: on the best-possible use of surrogate data for assessing the relative biodiversity of sets of areas. *Biodiversity and Conservation* **5**: 399-415.
- Ferrier, S. 1984. The status of the Rufous Scrub-bird (*Atrichornis rufescens*): habitat, geographical variation and abundance. PhD Thesis, University of New England, Armidale.
- Ferrier, S. 1991. Computer-based spatial extension of forest fauna survey data: current issues, problems and directions. In D. Lunney (ed) *Conservation of Australia's Forest Fauna*, pp 221-227. Royal Zoological Society of NSW.
- Ferrier, S. 1992. *Development of a Predictive Modelling Module for E-RMS*. NSW National Parks and Wildlife Service, Consultancy Report to ANPWS.

- Ferrier, S. and A.P. Smith. 1990. Using geographical information systems for biological survey design, analysis and extrapolation. *Australian Biologist* **3**: 105-116.
- Fitzgerald, R.W. and B.G. Lees. 1992. The application of neural networks to the floristic classification of remote sensing and GIS data in complex terrain. Proceedings of the XVII Congress of the International Society for Photogrammetry and Remote Sensing, Washington, USA.
- Flather, C.H. and R.M. King. 1992. Evaluating performance of regional wildlife habitat models: implications to resource planning. *Journal of Environmental Management* **34**: 31-46.
- Floyd, A.G. 1990. *Australian Rainforests in New South Wales, Volumes 1 and 2*. NSW National Parks and Wildlife Service, Surrey Beatty and Sons, Chipping Norton.
- Forestry Commission of NSW. 1989. Forest types in NSW. *Research Note No. 17*. 2nd ed.
- Gillison, A.N. and K.R.W. Brewer. 1985. The use of gradient directed transects or gradsects in natural resource surveys. *Journal of Environmental Management* **20**: 103-127.
- Gong, G. 1986. Cross-validation, the jackknife, and the bootstrap: excess error estimation in forward logistic regression. *Journal of the American Statistical Association* **81**: 108-113.
- Gray, M.R. and G.A. Cassis. 1994. Results of ground dwelling invertebrate surveys of north-east NSW forests. North East Forests Biodiversity Report No. 3c. Unpublished report, NSW National Parks and Wildlife Service.
- Greenslade, P.J.M. and C.H. Thompson. 1978. Ant distribution, vegetation and soil relationships in the Cooloola-Noosa River area, Queensland. In A.N. Gillison and D.J. Anderson (eds) *Vegetation Classification in Australia*, pp. 192-206. ANU Press, Canberra.
- Hadorn, D.C., Draper, D., Rogers, W.H., Keeler, E.B. and R.H. Brook. 1992. Cross-validation performance of mortality prediction models. *Statistics in Medicine* **11**: 475-489.
- Hanley, J.A. and B.J. McNeil. 1982. The meaning and use of the area under the receiver operating characteristic (ROC) curve. *Radiology* **143**: 29-36.
- Hanley, J.A. and B.J. McNeil. 1983. A method of comparing the areas under receiver operating characteristic curves derived from the same cases. *Radiology* **148**: 839-843.
- Hastie, T.J. 1992. Generalised additive models. In J.M. Chambers and T.J. Hastie (eds) *Statistical Models in S*. pp 249-308. Wadsworth and Brooks, California.
- Hastie, T.J. and D. Pregibon. 1990. *Shrinking trees*. AT&T Bell Laboratories Technical Report
- Hastie, T.J. and D. Pregibon. 1992. Generalised linear models. In J.M. Chambers and T.J. Hastie (eds) *Statistical Models in S*. pp 195-248. Wadsworth and Brooks, California.
- Hastie, T.J. and R. Tibshirani. 1986. Generalised additive models. *Statistical Science* **1**: 297-318.

- Hastie, T.J. and R. Tibshirani. 1990. *Generalised Additive Models*. Chapman and Hall, London.
- Hill, M.O. 1973. Reciprocal averaging: an eigenvector method of ordination. *Journal of Ecology* **61**: 237-249.
- Hosmer, D.W. and S. Lemeshow. 1989. *Applied Logistic Regression*. John Wiley and Sons, New York.
- Hubert, L.J. 1985. Combinatorial data analysis: association and partial association. *Psychometrika* **50**: 449-467.
- Hubert, L.J. and F.B. Baker. 1977. The comparison and fitting of given classification schemes. *Journal of Mathematical Psychology* **16**: 233-253.
- Hutchinson, M.F. 1989. A new objective method for spatial interpolation of meteorological variables from irregular networks applied to the estimation of monthly mean solar radiation, temperature, precipitation and windrun. CSIRO Division of Water Resources Technical Memo. 89/5: 95-104.
- Isbell, R.F. and R.C. McDonald. 1984. Soil taxonomic units. In R.C. McDonald, R.F. Isbell, J.G. Speight, J. Walker and M.S. Hopkins (eds.) *Australian soil and land survey field handbook*. Inkata Press. Melbourne.
- Kirkpatrick, J.B. and M.J. Brown. 1991. Reservation Analysis of Tasmanian Forests. A Report for the Resource Assessment Commission.
- Kirkpatrick, J.B. and M.J. Brown. 1994. A comparison of direct and environmental domain approaches to planning reservation of forest higher plant communities and species in Tasmania. *Conservation Biology* **8**: 217-224.
- Kremen, C. 1992. Assessing the indicator properties of species assemblages for natural areas monitoring. *Ecological Applications* **2**: 203-217.
- Kuchler, A.W. 1967. *Vegetation Mapping*. Ronald Press, New York.
- Lahey Computer Systems Inc. 1992. *Fortran Programmer's Reference*. North Virginia, USA.
- Landres, P.B., Verner, J. and J.W. Thomas. 1988. Ecological uses of vertebrate indicator species: a critique. *Conservation Biology* **2**: 316-328.
- Lapointe, F.J. and P. Legendre. 1992. A statistical framework to test the consensus among additive trees (cladograms). *Systematic Biology* **41**: 158-171.
- Laut P., Heyligers, P.C., Keig, G., Loffler, E., Margules, C.R. and M.E. Sullivan. 1977. *Environments of South Australia*, 8 Province Reports and Handbook, CSIRO. Melbourne.
- Leduc, A., P. Drapeau, Y. Bergeron and P. Legendre. 1992. Study of spatial components of forest cover using partial Mantel tests and path analysis. *Journal of Vegetation Science* **3**: 69-78.
- Lees, B.G. 1994. Decision trees, artificial neural networks and genetic algorithms for classification of remotely sensed and ancillary data. Proceedings of the 7th Australian Remote Sensing Conference, Melbourne, March 1994.

- Lees, B.G. and K.Ritman. 1991. Decision-tree and rule-induction approach to integration of remotely sensed and GIS data in mapping vegetation in disturbed or hilly environments. *Environmental Management* **15**: 823-831.
- Legendre, P. 1993. Spatial autocorrelation: trouble or new paradigm? *Ecology* **74**: 1659-1673.
- Legendre, P. and M.J. Fortin. 1989. Spatial pattern and ecological analysis. *Vegetatio* **80**: 107-138.
- Lewis, A., Stein, J.L., Stein, J.A., Nix, H.A., Mackey, B.G., and J.K. Bower. 1991. An assessment of regional conservation adequacy: Tasmania. RAC Forest and Timber Inquiry Consultancy Series Number FTC91/17.
- Lindenmayer, D.B., R.B. Cunningham, M.T. and C.F. Donnelly. 1994. The conservation of arboreal mammals in the montane ash forests of the central highlands of Victoria, south-east Australia VI. Tests of the performance of models of nest tree and habitat requirements of arboreal marsupials. *Biological Conservation* **70**: 143-147.
- Lindenmayer, D.B., Cunningham, R.B., Tanton, M.T., Smith, A.P. and H.A. Nix. 1990. Habitat requirements of the mountain brushtail possum and the greater glider in the montane ash-type forests of the central highlands of Victoria. *Australian Wildlife Research* **17**: 467-478.
- Lindenmayer, D.B., Cunningham, R.B., Tanton, M.T., Nix, H.A. and A.P. Smith. 1991a. The conservation of arboreal marsupials in the montane ash forests of the Central Highlands of Victoria, South-east Australia: III. The habitat requirements of leadbeater's possum, *Gymnobelideus leadbeateri* and models of the diversity and abundance of arboreal marsupials. *Biological Conservation* **56**: 295-315.
- Lindenmayer, D.B., Nix, H.A., McMahon, J.P., Hutchinson, M.F. and M.T. Tanton. 1991b. The conservation of Leadbeater's Possum, *Gymnobelideus leadbeateri* (McCoy): a case study of the use of bioclimatic modelling. *Journal of Biogeography* **18**: 371-383.
- Mabbutt, J.A. 1968. Review of concepts of land classification. In G.A. Stewart (ed) *Land Evaluation*, pp 11-28. MacMillan, Melbourne.
- Mackey, B. G. and J. Bayes. 1989. A modelling framework for the spatial extension of ecological relations in vegetation studies. *Proceedings, SSA-IAMCS 1989 Biennial Conference* pp.93-7.
- Mackey, B.G., Nix, H.A., Hutchinson, M.F., MacMahon, J.P., and P.M. Fleming. 1988. Assessing the representativeness of places for conservation reservation and heritage listing. *Environmental Management* **12**: 501-514.
- Mackey, B.G., Nix, H.A., Stein, J.A., Cork, S.E., and F.T. Bullen. 1989. Assessing the representativeness of the wet tropics of Queensland world heritage property. *Biological Conservation* **50**: 279-303.
- Manly, B.F.J. 1991. *Randomization and Monte Carlo Methods in Biology*. Chapman and Hall, Melbourne.
- Mantel, N. 1967. The detection of disease clustering and a generalised regression approach. *Cancer Research* **27**:209-220.

Mantel, N. and R.S. Valand. 1970. A technique of nonparametric multivariate analysis. *Biometrics* **26**:547-558.

Margules, C. R. and J. L. Stein. 1989. Patterns in the distribution of species and the selection of nature reserves: an example for *Eucalyptus* forests in south eastern New South Wales. *Biological Conservation* **50**:239-61.

Mason, I. 1982. A model for assessment of weather forecasts. *Australian Meteorological Magazine* **30**:291-303.

Mathsoft. 1995. *S-PLUS Trellis Graphics User's Manual, Version 3.3*. Mathsoft Inc, Seattle.

Metz, C.E. 1986. ROC methodology in radiologic imaging. *Investigative Radiology* **21**:720-733.

McCullagh, P. and J.A. Nelder. 1989. *Generalized Linear Models, 2nd Edition*. Chapman and Hall, London.

Mielke, P.W. 1978. Clarification and appropriate influences for Mantel and Valand's nonparametric multivariate analysis technique. *Biometrics* **34**:277-282.

Miller, M.E., S.L. Hui and W.M. Tierney. 1991. Validation techniques for logistic regression models. *Statistics in Medicine* **10**: 1213-1226.

Moore, D.M., Lees, B.G. and S.M. Davey. 1991. A new method for predicting vegetation distributions using decision tree analysis in a geographic information system. *Environmental Management* **15**: 59-71.

Murphy, A.H. and R.L. Winkler. 1992. Diagnostic verification of probability forecasts. *International Journal of Forecasting* **7**: 435-455.

Nelder, J. A. and R. W. M. Wedderburn. 1972. Generalized linear models. *Journal of the Royal Statistical Society of America* **135**:370-84.

Nicholls, A.O. 1989. How to make biological surveys go further with generalized linear models. *Biological Conservation* **50**: 51-76.

Nix, H.A. 1986. A biogeographic analysis of Australian elapid snakes. In R. Longmore (ed) *Atlas of Elapid Snakes of Australia*. pp 4-15. Bureau of Flora and Fauna, AGPS, Canberra.

Nix, H.A. and M.A. Switzer (eds) 1991. *Rainforest Animals: Atlas of Vertebrates Endemic to Australia's Wet Tropics*. Kowari No 1, Australian National Parks and Wildlife Service, Canberra.

Norton, T.W. and N.D. Mitchell. 1993. Application of generalised additive modelling to wildlife modelling and population viability analysis. Proceedings of the 7th Annual Symposium on Geographic Information Systems in Forestry, Environment and Natural Resources, Vancouver, Canada, February 1993.

NSW NPWS 1994a. Fauna of north-east NSW forests. North East Forests Biodiversity Study Report No. 2, unpublished report, NSW National Parks and Wildlife Service.

NSW NPWS 1994b. Flora of north-east NSW forests. North East Forests Biodiversity Study Report No. 4, unpublished report, NSW National Parks and Wildlife Service.

NSW NPWS 1994c. Vegetation systems of north-east NSW forests. North East Forests Biodiversity Study Report No. 2b, unpublished report, NSW National Parks and Wildlife Service.

NSW NPWS. 1995a. Vertebrates of Upper North East New South Wales. A report by the New South Wales National Parks and Wildlife Service for the Natural Resources Audit Council.

NSW NPWS. 1995b. Vegetation Survey and Mapping of Upper North East New South Wales. A study by the New South Wales National Parks and Wildlife Service for the Natural Resources Audit Council.

Oliver, I. and A.J. Beattie. 1993. A possible method for rapid assessment of biodiversity. *Conservation Biology* **7**: 562-568.

Oliver, I. and A.J. Beattie. 1996. Designing a cost-effective survey: a test of some methods for the rapid assessment of invertebrate biodiversity. *Ecological Applications* **6**: 594-607.

Palmer, M.W. 1990. The estimation of species richness by extrapolation. *Ecology* **71**: 1195-1198.

Pearce, J.L., Burgman, M.A. and D.C. Franklin. 1994. Habitat selection by helmeted honeyeaters. *Wildlife Research* **21**: 53-63.

Pearce, J.L. and S. Ferrier. 1996. *Habitat models for vertebrates and vascular plants*. Consultancy report to ANCA. NSW National Parks and Wildlife Service.

Pearson, D.L. 1994. Selecting indicator taxa for the quantitative assessment of biodiversity. *Philosophical Transactions of the Royal Society of London* **345**: 75-79.

Power, M. 1993. The predictive validation of ecological and environmental models. *Ecological Modelling* **68**: 33-50.

Pressey, R.L. 1994. Land classifications are necessary for conservation planning but what do they tell us about fauna? In D. Lunney, S. Hand, P. Reed, and D. Butcher (eds) *Future of the Fauna of Western New South Wales*, pp. 31-41. Royal Zoological Society of NSW.

Pressey, R.L. and M. Bedward. 1991. Mapping the environment at different scales: benefits and costs for nature conservation. In C.R. Margules and M.P. Austin (eds) *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*, pp. 7-13. CSIRO, Australia.

Pressey, R.L., Ferrier, S., Hager, T., Woods, C.A., Tully, S.L. and K.M. Weinman. in press. How well protected are the forests of north-eastern New South Wales? - analyses of forest environments in relation to formal protection measures, land tenure and vulnerability to clearing. *Forest Ecology and Management*.

Pressey, R.L. and A.O. Nicholls. 1989. Application of a numerical algorithm to the selection of reserves in semi-arid New South Wales. *Biological Conservation* **50**: 263-278.

Resource Assessment Commission. 1992. *Forest and timber inquiry: final report*. Two volumes. Australian Government Publishing Service. Canberra.

- Resource Assessment Commission. 1993. *The use of surrogate measurements for determining patterns of species distribution and abundance. Research paper no. 8.* Australian Government Publishing Service. Canberra.
- Richards, B.N., Bridges, R.G., Curtin, R.A., Nix, H.A., Shepherd, K.R. and J. Turner. 1990. *Biological Conservation of the South-east Forests: Report of the Joint Scientific Committee.* AGPS, Canberra.
- Rohlf, F.J. 1974. Methods of comparing classifications. *Annual Review of Ecology and Systematics* **5**: 101-113.
- Rohlf, F.J. 1982. Consensus indices for comparing classifications. *Mathematical Biosciences* **59**: 131-144.
- Rowe, J.S. and J.W. Sheard. 1981. Ecological land classification: a survey approach. *Environmental Management* **5**: 451-464.
- Saetersdal, M., J.M. Line and H.J.B. Birks. 1993. How to maximise biological diversity in nature reserve selection: vascular plants and breeding birds in deciduous woodlands, Western Norway. *Biological Conservation* **66**: 131-138.
- Skidmore, A.K., Brinkhof, W., Delaney, J. and B.J. Turner. 1994. Using neural networks to analyse spatial data. Proceedings of the 7th Australian Remote Sensing Conference, Melbourne, March 1994.
- Smouse, P.E., J.C. Long and R. Sokal. 1986. Multiple regression and correlation extensions of the Mantel test of matrix correspondence. *Systematic Zoology* **35**: 627-632.
- Sokal, R.R. and F.J. Rohlf. 1981. *Biometry, 2nd Edition.* W.H. Freeman and Co, New York.
- Spearman, C. 1904. The proof and measurement of association between two things. *American Journal of Psychology* **15**: 72-101.
- Specht, R.L., Roe, E.M., and V.H. Boughton. 1974. Conservation of major plant communities in Australia and Papua New Guinea. *Australian Journal of Botany, Supplementary Series* No. 7.
- Statistical Sciences Inc. 1994. *S-PLUS for Windows Reference Manual, Version 3.2,* Seattle.
- Stockwell, D.R.B. 1994. Modelling of landscape patterns and processes and the role of biological and environmental data in assessing and planning protected areas. Consultancy Report to Tasmanian Parks and Wildlife Service and ANCA.
- Stockwell, D.R.B., S.M. Davey, J.R. Davis and I.R. Noble. 1990. Using induction of decision trees to predict greater glider density. *AI Applications* **4**: 33-43.
- Stockwell, D.R.B. and I.R. Noble. 1992. Induction of sets of rules from animal distribution data: a robust and informative method of data analysis. *Mathematics and Computers in Simulation* **33**: 385-390.
- Stone, M. 1974. Cross-validatory choice and assessment of statistical predictions. *Journal of the Royal Statistical Society, Series B* **36**: 111-147.

- Swets, J.A. 1986. Indices of discrimination or diagnostic accuracy: Their ROCs and implied models. *Psychological Bulletin* **99**:100-117.
- Swets, J.A. 1988. Measuring the accuracy of diagnostic systems. *Science* **240**:1285-1293.
- Swets, J.A. and R.M. Pickett. 1982. *Evaluation of Diagnostic Systems: Methods from Signal Detection Theory*. Academic Press, New York.
- Tansel, B.C., R.L. Francis and T.J. Lowe. 1983. Location on networks: a survey. Part 1: the p-center and p-median problems. *Management Science* **29**: 482-511.
- ter Braak, C.J.F. 1986. Canonical correspondence analysis: a new eigenvector technique for multivariate direct gradient analysis. *Ecology* **67**: 1167-1179.
- ter Braak, C.J.F. 1988. *CANOCO - a FORTRAN program for canonical community ordination by partial detrended canonical correspondence analysis, principal components analysis and redundancy analysis*. Report 87 ITI A II, Institute of Applied Computer Science, Wageningen.
- Thackway, R. and I.D. Cresswell. 1992. *Environmental Regionalisations of Australia. A User-Oriented Approach*. ERIN. Canberra.
- Thackway, R. and I.D. Cresswell (eds). 1995. *An Interim Biogeographic Regionalisation for Australia*. Australian Nature Conservation Agency, Canberra.
- Turner, M.G., R. Costanza and F.H. Sklar. 1989. Methods to evaluate the performance of spatial simulation models. *Ecological Modelling* **48**: 1-18.
- Van Houwelingen, J.C. and S. Le Cessie. 1990. Predictive value of statistical models. *Statistics in Medicine* **9**: 1303-1325.
- Walker, J. 1984. Description and classification of Australian non-rainforest vegetation. In K. Myers, C.R. Margules and I. Musto (eds.) *Survey methods for nature conservation*. Vol. 1, pp. 18-36. CSIRO. Canberra.
- Walker, J. and M.S. Hopkins. 1990. Vegetation. In R.C. McDonald, R.F. Isbell, J.G. Speight, J.Walker and M.S. Hopkins (eds) *Australian Soil and Land Survey Handbook, Second Edition*. pp 58-86. Inkata Press, Melbourne.
- Walker, P.A. 1990. Modelling wildlife distributions using a geographic information system: kangaroos in relation to climate. *Journal of Biogeography* **17**: 279-289.
- Walker, P.A. and K.D. Cocks. 1991. HABITAT: A procedure for modelling a disjoint environmental envelope for a plant or animal species. *Global Ecology and Biogeography Letters* **1**: 108-118.
- Wilson, B.A., Robertson, D., Moloney, D.J., Newell, G.R. and W.S. Laidlaw. 1990. Factors affecting small mammal distribution and abundance in the eastern Otway Ranges, Victoria. In D.A. Saunders, A.J.M. Hopkins and R.A. How (eds.) *Australian ecosystems: 200 years of utilization, degradation and reconstruction*, Proceedings of the Ecological Society of Australia, Vol 16 pp 379-396. Surrey Beatty. Chipping Norton, Sydney.
- Woinarski, J.C.Z., S.C. Tidemann and S. Kerin. 1988. Birds in a tropical mosaic: the distribution of bird species in relation to vegetation patterns. *Australian Wildlife Research* **15**: 171-196..

Yates, J.F. and S.P. Curley. 1985. Conditional distribution analyses of probabilistic forecasts. *Journal of Forecasting* 4:61-73.

Yee, T.W. and N.D. Mitchell. 1991. Generalised additive models in plant ecology. *Journal of Vegetation Science* 2: 587-602.

Yen, A.L. 1987. A preliminary assessment of the correlation between plant, vertebrate and Coleoptera communities in the Victorian mallee. In J.D.Majer(ed) *The Role of Invertebrates in Conservation and Biological Survey*. pp 73-88. Department of Conservation and Land Management, Perth.

York, A., Binns, D. and J. Shields. 1991. *Flora and Fauna Assessment in New South Wales State Forests, Survey Guidelines, Version 1.1*. Forestry Commission of NSW.