

## CHAPTER J. REFERENCES

Articles that have not been externally peer reviewed and published in a journal or book are denoted \*

- \*ABS (1996). Housing and Population Census Results. Australian Bureau of Statistics.
- Acosta, A.R. (1994). Soak time and net length effects on catch rates of entangling nets in coral reef areas. *Fisheries Research* **19**, 105-119.
- \*Adam, P., Urwin, N., Weiner, P. and Sim, I. (1985). Coastal Wetlands of New South Wales. A survey and report prepared for the Coastal Council of New South Wales.
- Adam, P., Wilson, N.C. and Huntley, B. (1988). The phytosociology of coastal saltmarsh vegetation in New South Wales. *Wetlands (Australia)* **7(2)**, 35-85.
- \*AFFA (1999) AQUAPLAN – Australia’s National Strategic Plan for Aquatic Animal Health 1998-2003. Agriculture, Forestry, Fisheries, Australia, Canberra ACT. 72 pp.
- \*AFFA (2000) Report of the National Taskforce on the Prevention and Management of Marine Pest Incursions. Environment Australia/Agriculture, Forestry, Fisheries, Australia, Canberra ACT. 231 pp.
- \*AFFA (2001) AQIS tightens prawn import controls. Agriculture, Forestry, Fisheries, Australia, Canberra, February 2001, [[http://www.affa.gov.au:80/docs/quarantine/bulletin/ab0201\\_2.htm](http://www.affa.gov.au:80/docs/quarantine/bulletin/ab0201_2.htm)]
- Alabaster, J.S. and Lloyd, R. (1980). *Water Quality Criteria for Freshwater Fish*. Butterworths, London. 297 pp.
- \*Allen, J., Harris, J. and McEnally, J. (1992a). Coastal Resource Atlas for oil spills from Point Danger to the Clarence River. Environment Protection Authority, Sydney, 107 pp.
- \*Allen, J., Harris, J., McEnally, J. and Zekanovic, I. (1992b). Coastal Resource Atlas for oil spills in Broken Bay, Pittwater and the Hawkesbury River. Environment Protection Authority, Sydney, 58 pp.
- Alverson, D.L., Freeberg, M.H., Murawski, S.A. and Pope, J.G. (1994). A global assessment of fisheries bycatch and discards. *FAO Fisheries Technical Paper* No. 339. 233 pp.
- \*Andrew, N.L., Jones, T. and Terry, C (1994). A review and evaluation of the set pocket net prawn fishery in NSW. Project 89/15 FRDC Final Report. 86 pp.
- Andrew, N.L., Jones, T., Terry, C. and Pratt, R. (1995). Bycatch of an Australian stow net fishery for school prawns (*Metapenaeus macleayi*). *Fisheries Research* **22**, 119-136.
- \*Andrew, N.L., Worthington, D., Chick, R., Brett, P. and Avery, R. (1996). An assessment of the NSW abalone, sea urchin and turban fishery for 1995. NSW Fisheries, Fisheries Research Institute, Cronulla. 65 pp plus appendices.
- \*Anon. (1880). Fisheries Inquiry Commission - Minutes of Evidence, Friday, 30 January 1880. notation 2773-2982.
- \*Anon. (1981). Amateur angling in Botany Bay. Botany Bay Study No. 24. SPCC and NSW State Fisheries.

- \*Anon. (1999). National Policy on fisheries bycatch. Department of Agriculture, Fisheries and Forestry – Australia. Fisheries and Aquaculture Branch. 14 pp.
- \*Anon. (2000). National strategy for the Management of Coastal Acid Sulfate Soils. NSW Agriculture Wollongbar Agriculture Institute Bruxner Highway, Wollongbar, NSW, Australia. 39 pp.
- \*Anon. (2001). Age & weight of NSW finfish. In: *Fisheries New South Wales*. Spring 2000/ Summer 2001 (ed. Smith, D.) pp. 26-27.
- \*ANZECC (1998) Interim marine and coastal regionalisation for Australia: an ecosystem based classification for marine and coastal environments. Version 3.3, IMCRA Technical Group, Environment Australia, Commonwealth Department of the Environment, ACT. 104 pp.
- \*ANZECC (1999). Strategic plan of action for the national representative system of Marine Protected Areas: a guide for action by Australian Governments. Environment Australia, Canberra. 80 pp.
- \*Astles, K.L., Winstanley, R.K., Harris, J.H. and Gehrke, P.C. (2000). Regulated Rivers and Fisheries Restoration Project – Part 1: Experimental study of the effects of cold water pollution on native fish. Unpublished Report, Project No. SW 1. NSW Fisheries Office of Conservation and CRC for Freshwater Ecology, Taylors Beach NSW. 51 pp.
- \*Australian Greenhouse Office (2001). Factors and methodologies, the greenhouse challenge. Commonwealth of Australia, Canberra.
- \*Bannister, J.L., Kemper, C.M. and Warneke, R.M. (1996). The action plan for Australian cetaceans. Australian Nature Conservation Agency.
- Barnes, R.D. (1980). *Invertebrate Zoology*. 4<sup>th</sup> Edition. Holt-Saunders Japan. 1089 pp.
- \*Begg, G. (1991). Comparison of the juvenile fish fauna between an estuary (Lake Macquarie, New South Wales) and its backwaters. Unpublished B.Sc. (Hons.) Thesis. University of NSW.
- \*Bell, F.C. and Edwards, A.R. (1980). An environmental inventory of estuaries and coastal lagoons in New South Wales. Total Environment Centre, Sydney. 187 pp.
- Bell, J.D., Pollard, D.A., Burchmore, J.J., Pease, B.C., and Middleton, M.J. (1984) Structure of a fish community in a temperate tidal mangrove creek in Botany Bay, New South Wales. *Australian Journal of Marine and Freshwater Research* **35** (1), 33-46.
- Bell, J.D. and Pollard, D.A. (1989). Ecology of fish assemblages and fisheries associated with seagrasses. In: *Biology of Seagrasses* (eds. Larkum, A.W.D., McComb, A.J. and Shepherd, S.A.) pp. 565-609. Elsevier, Amsterdam.
- Bell, J.D., Steffe, A.S. and Westoby, M. (1988). Location of seagrass beds in estuaries: effect on associated fish and decapods. *Journal of Experimental Marine Biology and Ecology* **122**, 127-146.
- Birch, G.F. (1996). Sediment-bound metallic contaminants in Sydney's estuaries and adjacent offshore, Australia. *Estuarine, Coastal and Shelf Science* **42**, 31-44.
- Birch, G.F., Evenden, D. and Teutsch, M.E. (1996). Dominance of point source in heavy metal distributions in sediments of a major Sydney estuary (Australia). *Environmental Geology* **28**(4), 169-174.

- Birch, G.F., Ingleton, T. and Taylor, S. (1997). Environmental implications of dredging in the world's second largest coal exporting harbour, Port Hunter, Australia. *Journal of Marine Environmental Engineering* **4**, 133-145.
- Birch, G.F., Shotter, N. and Steetsel, P. (in press). The environmental status of Hawkesbury River sediments. *Australian Geographical Studies*.
- Blaber, S.J.M. and Blaber, T.G. (1980). Factors affecting the distribution of juvenile estuarine and inshore fish. *Journal of Fish Biology* **17**, 143-162.
- Blaber, S.J.M., Brewer, D.T., Salini, J.P. and Kerr, J. (1990). Biomasses, catch rates and abundances of demersal fishes, particularly predators of prawns, in a tropical bay in the Gulf of Carpentaria, Australia. *Marine Biology* **107(3)**, 397-408.
- Blaber, S.J.M., Milton, D.A., Smith, G.C., and Farmer, M.J. (1995). Trawl discards in the diets of tropical seabirds of the northern Great Barrier Reef, Australia. *Marine Ecology Progress Series* **127**, 1-13.
- Blaber, S.J.M. and Wassenberg, T.J. (1989). Feeding ecology of the piscivorous birds *Phalacrocorax varius*, *P. melanoleucos* and *Sterna bergii* in Moreton Bay, Australia: Diets and dependence on trawler discards. *Marine Biology* **101(1)**, 1-10.
- Borowitzka, M.A.B. and Lethbridge, R.L. (1989). Seagrass epiphytes. In: *Biology of Seagrasses* (eds. Larkum, A.W.D., McComb, A.J. and Shepherd, S.A.) pp. 458-499. Elsevier, Amsterdam.
- Brewer, D.T., Blaber, S.J.M. and Salini, J.P. (1991). Predation on penaeid prawns by fishes in Albatross Bay, Gulf of Carpentaria. *Marine Biology* **109**, 231-240.
- Broadhurst, M.K., Kennelly, S.J. and Barker, D.T. (1997). Simulated escape of juvenile sand whiting (*Sillago ciliata*, Cuvier) through square-meshes: Effects of scale-loss and survival. *Fisheries Research* **32**, 51-60.
- Broadhurst, M.K. (1998). Bottlenose dolphins, *Tursiops truncatus*, removing bycatch from prawn-trawl codends during fishing in New South Wales, Australia. *Marine Fisheries Review* **60 (3)**, 9-14.
- Broadhurst, M.K., Barker, D.T. and Kennelly, S.J. (1999). Scale-loss and survival of juvenile yellowfin bream, *Acanthopagrus australis*, after simulated escape from a Nordmore-grid guiding panel and release from capture by hook and line. *Bulletin of Marine Science* **64 (2)**, 255-268.
- Brothers, N. (1991). Albatross mortality and associated bait loss in the Japanese longline fishery in the Southern Ocean. *Biological Conservation* **55**, 255-268.
- Bucher, D. and Saenger, P. (1991). An inventory of Australian estuaries and enclosed marine waters: an overview of results. *Australian Geographical Studies* **29 (2)**, 370-381.
- Burchmore, J.J., Pollard, D.A., Bell, J.D., Middleton, M.J., Pease, B.C. and Matthews, J. (1985). An ecological comparison of artificial and natural rocky reef fish communities in Botany Bay, New South Wales, Australia. *Bulletin of Marine Science* **37(1)**, 70-85.
- \*Bureau of Resource Science (2000). Aquatic Pests and Diseases. Bureau of Rural Sciences, Agriculture, Forestry and Fisheries, Australia, [<http://www.brs.gov.au:80/fish/status99/aquatic.html>]. June 2000.
- Butler, A. (1995). Subtidal rocky reefs. In: *Coastal Marine Ecology of Temperate Australia*, Ch. 6 (eds. Underwood, A.J. and M.G. Chapman) pp. 83-105. UNSW press.

- Callinan, R.B., Fraser, G.C. and Virgona, J.L. (1989). Pathology of red spot disease in sea mullet, *Mugil cephalus* L. from eastern Australia. *Journal of Fish Diseases* **12**, 467-479.
- Callinan, R.B., Fraser, G.C. and Melville, M.D. (1993). Seasonally recurrent fish mortalities and ulcerative disease outbreaks associated with acid sulphate soils in Australian estuaries. In: Selected papers from the Ho Chi Minh City Symposium on acid sulphate soils (eds. Dent, D. L. and van Mensvoort, M.E.F.) pp. 403-410. ILRI Publication No. 53.
- Callinan, R.B., Paclibare, J.O., Bondab-Reantaso, M.G., Chin, J.C. and Gogolewski, R.P. (1995a). *Aphanomyces* species associated with epizootic ulcerative syndrome (EUS) in the Philippines and red spot disease (RSD) in Australia: preliminary comparative studies. *Diseases of Aquatic Organisms* **21**, 233-238.
- Callinan, R.B., Paclibare, J.O., Reantaso, M.B., Lumanlan-Mayo, S.C., Fraser, G.C. and Sammut, J. (1995b). EUS outbreaks in estuarine fish in Australia and the Philippines: associations with acid sulphate soils, rainfall and *Aphanomyces*. In: *Diseases in Asian Aquaculture II* (eds. Shariff, M.A., Arthur, J.R. and Subasinghe, R.P.) pp. 291-298. Asian Fisheries Society, Manilla.
- Campbell, D., Brown, D., Battaglione, T. (1999). Individual transferable catch quotas: Australian experience in the southern bluefin tuna fishery. *Marine Policy* **24** (2000), 109-117.
- Campbell, HF and RB Nicholl (1994). The economics of the Japanese tuna fleet. In: *The Economics of PNGs Tuna Fisheries* (eds. Campbell, H. and Owen, A). ACIAR monograph No. 28.
- \*Cappo, M., Alongi, D.M., Williams, D.M and Duke, N. (1997). A review and synthesis of Australian fisheries habitat research. Major threats, issues, and gaps in knowledge of marine and coastal fisheries habitats - a prospectus of opportunities for the FRDC. FRDC Project 95/055 Final Report. AIMS, Townsville, Queensland.
- \*Cappo, M., Alongi, D.M., Williams, D.M. and Duke, N. (1998). A review and synthesis of Australian fisheries habitat research. FRDC Project No. 95/055. AIMS, Townsville, Queensland. 3 Vol.
- \*Carter, S. (1994). Coastal Resource Atlas for Oil Spills from Barrenjoey Head to Bellambi Point. Environment Protection Authority, Sydney. 78 pp.
- \*Carter, S. (1994). Coastal Resource Atlas for Oil Spills in Port Jackson. Environment Protection Authority, Sydney. 39 pp.
- \*Carter, S. (1995). Coastal Resource Atlas for Oil Spills from Bass Point to Wheelers Point. Environment Protection Authority, Sydney. 50 pp.
- \*Carter, S. (1995). Coastal Resource Atlas for Oil Spills from Crowdy Head to Port Stephens. Environment Protection Authority, Sydney. 87 pp.
- \*Carter, S. (1995). Coastal Resource Atlas for Oil Spills from Redhead Point to Cape Three Points. Environment Protection Authority, Sydney. 49 pp.
- \*Carter, S. (1995). Coastal Resource Atlas for Oil Spills from St Georges Head to Cape Dromedary. Environment Protection Authority, Sydney. 80 pp.
- \*Carter, S. (1995). Coastal Resource Atlas for Oil Spills from Trial Bay to Crowdy Head. Environment Protection Authority, Sydney. 73 pp.

- \*Carter, S. (1995). Coastal Resource Atlas for Oil Spills in Brisbane Waters. Environment Protection Authority, Sydney. 33 pp.
- Castilla, J.C. (2000) Roles of experimental marine ecology in coastal management and conservation. *Journal of Experimental Marine Biology and Ecology* **250**, 3-21.
- Catterall, C.P. and Poiner, I.R. (1987). The potential impact of human gathering on shellfish populations, with reference to some N.E. Australian intertidal flats. *Oikos* **50**, 114-122.
- \*Chapman, M.G. and Blockley, D. (1999). Intertidal assemblages on seawalls at Berry Island and Blues Point before and after the oil spill, August 1999. Uncommissioned Report for the NSW Environment Protection Authority.
- Chapman, M.G. and Underwood, A.J. (1995). Mangrove forests. In: *Coastal Marine Ecology of Temperate Australia* (eds. Underwood, A.J. and Chapman, M.G) pp. 187-204. UNSW Press.
- Chopin, F.S. and Arimoto, T. (1995). The condition of fish escaping from fishing gears – a review. *Fisheries Research* **21**, 315-327.
- Christy, F. (2000). Common property rights: An alternative to ITQs. In: Use of property rights in fisheries management (ed. Shotton, R.). Proceedings of the Fishrights99 Conference. Fremantle, Western Australia, 11-19 November 1999. Mini-course lectures and core conference presentations. *FAO Fisheries Technical Paper*. No. 404/1. Rome, FAO. 342 pp.
- Churchill, J.H. Wirick, C.D., Flagg, D.N. and Pietrafesa, L.J. (1994). Sediment resuspension over the continental shelf east of the Delmarva Peninsula. *Deep Sea Research, Part II-Tropical Studies in Oceanography* **41**, 241-363.
- Coleman, M.A. and Connell, S.D. (2001). Weak effects of epibiota on the abundances of fishes associated with pier pilings in Sydney Harbour. *Environmental Biology of Fishes* **61**, 231-239.
- Connell, S.D. and Glasby, T.M. (1999). Do urban structures influence local abundance and diversity of subtidal epibiota? A case study from Sydney Harbour, Australia. *Marine Environmental Research* **47**, 373-387.
- Connolly, R.M. (1994). A comparison of fish assemblages from seagrass and unvegetated areas of a southern Australian estuary. *Australian Journal of Marine and Freshwater Research* **45**, 1033-1044.
- Connolly, R.M., Dalton, A. and Bass, D.A. (1997). Fish use of an inundated saltmarsh flat in a temperate Australian estuary. *Australian Journal of Ecology* **22**, 222-226.
- \*CRIMP (2000a). Vessel and Gear Fouling. CRIMP Infosheet 3, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 2 pp.
- \*CRIMP (2000b). Aquarium Caulerpa (*Caulerpa taxifolia*). CRIMP Infosheet 13, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- \*CRIMP (2000c). Japanese Seaweed (*Undaria pinnatifida*). CRIMP Infosheet 12, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- \*CRIMP (2000d). Northern Pacific Seastar (*Asterias amurensis*). CRIMP Infosheet 4, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- \*CRIMP (2001a). Black-striped Mussel (*Mytilopsis sallei*). CRIMP Infosheet 10, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.

- \*CRIMP (2001b). Broccoli Weed (*Codium fragile* ssp. *tomentosoides*). CRIMP Infosheet 14, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- Cryer M., Whittles, G.N. and Williams, R. (1987). The impact of bait collection by anglers on marine invertebrates. *Biological Conservation* **42**, 83-93.
- \*CSIRO (1994). Jervis Bay Baseline Studies, Volume 2. CSIRO Division of Fisheries, Commonwealth of Australia. 406 pp.
- Dame, R., Alber, M., Allen, D., Mallin, M. Montague, C., Lewitus, A., Chalmers, A., Gardner, R., Gilman, C., Kjerfve, B. and Pinckney, J. (2000). Estuaries of the South Atlantic coast of North America: their geographical signatures. *Estuaries* **23**, 793-819.
- Das, P., Marchesiello, P. and Middleton, J.H. (2000). Numerical modelling of tide-induced residual circulation in Sydney Harbour. *Marine and Freshwater Research* **51**, 97-112.
- Day, J.H. (1980). What is an estuary. *South African Journal of Science* **76**, 198.
- Day, J.H., Blaber, S.J.M., and Wallace, J.H. (1981). Estuarine fishes. In: *Estuarine Ecology with Particular Reference to Southern Africa* (eds. Day, J.H. and Balkema, A.A.) pp. 197-221. Rotterdam.
- Dayton, P.K., Thrush, S.F., Agardi, M.T. and Hofman, R.J. (1995). Viewpoint: Environmental effects of fishing. *Aquatic Conservation: Marine and Freshwater Ecosystems* **5**, 205-232.
- Deville, A. and Harding, R. (1997). *Applying the Precautionary Principle*. The Federation Press, Sydney. 79 pp.
- \*DNRE (2000). Marine pests in local ports. Pamphlet. Department of Natural Resources and The Environment, Victoria. 2 pp.
- \*DUAP (2001). Guidelines for the Environmental Impact Assessment of Draft Fishery Management Strategies for Commercial Designated Fishing Activities. Department of Urban Affairs and Planning, 6 June 2001. 31 pp.
- Eisenbud, R. (1985). Problems and prospects for the pelagic driftnet. *Environmental Affairs* **12**, 473-490.
- Eliot, I., Finlayson, C. M. and Waterman, P. (1999). Predicted climate changes, sea-level rise and wetland management in Australian wet-dry tropics. *Wetlands Ecology and Management* **7**, 63-81.
- Engel, J. and Kvitek, R. (1998). Effects of Otter Trawling on a Benthic Community in Monterey Bay National Marine Sanctuary. *Conservation Biology* **12(6)**, 1204-1214.
- \*Environment Australia (undated). Threat Abatement Plan for the Incidental Catch (or bycatch) of Seabirds During Oceanic Longline Fishing Operations. Environment Australia, Canberra, ACT. 61 pp.
- \*Environment Australia (1998). Draft recovery plan for marine turtles in Australia. Environment Australia, Canberra. 107 pp.
- \*Environment Australia (2000a). Draft recovery plan for grey nurse sharks *Carcharias taurus* in Australia.
- \*Environment Australia (2000b). Draft recovery plan for great white sharks *Carcharodon carcharias* in Australia.
- Erichsen Jones, J.R. (1969). *Fish and River Pollution*. Butterworths, London. 203 pp.

- Fagan, P., Miskiewicz, A.G. and Tate, P.M. (1992). An approach to monitoring sewage outfalls: a case study on the Sydney deepwater sewage outfalls. *Marine Pollution Bulletin* **25(5-8)**, 172-180.
- Fairweather, P.G. (1990). Ecological changes due to the use of the coast: research needs verses effort. *Proceedings of the Ecological Society of Australia* **16**, 71-77.
- \*Faragher, R.A. (1995). A survey of the threatened fish, Australian grayling *Prototroctes maraena* Gunther: distribution and abundance in New South Wales. Report prepared for the Cooperative Research Centre for Freshwater Ecology, NSW Fisheries Research Institute, Cronulla, NSW.
- \*Fenton, M. and Marshall, N. (2001). A Guide to the Fishers of Queensland (Draft report). CRC Reef Research Centre, James Cook University, Townsville, Queensland.
- \*Ferrell, D. and Sumpton, W. (1997). Assessment of the fishery for snapper (*Pagrus auratus*) in Queensland and New South Wales. Fisheries Research and Development Corporation report No. 93/074. NSW Fisheries and Queensland Department of Primary Industries. 143 pp.
- Ferrell, D.J. and Bell, J.D. (1991). Differences among assemblages of fish associated with *Zostera capricorni* and bare sand over a large spatial scale. *Marine Ecology Progress Series* **72**, 15-24.
- Fitzpatrick, J. and Kirkman, H. (1995). Effects of prolonged shading stress on growth and survival of seagrass *Posidonia australis* in Jervis Bay, New South Wales, Australia. *Marine Ecology Progress Series* **127**, 279-289.
- \*Fletcher, W.J., Jones, B., Pearce, A.F. and Hosja, W. (1997). Environmental and biological aspects of the mass mortality of pilchards (Autumn 1995) in Western Australia. Fisheries Western Australia, Fisheries Research Report No. 106. 111 pp.
- Fogarty, M.J. and Murawski, S.A. (1998). Large-scale siddurbance and the structure of marine systems: fishery impacts on Georges Bank. *Ecological Applications* **8**, S6-S22.
- Fonseca, M.S., Fisher, J.S., Zieman, J.C. and Thayer, G.W. (1982). Influence of the seagrass *Zostera marina* L., on current flow. *Estuarine and Coastal Shelf Science* **15**, 357-364.
- Fonseca, M.S., Thayer, G.W. and Kenworthy, W. (1985). The use of the ecological data in the implementation and management of seagrass restorations. In: Proceedings of the symposium on subtropical – tropical seagrasses of the southeastern United States. pp. 175-188.
- \*Frances, J. (2001). Identification of Candidate Sites for Estuarine Aquatic Reserves in the Hawkesbury and Batemans Shelf Bioregions. Report prepared for Environment Australia by the Office of Conservation, NSW Fisheries, Sydney. 126 pp.
- Francis, R.I.C.C. and Shotton, R. (1997). "Risk" in *Fisheries Management: a Review*. pp. 1699-1715.
- \*FRDC (2000). Retail Sale and Consumption of Seafood, Fisheries Research and Development Corporation, Canberra.
- \*FRDC (2001). Investing for Tomorrow's Fish: the FRDC's Research and Development Plan, 2000 to 2005. Fisheries Research and Development Corporation, Canberra.
- \*Friedlander, J.C. (1980). A study of the community in the *Zostera capricorni* beds of Myuna Bay, in Lake Macquarie, New South Wales. M.Sc. Thesis. University of NSW, Sydney. 212 pp.

- \*Furlani, D. (1996). A guide to the introduced marine pests in Australian waters. Technical Report Number 5. Centre for Research on Introduced Marine Pests, June 1996, CSIRO.
- \*Gaughan, D.J., Mitchell, R.W., Blight, S.J. (2000). Impact of mortality, possibly due to herpesvirus, on pilchard *Sardinops sagax* stocks along the south coast of Western Australia in 1998-99. Reserarch Division, Fisheries WA, Western Australian Marine Research Laboratories. pp. 601-612.
- \*Gehrke, P.C., Grows, I.O. and Astles, K.L. (1996). A comparison of fish communities associated with grassed and well vegetated river banks in the Hawkesbury-Nepean River, NSW. In: *Fish and Fisheries of the Hawkesbury-Nepean River System*, Ch 9 (eds. Gehrke, P.C. and Harris, J.H.) pp. 145-170. Final report to the Sydney Water Corporation, July 1996. NSW Fisheries, Fisheries Research Institute, Sydney, and Cooperative Research Centre for Freshwater Ecology.
- \*Gibbs, P. (1997). A review of information on NSW South Coast estuarine fisheries. NSW Fisheries Research Institute. Cronulla. 74 pp.
- \*Gibbs, P.J. (1987). Five New South Wales barrier lagoons: Their macrobenthic fauna and seagrass communities. Ph.D. Thesis. University of NSW. 177 pp.
- \*Gibbs, P., McVea, T. and Loudon, B. (1999). Utilisation of restored wetlands by fish and invertebrates. FRDC Project No. 95/150. NSW Fisheries Office of Conservation, Pymont, Australia.
- Gill, A.C. and Reader, S.E. (1992). Fishes. In: Reef Biology. A Survey of Elizabeth and Middleton Reefs, South Pacific, by the Australian Museum. *Kowari* **3**, 90-92. ANPWS, Canberra.
- Gillanders, B. (1999). Blue groper. In: *Under Southern Seas: The Ecology of Australia's Rocky Reefs*, Ch 22 (ed. Andrew, N.) pp. 188-193. UNSW press.
- Glaister, J.P. (1978). Impact of river discharge on distribution and production of the school prawn *Metapenaeus macleayi* (Haswell) (Crustacea: Penaeidae) in the Clarence river region, northern New South Wales. *Australian Journal of Marine and Freshwater Research* **29**, 311-323.
- Glaister, J.P., Montgomery, S.S. and McDonnal, V.C. (1990). Yield-per-recruit analysis of eastern king prawns *Penaeus plebejus* Hess, in eastern Australia. *Australian Journal of Marine and Freshwater Research* **41** (1), 175-197.
- Glasby, T.M. (1999). Differences between subtidal epibiota on pier pilings and rocky reefs at marinas in Sydney, Australia. *Estuarine, Coastal and Shelf Science* **48**, 281-290.
- Gordon, G.N.G., Andrew, A.L. and Montgomery, S.S. (1995). A deterministic compartmentalised model for the eastern king prawn, *Penaeus plebejus* (Hess). *Australian Journal of Marine and Freshwater Research* **46**, 793-807.
- \*Goulstone, A. (1996). Fisheries Management Techniques. Fishnote DF 61. NSW Fisheries, March 1996.
- Gray, C.A. (2001). Catch composition and relative selectivity of commercial gill nets set overnight in New South Wales estuaries. *Fisheries Research*. In press.
- Gray, C.A., Gale, V.J., Stringfellow, S.L., and Raines, L.P. (in review a). Variations in sex, length and age compositions of commercial catches of *Platycephalus fuscus* (Pisces: Platycephalidae). Submitted to *Fisheries Research*.

- Gray, C.A., Gale, V.J. and Raines, L.P. (in review b). An initial assessment of the yellowfin bream (*Acanthopagrus australis*) stock and fishery in NSW. NSW Fisheries Resource Assessment Series.
- Gray, C.A., Kennelly, S.J., Hodgson, K.E, Ashby, C.J.T. and Beatson, M.L. (2001). Retained and discarded catches from commercial beach-seining in Botany Bay, Australia. *Fisheries Research* **50**, 205-219.
- Gray, C.A., Larsen, R.B. and Kennelly, S.J. (2000). Use of transparent netting to improve size selectivity and reduce bycatch in fish seine nets. *Fisheries Research* **45**, 155-166.
- Gray, C.A., McDonall, V.C. and Reid, D.D. (1990). Bycatch from prawn trawling in the Hawkesbury River, New South Wales: species composition, distribution and abundance. *Australian Journal of Marine and Freshwater Research* **41**, 13-26.
- Gray, C.A., McElligott, D.J. and Chick, R.C. (1996). Intra- and inter-estuary difference in assemblages of fishes associated with shallow seagrass and bare sand. *Journal of Marine and Freshwater Research* **47**, 723-735.
- \*Gray, C.A., Pease, B.C., Stringfellow, S.L., Raines, L.P., Rankin, B.K. and Walford, T.R. (2000). Sampling estuarine fish species for stock assessment. FRDC Project No. 94/042. NSW Fisheries Final Report Series No. 18. 194 pp.
- Greenstreet, S.P.R. and Hall, S.J. (1996). Fishing and the ground-fish assemblage structure in the north-western North Sea: an analysis of long-term and spatial trends. *Journal of Animal Ecology* **65**, 577-598.
- Greboval, D. and Munro, G. (1999). Overcapitalization and excess fishing capacity in world fisheries: Underlying economics and methods of control. In: Managing fishing capacity: selected papers on underlying concepts and issues (ed. Greboval, D.). *FAO Fisheries Technical Paper*. No.386. Rome, FAO. 206 pp.
- \*Grey, D. (2001). Invasive weed prompts response actions. *Fisheries New South Wales*, Spring 2000/Summer 2001 edition, pp. 4-5.
- \*Grey, D.L., Dall, W. and Baker, A. (1983). A guide to the Australian penaeid prawns. Northern Territory Department of Primary Production. 140 pp.
- Griffin, D.A., Thompson, P.A., Bax, N.J., Bradford, R.W. and Hallegraeff, G.M. (1997). The 1995 mass mortality of pilchards: no role found for physical or biological oceanographical factors in Australia. *Marine and Freshwater Research* **48**, 27-42.
- \*Growth, I.O., Pollard, D.A. and Gehrke, P.C. (1996). A comparison of fish communities associated with degraded and well-vegetated river banks, above and within nutrient enriched areas of the Hawkesbury-Nepean River, NSW. In: *Fish and Fisheries of the Hawkesbury-Nepean River System*, Ch 8 (eds. Gehrke, P.C. and Harris, J.H.) pp. 122-144. Final report to the Sydney Water Corporation, July 1996. NSW Fisheries, Fisheries Research Institute, Sydney, and Cooperative Research Centre for Freshwater Ecology.
- \*Hair, C.A. and Bell, J.D. (1992). Jervis Bay marine ecology study: enhancing the settlement of fish to artificial structures. Final Report, December 1992. Fisheries Research Institute, NSW Fisheries, Cronulla. 67 pp.
- Hall, M.A., Alverson, D.L. and Metzals, K.I. (2000). Bycatch: Problems and Solutions. *Marine Pollution Bulletin* **41** (1-6), 204-219.
- Hall, S.J. (1999). *The Effects of Fishing on Marine Ecosystems and Communities*. Fish Biology and Aquatic Resources Series 1. Blackwell Science. 274 pp.

- \*Hamer, G. (1986). Abalone biology and management. Agfact F1.0.1, 1st edition. Department of Agriculture New South Wales, Division of Fisheries, Sydney. 6 pp.
- Hamley, J.M. (1975). Review of gillnet selectivity. *Journal of the Fisheries Research Board of Canada* **32**, 1943-1969.
- Handmer, J (1995). Risk and uncertainty in environmental management. In: Fenner Conference on the Environment (eds. Norton, T.W., Beer T. and Dovers S.R.) pp. 86-171. Australian Academy of Science, Nov 1995, Canberra.
- \*Hannan, J. (1985). A comparison of shallow water fish faunae in Mannering Hole and nearby Lake Macquarie (New South Wales). B.Sc. (Hons.) Thesis. University of NSW, Sydney. 111 pp.
- \*Hannan, J. (1989). The seagrass fish fauna of Lake Macquarie, New South Wales. M.Sc. Thesis. University of NSW, Sydney. 49 pp. plus figures and tables.
- \*Hannan, J. and Simpson, A. (1999). Scarred Seagrass. *Fisheries NSW* **2(4)** Spring 1999, 32.
- \*Hannan, J.C. (1997). A status report on the key fish habitats in the Hawkesbury-Nepean Catchment. NSW Fisheries, Sydney. 68 pp.
- \*Hannan, J.C. (In. prep). Policy and guidelines for jetties, ramps, pontoons and similar foreshore structures. NSW Fisheries.
- Hannan, J.C. and Williams, R.J. (1998). Recruitment of juvenile marine fishes to seagrass habitat in a temperate Australian estuary. *Estuaries* **21(1)**, 29-51.
- Harden Jones, F.R. (1994). Fisheries Ecological Sustainable Development: Terms and Concepts, IASOS, University of Tasmania.
- Harding, R. (1998). *Environmental Decision-making: the Roles of Scientists, Engineers and the Public*. Federation Press. 366 pp.
- Harlin, M.M. (1975). Epiphyte-host relations in seagrass communities. *Aquatic Botany* **1**, 125-131.
- Harrigan, K.E. (1992). Causes of mortality of little penguins *Eudyptula minor* in Victoria. *Emu* **91(5)**, 273-277.
- Harris, J.H. (1984). Impoundment of coastal drainages of south-eastern Australia, and a review of its relevance to fish migrations. *Australian Zoologist* **21(3)**, 235-250.
- Harris, J.H. (1986). Reproduction of the Australian bass, *Macquaria novemaculeata* (Perciformes : Percichthyidae), in the Sydney Basin. *Australian Journal of Marine and Freshwater Research* **37**, 209-235.
- Harris, A.N. and Poiner, I.R. (1990). Bycatch of the Prawn Fishery of Torres Strait; composition and Partitioning of the Discards into Components that Float or Sink. *Australian Journal of Marine and Freshwater Research* **41**, 37-52.
- Hatcher, B.G., Johannes, R.E. and Robertson, A.I. (1989). Review of research relevant to the conservation of shallow tropical marine ecosystems. *Oceanographical Marine Biological Annual Review* **27**, 337-414.
- Heemstra, P.C. and Randall, J.E. (1993). FAO Species Catalogue Volume 16 Groupers of the World (family Serranidae, Subfamily Epinephelidae). Food and Agriculture Organisation of the United Nations, Rome. pp. 382.

- Hemminga, M.A., Harrison, P.G. and Vanlent, F. (1991). The balance of nutrient losses and gains in seagrass meadows. *Marine Ecology Progress Series* **71**, 85-96.
- \*Henrisson, C. and Smith, A. (1994). Black rock cod – a protected fish. Fishnote DF/39. NSW Fisheries, Sydney. 2 pp.
- \*Henry, G.W. (1984). Commercial and recreational fishing in Sydney estuary. *Fisheries Bulletin* No. 1. Department of Agriculture and Fisheries.
- \*Henry, G.W. (1987). Recreational fishing in Lake Conjola. NSW Fisheries, unpublished report.
- \*Henry, G.W., Neave, P. and House, R. (1987). A survey of recreational fishing in the Port Hacking estuary. Internal Report No. 40. Department of Agriculture and Fisheries.
- \*Henry, G.W. and Virgona, J.L. (1980). The impact of Munmorah Power Station on the recreational and commercial finfish fisheries of Tuggerah Lakes. Report prepared for the Electricity Commission by NSW State Fisheries.
- \*Henry, G.W. and Virgona, J.L. (1984). Why is angling so popular? *Australian Fisheries* **43(5)**, 32-33.
- Hickford, M.J.H., Schiel, D.R. and Jones, J.B. (1997). Catch characteristics of commercial gill-nets in a nearshore fishery in central New Zealand. *New Zealand Journal of Marine and Freshwater Research* **31**, 249-259.
- Hilborn, R. and Walters, C.J. (1992). *Quantitative Fisheries Stock Assessment: Choice, Dynamics and Uncertainty*. Chapman and Hall, New York. 563 pp.
- Hill, B.J. and Wassenberg, T.J. (1990). Fate of discards from prawn trawlers in Torres Strait. *Australian Journal of Marine and Freshwater Research* **41**, 53-64.
- Hillman, K., Walker, D.I., McComb, A.J. and Larkum, A.W.D. (1989). Productivity and nutrient availability. In: *Biology of Seagrasses* (eds. Larkum, A.W.D., McComb, A.J. and Shepherd, S.A.) pp. 458-499. Elsevier, Amsterdam.
- Hoedt, F.E., Dimmlich, W.E., and Dann, P. (1995). Seasonal variation in the species and size composition of the clupeoid assemblages in Western Port, Victoria. *Marine and Freshwater Research* **46 (7)**.
- Howells, G. (1994). *Water Quality for Freshwater Fish: further advisory criteria*. Gordon and Breach Science Publishers. 115 pp.
- Hughes, P. and Brundrit, G.B. (1995). Sea level rise and coastal planning: a call for stricter control in river mouths. *Journal of Coastal Research* **11**, 887-898.
- Hutchings, P.A. and Recher, H.F. (1974). The fauna of Careel Bay with comments on the ecology of mangrove and seagrass communities. *Australian Zoologist* **18**, 99-128.
- Hutchings, P.A. and Saenger, P. (1987). *Ecology of Mangroves*. University of Queensland Press, St Lucia, Queensland.
- Hutchins, B. and Swainston, R. (1986). *Sea fishes of southern Australia*. Swainston Publishing, Perth, W.A. 180 pp.
- Hyne, R.V. and Wilson, S.P. (1997). Toxicity of acid-sulphate soil leachate and aluminium to the embryos and larvae of Australian Bass (*Macquaria novemaculeata*) in estuarine water. *Environment Pollution* **97**, 221-227.

- Ibsen, T. (1999). Sustainable fisheries: the linkage with trade and environment. *Linkages Journal* **4(2)**, 2-4. [www.iisd.ca/journal/link0402e.pdf](http://www.iisd.ca/journal/link0402e.pdf).
- Inglis, G.J. (1995). Intertidal muddy shores. In: *Coastal Marine Ecology of Temperate Australia* (eds. Underwood, A.J. and Chapman, M.G.) pp. 171-186. UNSW Press.
- \*Independent Pricing and Regulatory Tribunal (IPART) (1998). Pricing Principles for Management Charges in NSW Commercial Fisheries – Final Report. Report prepared for the Minister of Fisheries. 63 pp.
- Irvine, I. and Birch, G.F. (in press). Distribution of heavy metals in surficial sediments of Port Jackson, Sydney, New South Wales. *Australian Journal of Earth Sciences*.
- \*IUCN (1995). IUCN Position Statement on Translocation of Living Organisms. International Union for the Conservation of Nature, Gland, Switzerland. 9 pp. [<http://www.iucn.org/themes/ssc/pubs/policy/transe.htm>]
- \*JCU (1993). An examination of links between tourism, tourist expectations and the importance of seafood in restaurants of the Cairns region. James Cook University Geography Department. Report for the Queensland Commercial Fishermen's Organisation. 54 pp.
- Jennings, S. and Kaiser, M.J. (1998). The Effects of Fishing on Marine Ecosystems. In: *Advances in Marine Biology*, Vol. 34 (eds. Blaxter, J.H.S., Southward, A.J. and Tyler, P.A.) pp. 202-353. Academic Press.
- Jones, A.R. (1997). Botany Bay benthos: status and management. *Wetlands (Australia)* **16(1)**, 11-24.
- Jones, A.R., Watson-Russell, C.J. and Murray, A. (1986). Spatial patterns in the macrobenthic communities of the Hawkesbury estuary, New South Wales. *Australian Journal of Marine and Freshwater Research* **37**, 521-543.
- Jones, G. and Candy, S. (1981). Effects of dredging on the macrobenthic infauna of Botany Bay. *Australian Journal of Marine and Freshwater Research* **32**, 379-398.
- Jones, G.P. and Andrew, N.L. (1990). Herbivory and patch dynamics on rocky reefs in temperate Australasia: the roles of fish and sea urchins. *Australian Journal of Ecology* **15**, 505-520.
- Kailola, P.J., Williams, M.J., Stewart, P.C., Reichelt, R.E., McNee, A. and Grieve, C. (1993). *Australian Fisheries Resources*. Bureau of Resource Sciences and the Fisheries Research and Development Corporation. Commonwealth of Australia. 422 pp.
- Kaiser, M.J. and de Groot S.J. (2000). *The Effects of Fishing on Non-target Species and Habitats: Biological, Conservation and Socio-economic Issues*. The European Commission Fisheries, Agriculture and Agroindustrial Research Program (FAIR), 399 pp.
- \*Kaufmann, B., Geen, G. and San, S. (1999). Fish futures: Individual transferable quotas in fisheries. Fisheries Research and Development Corporation and Fisheries Economics, Research and Management Pty Ltd. Kiama, Australia. 240 pp.
- Kearney, R.E. (2000). Fisheries property rights and recreational/commercial conflict: implications of policy developments in Australia and New Zealand. *Marine Policy* **25** (2001), 49-59.
- Kennelly, S.J. (1995a). Kelp beds. In: *Coastal Marine Ecology of Temperate Australia* (eds. Underwood, A.J. and Chapman, M.G.) pp. 106-120. UNSW press.

- Kennelly, S.J. (1995b). The issue of bycatch in Australia's demersal trawl fisheries. *Reviews in Fish Biology and Fisheries* **5**, 213-234.
- Kennelly, S.J. (1987). Physical disturbances in an Australian kelp community. II. Effects on understory species due to differences in kelp cover. *Marine Ecology Progress Series* **40**, 155-165.
- \*Kennelly, S.J. and Broadhurst, M.K. (1998). Development of bycatch reducing prawn trawls and fishing practices in NSW's prawn-trawl fisheries (and incorporating an assessment of the effect of increasing mesh size in fish trawl gear). FRDC Project No. 93/180. NSW Fisheries Final Report Series No. 5, July 1998.
- Kennelly, S.J., Kearney, R.E., Liggins, G.W. and Broadhurst, M.K. (1993). The effect of shrimp trawling bycatch on other commercial and recreational fisheries – an Australian perspective. In: International Conference on Shrimp Bycatch (ed. Jones, R.P.) pp. 97-114. Lake Buena Vista, Florida. Tallahassee, FL: Southeastern Fisheries Association. May 1992.
- Kennelly, S.J., Liggins, G.W. and Broadhurst, M.K. (1998). Retained and discarded bycatch from oceanic prawn trawling in New South Wales, Australia. *Fisheries Research* **36**, 217-236.
- Kennelly, S.J. and Underwood, A.J. (1992). Fluctuations in the distributions and abundances of species in sublittoral kelp forests in New South Wales. *Australian Journal of Ecology* **17**, 367-382.
- Keough, M.J. and Jenkins, G.P. (1995). Seagrass meadows and their inhabitants. In: *Coastal Marine Ecology of Temperate Australia* (eds. Underwood, A.J. and Chapman, M.G.) pp. 221-239. UNSW Press.
- Keough, M.J. and Quinn, G.P. (1998). Effects of periodic disturbances from trampling on rocky intertidal algal beds. *Ecological Applications* **8**, 141-161.
- \*Kerr, R.J. (1994). Water Quality, Hawkesbury-Nepean River System, June 1990 to June 1993. Environment Protection Authority, Sydney. 193 pp.
- King, R.J. (1981a). Marine angiosperms: seagrasses. In: *Marine botany: an Australian perspective* (eds. Clayton, M.N. and King, R.J.) pp. 201-210. Longman Cheshire, Australia.
- King, R.J. (1981b). Mangroves and saltmarsh plants. In: *Marine botany: an Australian perspective* (eds. Clayton, M.N. and King, R.J.) pp. 308-328. Longman Cheshire, Australia.
- King, R.J. (1986). Aquatic angiosperms in coastal saline lagoons of New South Wales. Part I: The vegetation of Lake Macquarie. *Proceedings of the Linnean Society of New South Wales* **109(1)**, 11-23.
- Klumpp, D.W., Howard, R.K. and Pollard, D.A. (1989). Trophodynamics and nutritional ecology of seagrass communities. In: *Biology of seagrasses. A treatise on the biology of seagrasses with special reference to the Australian region* (eds. Larkum, A.W.D., McComb, A.J. and Shepherd, S.A.) pp. 394-437. Elsevier, New York / Amsterdam.
- Kuiter, R. (1993). *Coastal Fishes of South-Eastern Australia*. Crawford House Press, Bathurst. 437 pp.
- \*Lal, P., Holland, P. and Power, P. (1992). Competition between recreational and commercial fishers: management options and economic research. Australian Bureau of Agricultural and Resource Economics. Research Report No. 92.11, p. 70.

- Lamberth, S.J., Bennett, B.A. and Clark, B.M. (1994). Catch composition of the commercial beach-seine fishery in False Bay, South Africa. *South African Journal of Marine Science* **14**, 69-78.
- Lamberth, S.J., Bennett, B.A., Clark, B.M. and Janssens, P.M. (1995). The impact of beach-seine netting on the benthic flora and fauna of False Bay, South Africa. *South African Journal of Marine Science* **15**, 115-122.
- Larkum, A.W.D. (1981). Marine primary productivity. In: *Marine botany: an Australian perspective* (eds. Clayton, M.N. and King, R.J.) pp. 369-385. Longman Cheshire, Australia.
- Larkum, A.W.D. and West, R.J. (1990). Long-term changes of seagrass meadows in Botany Bay, Australia. *Aquatic Botany* **37**, 55-70.
- \*Leadbitter, D., Ward, T. and Ridge, K. (1999). Maintaining Biodiversity in Sustainable Marine Fisheries – A Review and Scoping of Future Directions. Department of the Environment and Heritage, Commonwealth of Australia. 86 pp.
- Lenanton, R.C.J., Robertson, A.I. and Hansen, J.A. (1982). Nearshore accumulations of detached macrophytes as nursery areas for fish. *Marine Ecology Progress Series* **9**, 51-57.
- Liggins, G.W., Bradley, M.J. and Kennelly, S.J. (1997). Detection of bias in observer-based estimates of retained and discarded catches from a multi species trawl fishery. *Fisheries Research* **32**, 113-147.
- Liggins, G.W., Kennelly, S.J. and Broadhurst, M.K. (1996). Observer-based survey of bycatch from prawn trawling in Botany Bay and Port Jackson, New South Wales. *Marine and Freshwater Research* **47**, 877-888.
- Lincoln-Smith, M.P. and Jones, G.P. (1995). Fishes of shallow coastal habitats. In: *Coastal Marine Ecology of Temperate Australia*. (eds. Underwood, A.J. and Chapman, M.G.) pp. 240-253. UNSW Press.
- \*Lincoln-Smith, M.P., Hair, C.A. and Bell, J.D. (1992). Jervis Bay marine ecology study. Project 4: Fish associated with natural rocky reefs and artificial breakwaters. Final Report, December 1992. NSW Fisheries, Fisheries Research Institute, Cronulla. 210 pp.
- Lincoln-Smith, M.P., Bell, J.D., Pollard, D.A. and Russell, B.C. (1989). Catch and effort of competition spearfishermen in southeastern Australia. *Fisheries Research* **8**: 45-61.
- Lloyd, R. (1992). *Pollution and Freshwater Fish*. Blackwell Scientific Publications, London. 176 pp.
- McDowall, R.M. (1996). *Freshwater Fishes of South-Eastern Australia*. Reed Books, Sydney. 247 pp.
- \*McEnally, J. and Thompson, G. (1984). Coastal Resource Atlas for Oil Spills in Botany Bay. State Pollution Control Commission, Sydney. 27 pp.
- \*McEnally, J. and Thompson, G. (1989). Coastal Resource Atlas for Oil Spills in Jervis Bay. State Pollution Control Commission, Sydney. 32 pp.
- \*McEnally, J., Eskdale, I., Thompson, G. and Zekanovic, I. (1990). Coastal Resource Atlas for Oil Spills in and around Twofold Bay. State Pollution Control Commission, Sydney. 36 pp.

- \*McEnally, J., Eskdale, I., Thompson, G. and Zekanovic, I. (1992). Coastal Resource Atlas for Oil Spills from Cape Dromedary to Cape Howe. State Pollution Control Commission, Sydney. 61 pp.
- \*McEnally, J., Eskdale, I., Thompson, G., Harris, J., Zekanovic, I. and Otto, K. (1992). Coastal Resource Atlas for Oil Spills from the Clarence River to Smoky Cape. Environment Protection Authority, Sydney. 102 pp.
- \*McEnally, J., Thompson, G. and Zekanovic, I. (1989). Coastal Resource Atlas for Oil Spills in and around Port Kembla. State Pollution Control Commission, Sydney. 32 pp.
- \*McEnally, J., Thompson, G. and Zekanovic, I. (1989). Coastal Resource Atlas for Oil Spills in and around the Port of Newcastle. State Pollution Control Commission, Sydney. 32 pp.
- McGhie, T.K., Crawford, C.M., Mitchell, I.M. and O'Brien, D. (2000). The degradation of fish-cage waste in sediments during fallowing. *Aquaculture* **187**, 351-366.
- McNeill, S.E., Worthington, D.G., Ferrell, D.J. and Bell, J.D. (1992). Consistently outstanding recruitment of five species of fish to a seagrass bed in Botany Bay, NSW. *Australian Journal of Ecology* **17**, 359-366.
- \*McVeery, S. (1996). A socio-economic evaluation of the Clarence River commercial fisheries. Unpublished undergraduate study, Faculty of Resource Science and Management, Southern Cross University.
- Marais, J.F.K. (1985). Some factors influencing the size of fishes caught in gillnets in eastern cape estuaries. *Fisheries Research* **3**, 251-261.
- Marchant, S. and Higgins, P.J. (1993). *Handbook of Australian, New Zealand and Antarctic Birds*. Oxford University Press, Melbourne.
- \*Marine Parks Authority (2000). Draft framework for establishing a system of marine protected areas in NSW. NSW Fisheries and National Parks and Wildlife Service, June 2000. 64 pp.
- \*Marsden, T.J. and Gehrke, P.C. (1996). Fish passage in the Hawkesbury-Nepean River System. In: *Fish and Fisheries of the Hawkesbury-Nepean River System*, Ch 11 (eds. Gehrke, P.C. and Harris, J.H.) pp. 200-218. Final report to the Sydney Water Corporation, July 1996. NSW Fisheries, Fisheries Research Institute, Sydney, and Cooperative Research Centre for Freshwater Ecology.
- \*Mather, G. (1993). *Aquaculture: an Australian Environmental Review*. Total Environment Centre Inc., Sydney. 88 pp.
- \*MCFFA (1999). National Policy for the Translocation of Live Aquatic Organisms – Issues, Principles and Guidelines for Implementation. Ministerial Council on Forestry, Fisheries and Aquaculture. Canberra, ACT. 31 pp.
- \*Metzner, R. and Rawlinson, P. (1998). Fisheries Structural Adjustment: towards a national framework. Commonwealth Department of Primary Industries and Energy, Canberra. p. 2.
- Meyer, T.L., Cooper, R.A. and Pecci, K.J. (1981). The performance and environmental effects of a hydraulic clam dredge. *Marine Fisheries Review* **43**, 14-22.
- Middleton, M.J., Bell, J.D., Burchmore, J.J., Pollard, D.A. and Pease, B.C. (1984). Structural differences in the fish communities of *Zostera capricorni* and *Posidonia australis* seagrass meadows in Botany Bay, New South Wales. *Aquatic Botany* **18**, 89-109.

- Miller, B. (1995). Combating drift-net fishing in the Pacific. In: *The Law of the Sea in the Asia Pacific Region* (eds. Crawford, J. and Rothwell, D.) pp. 155-170. Martinus Nijhoff, Boston.
- \*Miskiewicz, A.G. (1987). Taxonomy and ecology of fish larvae in Lake Macquarie and NSW coastal waters. Ph.D. thesis. University of NSW, Sydney, Australia. 191 pp.
- \*Montgomery, S.S. (2000). Status of eastern king and school prawn stocks. In: Proceedings of Juvenile Prawn Summit June 26-27. NSW Fisheries Publication. Sydney. pp. 28-47.
- \*Montgomery, S.S. and Reid, D.D. (1995). Assessment of recreational fishing of prawn stocks on the commercial fishery for prawns off New south wales. Final report to the Fisheries Research & Development Cooperation. Project 91/88. NSW Fisheries, Sydney.
- Moran, M.J. and Jenke, J. (1989). Effects of fish trapping on the Shark Bay snapper fishery. *Fisheries Report* **82**, 1-29.
- Morrisey, D. (1995). Saltmarshes. In: *Coastal Marine Ecology of Temperate Australia* (eds. Underwood, A.J. and Chapman, M.G.) pp. 205-220. UNSW press.
- Morrisey, D.J., Howitt, L., Underwood, A.J. and Stark, J.S. (1992a). Spatial variation in soft-sediment benthos. *Marine Ecology Progress Series* **81**, 197-204.
- Morrisey, D.J., Underwood, A.J., Howitt, L. and Stark, J.S. (1992b). Temporal variation in soft-sediment benthos. *Journal of Experimental Marine Biology and Ecology* **164**, 233-245.
- Morton, R.M., Pollock, B.R. and Beumer, J.P. (1987). The occurrence and diet of fishes in a tidal inlet to a saltmarsh in southern Moreton Bay, Queensland. *Australian Journal of Ecology* **12**, 217-237.
- Murphy, G.I. (1980). Schooling and ecology and management of marine fish. In: *Fish Behaviour and its Use in the Capture and Culture of Fishes* (eds. Bardach, J.E., Magnuson, J.E., May, J.J. and Reinhart, R.C.J.M.) *ICLARM Conference Proceedings* **5**, 400-414.
- \*Murphy, P. (1999). Licensing. Paper delivered at the Commercial Fishing Industry Summit Proceedings by NSW Fisheries. pp. 53-58.
- Murray, T.E., Bartle, J.A., Kalish, S.R. and Taylor, P.R. (1993). Incidental capture of seabirds by Japanese southern bluefin tuna longline vessels in New Zealand waters, 1988-1992. *Biological Conservation International* **3**, 181-210.
- Norman, M. (1999). Octopuses & their relatives. In: *Under Southern Seas: The ecology of Australia's rocky reefs* (ed. Andrew, N.) pp. 86-97. UNSW Press.
- Northridge, S. (1991). Driftnet fisheries and their impacts on non-target species: a worldwide review. *FAO Technical Paper* No. 230.
- \*NSW Department of Public Works and Services (1992). Draft Estuary Management Manual. NSW Government Printer. 194 pp.
- \*NSW Fisheries (1991). Solitary Islands Marine Reserve - A guide to recreational and commercial use of the reserve. NSW Fisheries. 40 pp.
- \*NSW Fisheries (1997a). Protected Marine Fish Species Sighting Sheet Program - status report 1997. Fishnote DF69. NSW Fisheries, Sydney. 6 pp.

- \*NSW Fisheries (1997b). NSW Fisheries Heritage and Conservation Register.
- \*NSW Fisheries (1999a). Policy and Guidelines: Aquatic Habitat Management and Fish Conservation 1999 (eds. Smith, A.K. and Pollard, D.A.). NSW Fisheries, Port Stephens Research Centre. 86 pp.
- \*NSW Fisheries (1999b). Policy and Guidelines for Bridges, Roads, Causeways, Culverts and Similar Structures 1999 (eds. Fairfull, S. and Carter, S.) NSW Fisheries, Sydney. 19 pp.
- \*NSW Fisheries (1999c). Commercial Fishery Profile – Estuary General. Commercial Management Branch, Cronulla Fisheries Centre, Sydney. 11 pp.
- \*NSW Fisheries (2000). NSW Fisheries 2000 Research Report. Internal Report. Cronulla Fisheries Centre, Sydney. 499 pp.
- \*NSW Fisheries (2001a). Status of fisheries resources 2000. Internal Report. Cronulla Fisheries Centre, Sydney. 306 pp.
- \*NSW Fisheries (2001b). Consultation Paper: Selection process for candidate aquatic reserves for rocky shores and estuaries (Batemans Shelf and Hawkesbury Shelf bioregions). NSW Fisheries, Sydney. 64 pp.
- \*NSW National Parks and Wildlife Service (2000a). Recovery Plan for the endangered population of little penguins (*Eudyptula minor*) at Manly. NSW NPWS, Hurstville.
- \*NSW National Parks and Wildlife Service (2000b). Little Tern Recovery Plan. NSW NPWS, Hurstville.
- \*NSWF (2000a). Juvenile prawn summit: summary of proceedings. Proceedings of summit held 26-27 June, 2000 at Cronulla, Sydney.
- \*NSWF (2000b). Options for the Implementation of an All-Waters Recreational Fishing Licence in NSW. New South Wales Fisheries, Cronulla, Sydney.
- \*O'Loughlin, E., Roberts, D. and Sainty, G. (1999). Guidelines to management of wetlands in lower south coast, NSW. Sainty and Associates Pty. Ltd. Sydney. 34 pp.
- Otway, N.M. and Craig, J.R. (1993). The effects of hook-size on the catches of undersized snapper, *Pagrus auratus* (Bloch and Schneider). *Marine Ecology Progress Series* **93**, 9-15.
- \*Otway, N.M. and Macbeth, W.G. (1999). Physical effects of hauling on seagrass beds. FRDC Project Nos. 95/149 & 96/286. NSW Fisheries Final Report Series No. 15. Cronulla Fisheries Centre, Sydney. 86 pp.
- Otway, N.M., Craig, J.R. and Upston, J.M. (1996). Gear-dependent size selection of snapper, *Pagrus auratus*. *Fisheries Research* **28**, 119-132.
- Patterson, K., Cook, R., Darby, C., Gavaris, S., Laurence, K., Lewy, P., Mesnil, B., Punt, A., Restrepo, V., Skagen, D.W. and Stefansson, G. (2001). Estimating uncertainty in fish stock assessment and forecasting. *Fish and Fisheries* **2**, 125-157.
- Pauly, D. (1988). Fisheries research and the demersal fisheries of Southeast Asia. In: *Fish Population Dynamics*, 2nd edn. (ed. Gulland, J.A.) pp. 329-348. John Wiley and Sons, Chichester.
- Pease, B.C. (1999). A spatially oriented analysis of estuaries and their associated commercial fisheries in New South Wales, Australia. *Fisheries Research* **42(1)**, 67-86.

- \*Pease, B.C. (2000). NSW commercial eel fishery. In: Strategies and techniques for sampling adult anguillid eels (eds. Walford, T. and Pease, B.C.). Proceedings of a workshop held at FRI, Cronulla, August 1999. Fisheries Research Report Series 5. NSW Fisheries. Cronulla.
- \*Pease, B.C. and Grinberg, A. (1995). New South Wales commercial fisheries statistics 1940 to 1992. Fisheries Research Institute, Cronulla NSW. 351 pp.
- Pickering, H. and Whitmarsh, D. (1997). Artificial reefs and fisheries exploitation: a review of the "attraction versus production" debate, the influence of design and its significance for policy. *Fisheries Research* **31**, 39-59.
- Pizzey, G. and Doyle, R. (1984). *A field guide to the birds of Australia*. Collins, Sydney, 460 pp.
- \*Pogonoski, J.J., Pollard, D.A. and Paxton, J.R. (in preparation). Conservation Overview and Action Plan for Australian Threatened and Potentially Threatened Marine and Estuarine Fishes. Report to Environment Australia Biodiversity Group by the NSW Fisheries Research Institute and the Australian Museum.
- \*Poiner, I.R. and Peterken, C. (1995). Seagrasses. In: *The State of the Marine Environment Report for Australia. Technical Annex 1: The Marine Environment* (eds. Zann, L.P. and Kailola, P.) pp. 107-117. Great Barrier Reef Marine Park Authority, Townsville.
- Pollard, D.A. (1984). A review of ecological studies on seagrass-fish communities, with particular reference to Australia. *Aquatic Botany* **18**, 3-42.
- Pollard, D.A. (1989). Artificial habitats for fisheries enhancement in the Australian region. *Marine Fisheries Review* **51(4)**, 11-26.
- \*Pollard, D.A. (1991). Spatial and temporal variability in the recruitment of a common estuarine fish, the yellowfin bream (*Acanthopagrus australis*, Sparidae), in south-eastern Australia. In: Recruitment processes, Australian Society for Fish Biology Workshop Proceedings No. 16 (ed. Hancock, D.A.) pp. 85-88. Australian Government Publishing Service.
- Pollard, D.A. (1994). Opening regimes and salinity characteristics of intermittently open and permanently open coastal lagoons on the south coast of NSW. *Wetlands (Australia)* **13(1)**, 16-35.
- \*Pollard, D.A. and Growns, I.O. (1993). The fish and fisheries of the Hawkesbury-Nepean River System, with particular reference to the environmental effects of the Water Board's activities on this system. Interim report to the Water Board – April 1993. NSW Fisheries, Fisheries Research Institute, Cronulla. 291 pp. plus appendices.
- Pollard, D.A. and Hannan, J.C. (1994). The ecological effects of structural flood mitigation works on fish habitats and fish communities in the lower Clarence River system of south-eastern Australia. *Estuaries* **17(2)**, 427-461.
- Pollard, D.A. and Hutchings, P.A. (1990a). A review of exotic marine organisms introduced into the Australian region. I, Fishes. *Asian Fisheries Science* **3**, 205-221.
- Pollard, D.A. and Hutchings, P.A. (1990b). A review of exotic marine organisms introduced into the Australian region. II, Invertebrates and Algae. *Asian Fisheries Science* **3**, 223-250.
- Pollard, J. (1969). *Australian and New Zealand Fishing*. Paul Hamlyn Pty. Ltd., Dee Why West, NSW. p. 13.

- Pollard, P.C. and Moriarty, D.J.W. (1991). Organic carbon decomposition, primary and bacterial productivity, and sulphate reduction in tropical seagrass beds of the Gulf of Carpentaria, Australia. *Marine Ecology Progress Series* **69**, 149-159.
- Pollock, B.R. (1982). Movements and migrations of yellowfin bream, *Acanthopagrus australis* (Gunther), in Moreton Bay, Queensland as determined by tag recoveries. *Journal of Fish Biology* **20** (3), 245-252.
- \*Porter, G. (1998). Too much fishing fleet, too few fish. A proposal for eliminating global fishing overcapacity. World Wildlife Fund. pp. 8 & 12.
- \*Powell, R.A., Jensen, R. and Horwood, L. (1989). The effects of policy change on South-East Trawl fishing communities. Report to the Steering Committee on Long-Term Management of the South East Trawl Fishery. University of New England and Department of Primary Industries and Energy, Canberra.
- Quigley, M.P. and Hall, J.A. (1999). Recovery of macrobenthic communities after maintenance dredging in the Blyth Estuary, north-east England. *Aquatic Conservation: Marine and Freshwater Ecosystems* **9**, 63-73.
- Quinn, G.P., Fairweather, P.G and Keough, M.J. (1996). Shoreline Harvesting. In: SOMER Technical Papers: Fisheries (ed. Zann, L.P.). The State of the Marine Environment Report for Australia. Technical Summary, 34. GBRMPA.
- Quinn, T.J. and Deriso, R.B. (1999). *Quantitative Fish Dynamics*. Oxford University Press, Oxford.
- Rainer, S.F. (1982). Trophic structure and production in the macrobenthos of a temperate Australian estuary. *Estuarine, Coastal and Shelf Science* **15**, 423-441.
- \*Reid, C. and Campbell, H. (1998). Bio-economic analysis of the Queensland beam trawl fishery.
- Reimann, B. and Hoffman, E. (1991). Ecological consequences of dredging and bottom trawling in the Limfjord, Denmark. *Marine Ecology Progress Series* **69**, 171-178.
- Ricker, W.E. (1975). Computation and Interpretation of biological statistics of fish populations. *Fisheries Research Board of Canada Bulletin* **191**, 136-146.
- Roach, A.C. (1997). The effect of acid water inflow on estuarine benthic and fish communities in the Richmond River, NSW Australia. *Australian Journal of Ecotoxicology* **3**, 25-56.
- \*Roy Morgan (1999). Recreational fishing Licence survey. Roy Morgan Research, Sydney.
- \*Roy Morgan (2001a). Social survey preliminary results. Roy Morgan Research, Sydney.
- \*Roy Morgan (2001b). Economic survey preliminary results. Roy Morgan Research, Sydney.
- Roberts, D.E. (1996). Patterns in subtidal marine assemblages associated with a deep-water sewage outfall. *Marine and Freshwater Research* **47**, 1-9.
- Robertson, A.I. and Alongi, D.M. (1995). Mangrove systems in Australia: structure, function and status. In: *The State of the Marine Environment Report for Australia. Technical Annex 1: The Marine Environment* (eds. Zann, L.P. and Kailola, P.) pp. 119-133. Great Barrier Reef Marine Park Authority, Townsville.
- \*Robinson, K. and Gibbs, P. (1982). *A field guide to the common shelled molluscs of New South Wales estuaries*. Coast and Wetlands Society, Sydney. 56 pp.

- \*Robinson, K.I.M. (1982). The structure of benthic macrofaunal communities in Lake Macquarie, N.S.W. Ph.D. thesis. University of NSW, Sydney.
- Rooker, J.R. and Dennis, G.D. (1991). Diel, lunar and seasonal changes in a mangrove fish assemblage of southwestern Puerto Rico. *Bulletin of Marine Science* **49**, 684-698.
- Ross, G.J.B. (1996). Status of Australia's seabirds. In: SOMER Technical Papers: Status of Marine Biodiversity (ed. Zann, L.P.). The State of the Marine Environment Report for Australia. Technical Summary, 17. GBRMPA.
- Roughley, T.C. (1951). *Fish and Fisheries of Australia*. Angus and Robertson, Sydney. p. 318, plate 80, p. 322.
- \*Rowling, K.R. and Raines, L.P. (2000). Description of the biology and an assessment of the fishery for silver trevally *Pseudocaranx dentex* off New South Wales. FRDC Project No. 97/125. New South Wales Fisheries, Cronulla. 69 pp.
- Roy, P.S, Williams, R.J., Jones, A.R., Yassini, I., Gibbs, P.J., Coates, B., West, R.J., Scanes, P.R., Hudson, J.P., and Nichol, S. (2001). Structure and function of southeast Australian estuaries. *Estuarine, Coastal and Shelf Science* **56** in press.
- \*Roy, P.S. (1982). Evolution of estuaries in N.S.W. Water Research Foundation of Australia Symposium paper. 27 pp.
- Roy, P.S. (1984). New South Wales estuaries: their origins and evolution. In: *Coastal Geomorphology in Australia* (ed. Thom, B.) pp. 99-121. Academic Press, Australia.
- Roy, P.S., Thom, B.G. and Wright, L.D. (1980). Holocene sequences on an embayed high-energy coast: An evolutionary model. *Sedimentary Geology* **26**, 1-19.
- \*Ruello, N.V. (1971). Some aspects of the ecology of the school prawn *Metapenaeus macleayi* in the Hunter region of New South Wales. MSc. Thesis. University of Sydney. 145 pp.
- Ruello, N.V. (1973). Influence of rainfall on the distribution and abundance of the school prawn *Metapenaeus macleayi* (Haswell) in the Hunter river region, Australia. *Marine Biology* **23**, 221-228.
- \*Ruello, N.V. (1996). A study of the demand and importance of seafood sourced in NSW and elsewhere to the catering and tourism industries in NSW. FRDC, NSW. 157 pp.
- \*Ruello & Associates Pty. Ltd. (2000). Retail sale and consumption of seafood. Report prepared for the Fisheries Research and Development Corporation. July 2000. 14 pp.
- \*Sainsbury, K., Hawward, K., Kriwoken, L., Tsamenyi, M. and Ward, T.. (1997). Multiple Use Management in the Australian Marine Environment: Principles, Definitions and Elements. Oceans Policy Issues Paper 1. Environment Australia, Canberra.
- Sainty, G.R. and Jacobs, S.W.L. (1981). *Waterplants of New South Wales*. Water Resources Commission of New South Wales. 550 pp.
- Salini, J.P., Blaber, S.J.M. and Brewer, D.T. (1990). Diets of piscivorous fishes in a tropical Australian estuary, with special reference to predation on penaeid prawns. *Marine Biology* **105**, 363-374.
- \*Sammut, J., Callinan, R.B. and Fraser, G.C. (1993). The impact of acidified water on freshwater and estuarine fish populations in acid sulphate soil environments. Proceedings of National Conference on Acid Sulphate Soils. Coolongatta, Australia. pp. 26-36.

- Sammut, J., Melville, M.D., Callinan, R.B. and Fraser, G.C. (1995). Estuarine acidification: impacts on aquatic biota of draining acid sulphate soils. *Australian Geographical Studies* **33(1)**, 89-100.
- Sammut, J., White, I. and Melville, M.D. (1996). Acidification of an estuarine tributary in eastern Australia due to drainage of acid sulphate soils. *Marine and Freshwater Research* **47**, 669-684.
- \*Scandol, J.P. and Forrest, R.E. (2001). Modelling services for the NSW Estuary General Fishery. Draft Report for NSW Fisheries. July 2001. Centre for Research on Ecological Impacts of Coastal Cities, University of Sydney, NSW. 114 pp.
- \*Scanes, P.R. (1988). The impact of Eraring Power Station on the fish and fisheries of Lake Macquarie. Report prepared for the Electricity Commission of New South Wales. New South Wales Fisheries, Fisheries Research Institute, Sydney, Australia. 111 pp.
- Scanes, P.R. and Scanes, K. (1995). Environmental problems due to disposal of wastes. In: *Coastal Marine Ecology of Temperate Australia*, Ch. 19 (eds. Underwood, A.J. and Chapman, M.G.) pp. 297-310. UNSW press.
- \*SCFA (2001). Ecologically Sustainable Development and Fisheries. Standing Committee on Fisheries and Aquaculture and Fisheries Research and Development Corporation (FRDC) project.
- \*Schaap, A. and Green, R. (1988). Fish communities on reefs subjected to different levels of fishing pressure. Technical Report of the Marine Laboratory, Deep Sea Fisheries Tasmania. No. 31, pp. 1-44.
- Scoffin, T.P. (1970). The trapping and binding of subtidal carbonate sediments by marine vegetation in Bimini Lagoon, Bahamas. *Journal of Sedimentary Petroleum* **40**, 249-273.
- \*Shafer, D.J. and Lundin, J. (1999). Design and construction of docks to minimise seagrass impacts. WRP Technical Notes Collection (TN WRP-VN-RS-3.1). U.S. Army Engineer Research and Development Center, Vicksburg, MS. 6 pp.
- Shepherd, S.A., McComb, A.J., Bulthuis, D.A., Neverauskas, V., Steffensen, D.A. and West, R. (1989). Decline of seagrasses. In: *Biology of Seagrasses* (eds. Larkum, A.W.D., McComb, A.J. and Shepherd, S.A.) pp. 346-393. Elsevier, Amsterdam.
- Sheridan, A.K. (1995). The genetic impacts of human activities on wild fish populations. *Reviews in Fisheries Science* **3(2)**, 91-108.
- \*Sherman, B. (2000). Scoping options for mitigating cold water discharges from dams. Report to: Agriculture, Fisheries and Forestry – Australia, NSW Fisheries, CRC for Freshwater Ecology, and NSW Department of Land and Water Conservation as part of the NHT Murray-Darling 2001 FishRehab Program. Consultancy Report 00/21. CSIRO Land and Water, Canberra. May 2000.
- \*Shotter, N., O'Donnell, M., Steetsel, P. and Birch, G.F. (1995). The environmental status of a large NSW estuary under threat - the Hawkesbury River System. In: Proceedings of the 29th Newcastle Symposium on "Advances in the study of the Sydney Basin". Department of Geology, University of Newcastle. pp. 59-65.
- Simenstad, C.A. and Thom, R.M. (1996). Functional equivalency trajectories of the restored Gog-Le-Hi-Te estuarine wetland. *Ecological Applications* **6(1)**, 38-56.
- Simpson, K. and Day, N. (1996). *Field guide to the birds of Australia*. Penguin Books Australia Ltd, 400 pp.

- Skilleter, G.A. (1995). Environmental disturbances. In: *Coastal Marine Ecology of Temperate Australia*, Ch. 17 (eds. Underwood, A.J. and Chapman, M.G.) pp. 263-276. UNSW press.
- \*Smith, A., Pollard, D. and Gillanders, B. (1996). The blue groper in NSW. Fishnote DF/63. NSW Fisheries, Sydney. 2 pp.
- Smith, A.K, Holliday, J.E. and Pollard, D.A. (1997). Management of seagrass habitats in NSW Estuaries. *Wetlands (Australia)* **16(2)**, 48-54.
- \*State Pollution Control Commission (SPCC) (1981a). The ecology of fish in Botany Bay - community structure. Environmental Control Study of Botany Bay. Sydney, Australia. Report No. BBS 23A. 127 pp.
- \*State Pollution Control Commission (SPCC) (1981b). The ecology of fish in Botany Bay - biology of commercially and recreationally valuable species. Environmental Control Study of Botany Bay. Sydney, Australia. Report No. BBS 23B. 287 pp.
- \*Steffe, A.S. and Chapman, D.J. (in review). A Survey of Daytime Recreational Fishing During the Annual Period, March 1999 to February 2000, in Lake Macquarie, New South Wales.
- \*Steffe, A.S., Murphy, J.J., Chapman, D.J., Tarlington, B.E., Gordon, G.N.G. and Grinberg, A. (1996a). An assessment of the impact of offshore recreational fishing in New South Wales on the management of commercial fisheries. FRDC Project No. 94/053.
- \*Steffe, A.S., Staines, J.F. and Murphy, J.J. (1996b). Recreational use of fisheries resources in northern New South Wales. Natural Resources Audit Council Project S7.
- \*Stewart, J., Ferrell, D.J. and Andrew, N.L. (1998). Ageing yellowtail (*Trachurus novaezelandiae*) and blue mackerel (*Scomber australiasicus*) in NSW. NSW Fisheries Final Report Series No. 3. FRDC Project No. 95/151.
- \*Tamblyn, C. and Powell, R.A. (1988). Input and output study of the north coast agriculture and fisheries industries. NSW Department of Agriculture, Wollongbar.
- \*Tanner, M. and Liggins, G.W. (1999). New South Wales Commercial Fisheries Statistics 1993/94 to 1997/98. NSW Fisheries Research Institute, Cronulla.
- \*Tanner, M. and Liggins, G.W. (2000). New South Wales Commercial Fisheries Statistics 1998/99. NSW Fisheries, Cronulla Fisheries Centre. 21 pp.
- \*Tanner, M. and Liggins, G.W. (2001). New South Wales Commercial Fisheries Statistics 1999/00 (draft). NSW Fisheries, Cronulla Fisheries Centre.
- Thomas, B.E. and Connolly, R.M. (2001). Fish use of subtropical saltmarshes in Queensland, Australia. Relationships with vegetation, water depth and distance onto the marsh. *Marine Ecology Progress Series* **209**, 275-288.
- \*Thompson, G. and McEnally, J. (1985). Coastal Resource Atlas for Oil Spills in Port Jackson. State Pollution Control Commission, Sydney. 27 pp.
- Thompson, L.G. (1893). *History of the Fisheries of New South Wales*. Charles Potter, Government Printer, Sydney. p. 96.
- Thomson, J.M. (1959a). Some aspects of the ecology of Lake Macquarie, N.S.W., with regard to an alleged depletion of fish. VIII. Trends of the commercial fish catch and management of the fishery. *Australian Journal of Marine and Freshwater Research* **10**, 354-364.

- Thomson, J.M. (1959b). Some aspects of the ecology of Lake Macquarie, N.S.W., with regard to an alleged depletion of fish. IX. The fishes and their food. *Australian Journal of Marine and Freshwater Research* **10**, 365-374.
- Thorhaug, A. (1990). Restoration of mangroves and seagrasses – economic benefits for fisheries and mariculture. In: *Environmental restoration science and strategies for restoring the earth* (ed. Berger, J.J.). Island Press, Washington.
- \*Thorncraft, G. and Harris, J. (2000). Fish Passage and Fishways in New South Wales: A Status Report. Cooperative Research Centre for Freshwater Ecology Technical Report 1/2000.
- Underwood, A.J. (1989). The analysis of stress in natural populations. *Biological Journal of the Linnean Society* **37**, 51-78.
- Underwood, A.J. (1990). Experiments in ecology and management: their logics, functions and interpretations. *Australian Journal of Ecology* **15**, 365-389.
- Underwood, A.J. (1993). The mechanics of spatially replicated sampling programmes to detect environmental impacts in a variable world. *Australian Journal of Ecology* **18**, 99-116.
- Underwood, A.J., M.G. Chapman & S.D. Connell (2000). Observations in ecology: you can't make progress on processes without understanding the patterns. *Journal of Experimental Marine Biology and Ecology* **250**, 97-115.
- Underwood, A.J. and Kennelly, S.J. (1990). Pilot studies for designs of surveys of human disturbance of intertidal habitats in New South Wales. *Australian Journal of Marine and Freshwater Research* **41**, 165-173.
- Van Den Heiligenberg, T. (1987). Effects of mechanical and manual harvesting of lugworms *Arenicola marina* L. on the benthic fauna of tidal flats in the Dutch Wadden Sea. *Biological Conservation* **39**, 165-177.
- \*Virgona, J.L. (1983). Lake Macquarie fish study. Report prepared for the Electricity Commission of New South Wales. NSW Fisheries, Cronulla. 131 pp.
- \*Virgona, J.L. (1995). Sea Mullet. Fishnote DF/49. NSW Fisheries, Sydney.
- \*Virgona, J., Deguara, K., Sullings, D., Halliday, I. and Kelly, K. (1998). Assessment of the stocks of sea mullet in New South Wales and Queensland waters. FRDC Project No. 94/024. New South Wales Fisheries, Cronulla. 104 pp.
- Walker, D.I. and McComb, A.J. (1992). Seagrass degradation in Australian coastal waters. *Marine Pollution Bulletin* **25**, 191-195.
- \*Ward, T., Alder, J., Margules, C., Sainsbury, K., Tarte, D., Zann, L. (1997). Australia's Oceans Policy: Biodiversity Conservation. Oceans Policy Issues Paper 7. Environment Australia, Canberra.
- Wassenberg, T.J. and Hill, B.J. (1987). Feeding by the sand crab *Portunus pelagicus* on material discarded from prawn trawlers in Moreton Bay, Australia. *Marine Biology* **95**, 387-393.
- Wassenberg, T.J. and Hill, B.J. (1990). Partitioning of material discarded from prawn trawlers in Moreton Bay. *Australian Journal of Marine and Freshwater Research* **41(1)**, 27-36.
- \*West, R.J. (1985). Mangroves. Agfact F2.0.1. NSW Agriculture and Fisheries, Fisheries Research Institute, Cronulla. 15 pp.

- \*West, R.J. (1989). Seagrasses. Agfact F2.0.2. NSW Agriculture and Fisheries, Fisheries Research Institute, Cronulla. 8 pp.
- \*West, R.J. (1993). Northern Rivers Report Part A – Estuarine Fisheries Resources Internal Report, NSW Fisheries, Sydney. 173 pp. plus appendices.
- West, R.J. and Gordon, G.N.G. (1994). Commercial and recreational harvest of fish from two Australian coastal rivers. *Australian Journal of Marine and Freshwater Research* **45** (7), 1259-1279.
- West, R.J. and King, R.J. (1996). Marine, brackish, and freshwater fish communities in the vegetated and bare shallows of an Australian coastal river. *Estuaries* **19**, 31-41.
- \*West, R.J., Thorogood, C., Walford, T. and Williams, R.J. (1985). An estuarine inventory for New South Wales, Australia. Fisheries Bulletin 2. Department of Agriculture New South Wales, Division of Fisheries, Sydney. 140 pp.
- Whittington, R.J., Jones, J.B., Hine, P.M. and Hyatt, A.D. (1997). Diseases of Aquatic Organisms. Epizootic mortality in the pilchard *Sardinops sagax neopilchardus* in Australia and New Zealand in 1995. I Pathology and epizootiology. Vol. 28. pp. 1-16.
- \*Wilkinson, J. (1997). Commercial fishing in NSW: Origins and development to the early 1990s. NSW Parliamentary Library Research Service.
- Willett, I.R., Melville, M.D. and White, I. (1993). Acid drainwaters from potential acid sulphate soils and their impact on estuarine ecosystems. In: Selected papers from the Ho Chi Minh City Symposium on acid sulphate soils (eds. Dent, D.L. and van Mensvoort, M.E.F.). ILRI Publication No. 53. Pp. 419-425.
- \*Williams, R.J., Henry, G.W., Murphy, J.J., Smith, A.K., Grima, D.M. and Harvey, J.R. (1993). Jervis Bay Marine Ecology Study. Project 9: Commercial and recreational fishing and diving in Jervis Bay. NSW Fisheries, Cronulla NSW.
- Williams, R.J. and Watford, F.A. (1996). An inventory of impediments to tidal flow in NSW Estuarine Fisheries Habitat. *Wetlands (Australia)* **15**(2), 44-54.
- \*Williams, R.J. and Watford, F.A. (1997). Change in the distribution of mangrove and saltmarsh in Berowra and Marramarra Creeks, 1941 - 1992. NSW Fisheries, Fisheries Research Institute, Cronulla. 21 pp.
- Williams, R.J. (1990). Projecting a greenhouse rise in sea level on saltmarsh and mangrove habitats in New South Wales. *Wetlands (Australia)* **10**(1/2), 15-19.
- \*Williams, R.J., Hannan, J. and Balashov, V. (1995). Kooragang Wetland Rehabilitation Project: fish, decapod crustaceans and their habitats. First Interim Report, Summer 1993/94. NSW Fisheries, Fisheries Research Institute, Cronulla. 106 pp.
- Williams, R.J., Watford, F.A., Taylor, M.A. and Button, M.L. (1998). New South Wales Coastal Aquatic Estate. *Wetlands (Australia)* **18**, 25-48.
- \*Williams, S., Badcock, C. and Roberts, E. (1993). Water quality in the Hawkesbury-Nepean River and Tributaries, 1977 to 1992. Report No. 93/20 prepared for Headworks Water Resource Planning, AWT Science and Environment, Sydney Water Board. 117 pp.
- Wilson, S.P. and Hyne, R.V. (1997). Toxicity of acid-sulphate soil leachate and aluminium to embryos of the Sydney rock oyster. *Ecotoxicology and Environmental Safety* **37**, 30-36.
- Yapp, G.A. (1986). Aspects of population, recreation and management of the Australian coastal zone. *Coastal Zone Management* **14**, 47-66.

- Zann, L.P. (1995). Our Sea, Our Future. Major findings of the State of the Marine Environment Report for Australia. Great Barrier Reef Marine Park Authority for the Department of the Environment, Sport and Territories. Ocean Rescue 2000 program. Commonwealth of Australia. 112 pp.
- \*Zann, L.P. (1996). State of the Marine Environment Report for Australia: Technical Summary. Great Barrier Reef Marine Park Authority for the Department of the Environment, Sport and Territories. Ocean Rescue 2000 program. Commonwealth of Australia. 531 pp.
- Zedler, J.B., Nelson, P. and Adam, P. (1995). Plant community organisation in New South Wales saltmarshes: species mosaics and potential causes. *Wetlands (Australia)* **14(1)**, 1-18.

