

CHAPTER J. REFERENCES

Articles that have not been externally peer reviewed and published in a journal or book are denoted with an *

- *ABS (1996). Housing and Population Census Results. Australian Bureau of Statistics.
- *AFFA (1999) AQUAPLAN – Australia’s National Strategic Plan for Aquatic Animal Health 1998-2003. Agriculture, Forestry, Fisheries, Australia, Canberra ACT. 72 pp.
- *AFFA (2000) Report of the National Taskforce on the Prevention and Management of Marine Pest Incursions. Environment Australia/Agriculture, Forestry, Fisheries, Australia, Canberra ACT. 231 pp.
- Allen, G.R. (1989). *Freshwater Fishes of Australia*. Tropical Fish Hobbyist Publications, 240 pp.
- *Allen, J., Harris, J. and McEnally, J. (1992a). Coastal Resource Atlas for Oil Spills from Point Danger to the Clarence River. Environment Protection Authority, Sydney, 107 pp.
- *Allen, J., Harris, J., McEnally, J. and Zekanovic, I. (1992b). Coastal Resource Atlas for Oil Spills in Broken Bay, Pittwater and the Hawkesbury River. Environment Protection Authority, Sydney, 58 pp.
- Alverson, D.L., Freeberg, M.H., Murawski, S.A. and Pope, J.G. (1994). A Global Assessment of Fisheries Bycatch and Discards. *FAO Fisheries Technical Paper No. 339*. 233 pp.
- *Anon. (1981). Amateur Angling in Botany Bay. Botany Bay Study No. 24. SPCC and NSW State Fisheries.
- *ANZECC (1998). Interim Marine and Coastal Regionalisation for Australia: an Ecosystem based Classification for Marine and Coastal Environments. Version 3.3, IMCRA Technical Group, Environment Australia, Commonwealth Department of the Environment, ACT. 104 pp.
- Arrhenius, F., Frohnlund, K., Hallbaek, H., Jakobsson, P. and Modin, J. (1998). By-catches in purse-seining with light for sprat and herring on the Swedish west coast 1997/1998. *Medd Havsfiskelab.* **328**, 19-42.
- *Australian Bureau of Meteorology (2002). Main Climatic Zones of Australia. Bureau of Meteorology, Australia. <http://www.bom.gov.au/climate/environ/travel/map.shtml>.
- Ayvazian, S.G. and Hyndes, G.A. (1995). Surf-zone fish assemblages in south-western Australia: do adjacent nearshore habitats and the warm Leeuwin Current influence the characteristics of the fish fauna? *Marine Biology* **122**, 527-536.
- *Bailey, K., Williams, P. and Itano, D. (1996). By-catch and Discards in the Western Pacific Tuna Fisheries: A review of SPC data holdings and literature. Technical Report to the Oceanic Fish Programme. **34**, 148pp.
- *Bannister, J.L., Kemper, C.M. and Warneke, R.M. (1996). The Action Plan for Australian Cetaceans. Australian Nature Conservation Agency.

- *Bjordal, A. (1999). Bycatch Control Through Technical Regulations and Fisheries Monitoring. Proceedings of the International Conference on Integrated Fisheries Monitoring, Sydney, Australia. pp 65-73.
- Blaber, S.J.M., Milton, D.A., Smith, G.C., and Farmer, M.J. (1995). Trawl discards in the diets of tropical seabirds of the northern Great Barrier Reef, Australia. *Marine Ecology Progress Series* **127**, 1-13.
- Broadhurst, M.K. (1998). Bottlenose dolphins, *Tursiops truncatus*, removing bycatch from prawn-trawl codends during fishing in New South Wales, Australia. *Marine Fisheries Review* **60 (3)**, 9-14.
- Broadhurst, M.K., Barker, D.T. and Kennelly, S.J. (1999). Scale-loss and survival of juvenile yellowfin bream, *Acanthopagrus australis*, after simulated escape from a Nordmore-grid guiding panel and release from capture by hook and line. *Bulletin of Marine Science* **64 (2)**, 255-268.
- Broadhurst, M.K, Kennelly, S.J. and Barker, D.T. (1997). Simulated escape of juvenile sand whiting (*Sillago ciliata*, Cuvier) through square-meshes: Effects of scale-loss and survival. *Fisheries Research* **32**, 51-60.
- *Bureau of Resource Science (2000). Aquatic Pests and Diseases. Bureau of Rural Sciences, Agriculture, Forestry and Fisheries, Australia, [<http://www.brs.gov.au:80/fish/status99/aquatic.html>]. June 2000.
- Butler, A. (1995). Subtidal rocky reefs. In: *Coastal Marine Ecology of Temperate Australia*, Ch. 6 (eds. Underwood, A.J. and M.G. Chapman) pp. 83-105. UNSW press.
- *Cappo, M., Alongi, D.M., Williams, D.M and Duke, N. (1998). A Review and Synthesis of Australian Fisheries Habitat Research. Major Threats, Issues, and Gaps in Knowledge of Marine and Coastal Fisheries Habitats - a Prospectus of Opportunities for the FRDC. FRDC Project 95/055 Final Report. AIMS, Townsville, Queensland.
- *Carter, S. (1994). Coastal Resource Atlas for Oil Spills from Barrenjoey Head to Bellambi Point. Environment Protection Authority, Sydney. 78 pp.
- *Carter, S. (1994). Coastal Resource Atlas for Oil Spills in Port Jackson. Environment Protection Authority, Sydney. 39 pp.
- *Carter, S. (1995). Coastal Resource Atlas for Oil Spills from Bass Point to Wheelers Point. Environment Protection Authority, Sydney. 50 pp.
- *Carter, S. (1995). Coastal Resource Atlas for Oil Spills from Crowdy Head to Port Stephens. Environment Protection Authority, Sydney. 87 pp.
- *Carter, S. (1995). Coastal Resource Atlas for Oil Spills from Redhead Point to Cape Three Points. Environment Protection Authority, Sydney. 49 pp.
- *Carter, S. (1995). Coastal Resource Atlas for Oil Spills from St Georges Head to Cape Dromedary. Environment Protection Authority, Sydney. 80 pp.
- *Carter, S. (1995). Coastal Resource Atlas for Oil Spills from Trial Bay to Crowdy Head. Environment Protection Authority, Sydney. 73 pp.
- *Carter, S. (1995). Coastal Resource Atlas for Oil Spills in Brisbane Waters. Environment Protection Authority, Sydney. 33 pp.
- *Christy, F. (2000). Common property rights: An alternative to ITQs. In: *Use of Property Rights in Fisheries Management* (ed. Shotton, R.). Proceedings of the Fishrights99 Conference. Fremantle, Western Australia, 11-19 November 1999. Mini-course

- lectures and core conference presentations. FAO Fisheries Technical Paper. No. 404/1. Rome, FAO. 342 pp.
- Churchill, J.H. Wirick, C.D., Flagg, D.N. and Pietrafesa, L.J. (1994). Sediment resuspension over the continental shelf east of the Delmarva Peninsula. *Deep Sea Research, Part II-Tropical Studies in Oceanography* **41**, 241-363.
- Colombini, I., Aloia, A., Fallaci, M., Pezzoli, G. and Chelazzi, L. (2000). Temporal and spatial use of stranded wrack by the macrofauna of a tropical sandy beach. *Marine Biology* **136**: 531-541.
- *CRIMP (2000a). Vessel and Gear Fouling. CRIMP Infosheet 3, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 2 pp.
- *CRIMP (2000b). Aquarium Caulerpa (*Caulerpa taxifolia*). CRIMP Infosheet 13, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- *CRIMP (2000c). Japanese Seaweed (*Undaria pinnatifida*). CRIMP Infosheet 12, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- *CRIMP (2000d). Northern Pacific Seastar (*Asterias amurensis*). CRIMP Infosheet 4, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- *CRIMP (2001a). Black-striped Mussel (*Mytilopsis sallei*). CRIMP Infosheet 10, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- *CRIMP (2001b). Broccoli Weed (*Codium fragile ssp. tomentosoides*). CRIMP Infosheet 14, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- *CSIRO (1991). Jervis Bay Baseline Studies, Fourth Progress Report, January 1991. CSIRO, Division of Fisheries.
- Dayton, P.K., Thrush, S.F., Agardi, M.T. and Hofman, R.J. (1995). Viewpoint: Environmental effects of fishing. *Aquatic Conservation: Marine and Freshwater Ecosystems* **5**, 205-232.
- Deville, A. and Harding, R. (1997). *Applying the Precautionary Principle*. The Federation Press, Sydney. 79 pp.
- Dexter, D.M. (1983). A guide to the sandy beach fauna of New South Wales. *Wetlands* **3** (2), 94-104.
- Dexter, D.M. (1984). Temporal and spatial variability in the community structure of the fauna of four sandy beaches in south-eastern New South Wales. *Australian Journal of Marine and Freshwater Research* **35**, 663-672.
- *DNRE (2000). Marine Pests in Local Ports. Pamphlet. Department of Natural Resources and The Environment, Victoria. 2 pp.
- *DUAP (2001). Guidelines for the Environmental Impact Assessment of Draft Fishery Management Strategies for Commercial Designated Fishing Activities. Department of Urban Affairs and Planning, 6 June 2001. 31 pp.
- *Environment Australia (undated). Threat Abatement Plan for the Incidental Catch (or Bycatch) of Seabirds During Oceanic Longline Fishing Operations. Environment Australia, Canberra, ACT. 61 pp.
- *Environment Australia (1998). Draft Recovery Plan for Marine Turtles in Australia. Environment Australia, Canberra. 107 pp.

- *Environment Australia (2000a). Draft Recovery Plan for Grey Nurse Sharks *Carcharias taurus* in Australia.
- *Environment Australia (2000b). Draft Recovery Plan for Great White Sharks *Carcharodon carcharias* in Australia.
- *Fenton, M. and Marshall, N. (2001). A Guide to the Fishers of Queensland (draft report). CRC Reef Research Centre, James Cook University, Townsville, Queensland.
- Ferrell, D. J., McNeill, S. E., Worthington, D. G. and Bell, J. D. (1993). Temporal and spatial variation in the abundance of fish associated with the seagrass *Posidonia australis* in south-eastern Australia. *Australian Journal of Marine and Freshwater Research* **44**: 881-889.
- *Fisheries Scientific Committee (1998). Recommendation, *Carcharodon carcharias* – Great White Shark. Fisheries Scientific Committee, New South Wales. <http://www.fsc.nsw.gov.au/recommend/pdf/great-white-shark.pdf>.
- *Fisheries Scientific Committee (1999). Recommendation, *Carcharias taurus* – Grey Nurse Shark. Fisheries Scientific Committee, New South Wales. <http://www.fsc.nsw.gov.au/recommend/pdf/grey-nurse-shark.pdf>.
- *Fletcher, W. and McVea, T. (eds) (2000). NSW Fisheries 1998/99 Status of Fisheries Resources. NSW Fisheries Research Institute. 219 pp.
- *Fletcher, W.J., Jones, B., Pearce, A.F. and Hosja, W. (1997). Environmental and Biological Aspects of the Mass Mortality of Pilchards (Autumn 1995) in Western Australia. Fisheries Western Australia, Fisheries Research Report No. 106. 111 pp.
- Francis, M.P. (1993). Does water temperature determine year class strength in New Zealand snapper (*Pagrus auratus*, Sparidae)? *Fisheries Oceanography* 2(2): 65-72
- Francis, R.I.C.C. and Shotton, R. (1997). "Risk" in *Fisheries Management: a Review*. pp. 1699-1715.
- *Furlani, D. (1996). A Guide to the Introduced Marine Pests in Australian Waters. Technical Report Number 5. Centre for Research on Introduced Marine Pests, June 1996, CSIRO.
- *Gaughan, D.J., Mitchell, R.W., Blight, S.J. (2000). Impact of Mortality, Possibly due to Herpesvirus, on Pilchard *Sardinops sagax* Stocks Along the South Coast of Western Australia in 1998-99. Research Division, Fisheries WA, Western Australian Marine Research Laboratories. pp. 601-612.
- *Gibbs, P. (1997). A Review of Information on NSW South Coast Estuarine Fisheries. NSW Fisheries Research Institute. Cronulla. 74 pp.
- Gill, A.C. and Reader, S.E. (1992). Fishes. In: Reef Biology. A Survey of Elizabeth and Middleton Reefs, South Pacific, by the Australian Museum. *Kowari* **3**, 90-92. ANPWS, Canberra.
- *Goulstone, A. (1996). Fisheries Management Techniques. Fishnote DF 61. NSW Fisheries, March 1996.
- Gray, C.A., Gale, V.J. and Raines, L.P. (in review). An Initial Assessment of the Yellowfin Bream (*Acanthopagrus australis*) Stock and Fishery in NSW. NSW Fisheries Resource Assessment Series.

- Gray, C.A., Kennelly, S.J., Hodgson, K.E, Ashby, C.J.T. and Beatson, M.L. (2001). Retained and discarded catches from commercial beach-seining in Botany Bay, Australia. *Fisheries Research* **50**, 205-219.
- *Gray, C.A., Pease, B.C., Stringfellow, S.L., Raines, L.P., Rankin, B.K. and Walford, T.R. (2000a). Sampling Estuarine Fish Species for Stock Assessment. FRDC Project No. 94/042. NSW Fisheries Final Report Series No. 18. 194 pp.
- Gray, C.A., Larsen, R.B. and Kennelly, S.J. (2000b). Use of transparent netting to improve size selectivity and reduce bycatch in fish seine nets. *Fisheries Research* **45**, 155-166.
- Greboval, D. and Munro, G. (1999). Overcapitalisation and excess fishing capacity in world fisheries: Underlying economics and methods of control. **In: *Managing fishing capacity: selected papers on underlying concepts and issues*** (ed. Greboval, D.). FAO Fisheries Technical Paper. No.386. Rome, FAO. 206 pp.
- *Grey, D. (2001). Invasive weed prompts response actions. *Fisheries New South Wales*, Spring 2000/Summer 2001 edition, pp. 4-5.
- Hall, S.J. (1999). *The Effects of Fishing on Marine Ecosystems and Communities*. Fish Biology and Aquatic Resources Series 1. Blackwell Science. 274 pp.
- *Handmer, J (1995). Risk and uncertainty in environmental management. **In: *Fenner Conference on the Environment*** (eds. Norton, T.W., Beer T. and Dovers S.R.) pp. 86-171. Australian Academy of Science, Nov 1995, Canberra.
- Harding, R. (1998). *Environmental Decision-making: the Roles of Scientists, Engineers and the Public*. Federation Press. 366 pp.
- Harrigan, K.E. (1992). Causes of mortality of little penguins *Eudyptula minor* in Victoria. *Emu* **91(5)**, 273-277.
- Harris, A.N. and Poiner, I.R. (1990). Bycatch of the prawn fishery of Torres Strait; composition and partitioning of the discards into components that float or sink. *Australian Journal of Marine and Freshwater Research* **41**, 37-52.
- Heemstra, P.C. and Randall, J.E. (1993). FAO Species Catalogue Volume 16 Groupers of the World (family Serranidae, Subfamily Epinephelidae). Food and Agriculture Organisation of the United Nations, Rome. pp. 382.
- *Henrisson, C. and Smith, A. (1994). Black Rock Cod – a Protected Fish. Fishnote DF/39. NSW Fisheries, Sydney. 2 pp.
- *Henry, G.W. (1984). Commercial and recreational fishing in Sydney estuary. *Fisheries Bulletin* No. 1. Department of Agriculture and Fisheries.
- *Henry, G.W. (1987). Recreational Fishing in Lake Conjola. NSW Fisheries, unpublished report.
- *Henry, G.W., Neave, P. and House, R. (1987). A Survey of Recreational Fishing in the Port Hacking Estuary. Internal Report No. 40. Department of Agriculture and Fisheries.
- *Henry, G.W. and Virgona, J.L. (1980). The Impact of Munmorah Power Station on the Recreational and Commercial Finfish Fisheries of Tuggerah Lakes. Report prepared for the Electricity Commission by NSW State Fisheries.
- Hilborn, R. and Walters, C.J. (1992). *Quantitative Fisheries Stock Assessment: Choice, Dynamics and Uncertainty*. Chapman and Hall, New York. 563 pp.

- Hoedt, F.E., Dimmlich, W.E., and Dann, P. (1995). Seasonal variation in the species and size composition of the clupeoid assemblages in Western Port, Victoria. *Marine and Freshwater Research* **46** (7).
- Hutchins, B. and Swainston, R. (1986). *Sea Fishes of Southern Australia*. Swainston Publishing, Perth, W.A. 180 pp.
- *Intergovernmental Panel on Climate Change (IPCC) (2001a). Summary for Policy Makers – A Report of Working Group 1 of the Intergovernmental Panel on Climate Change. United Nations Environment Programme and the World Meteorological Organisation. <http://www.ipcc.ch/pub/spm22-01.pdf>.
- *Intergovernmental Panel on Climate Change (IPCC) (2001b). Summary for Policy Makers – Climate Change 2001: Impacts, Adaptation, and Vulnerability. United Nations Environment Programme and the World Meteorological Organisation. <http://www.gcrio.org/OnLnDoc/pdf/wg2spm.pdf>.
- James, R.J. and Fairweather, P.G. (1996). Spatial variation of intertidal macrofauna on a sandy beach in Australia. *Estuarine, Coastal and Shelf Science* **43**: 81-107.
- *JCU (1993). An Examination of Links Between Tourism, Tourist Expectations and the Importance of Seafood in Restaurants of the Cairns Region. James Cook University Geography Department. Report for the Queensland Commercial Fishermen's Organisation. 54 pp.
- Jennings, S. and Kaiser, M.J. (1998). The effects of fishing on marine ecosystems. **In:** *Advances in Marine Biology*, Vol. 34 (eds. Blaxter, J.H.S., Southward, A.J. and Tyler, P.A.) pp. 202-353. Academic Press.
- Jones, A.R. and Short, A.D. (1995). Sandy beaches. **In:** *Coastal Marine Ecology of Temperate Australia*. Edited by Underwood, A.J. and Chapman, M.G. UNSW press, pp. 136-151.
- Jones, G.P. and Andrew, N.L. (1990). Herbivory and patch dynamics on rocky reefs in temperate Australasia: the roles of fish and sea urchins. *Australian Journal of Ecology* **15**, 505-520.
- Kailola, P.J., Williams, M.J., Stewart, P.C., Reichelt, R.E., McNee, A. and Grieve, C. (1993). *Australian Fisheries Resources*. Bureau of Resource Sciences and the Fisheries Research and Development Corporation. Commonwealth of Australia. 422 pp.
- Kaiser, M.J. and de Groot S.J. (2000). *The Effects of Fishing on Non-target Species and Habitats: Biological, Conservation and Socio-economic Issues*. The European Commission Fisheries, Agriculture and Agroindustrial Research Program (FAIR), 399 pp.
- *Kaufmann, B., Geen, G. and San, S. (1999). Fish futures: Individual transferable quotas in fisheries. Fisheries Research and Development Corporation and Fisheries Economics, Research and Management Pty Ltd. Kiama, Australia. 240 pp.
- Kennelly, S.J. (1995). Kelp beds. **In:** *Coastal Marine Ecology of Temperate Australia* (eds. Underwood, A.J. and Chapman, M.G.) pp. 106-120. UNSW press.
- Kirkman, H. and Hendrick, G.A. (1997). Ecological significance and commercial harvesting of drifting and beach-cast macro-algae and seagrasses in Australia: a review. *Journal of Applied Phycology* **9**: 311-326.

- Kuiter, R. (1993). *Coastal Fishes of South-Eastern Australia*. Crawford House Press, Bathurst. 437 pp.
- Lamberth, S.J., Bennett, B.A. and Clark, B.M. (1994). Catch composition of the commercial beach-seine fishery in False Bay, South Africa. *South African Journal of Marine Science* **14**, 69-78.
- Lamberth, S.J., Bennett, B.A., Clark, B.M. and Janssens, P.M. (1995). The impact of beach-seine netting on the benthic flora and fauna of False Bay, South Africa. *South African Journal of Marine Science* **15**, 115-122.
- Lenanton, R.C.J. and Caputi, N. (1989). The roles of food supply and shelter in the relationship between fishes, in particular *Cnidoglanis macrocephalus* (Valenciennes), and detached macrophytes in the surf zone of sandy beaches. *Journal of Experimental Marine Biology and Ecology* **128**, 165-176.
- Lenanton, R.C.J., Robertson, A.I. and Hansen, J.A. (1982). Nearshore accumulations of detached macrophytes as nursery areas for fish. *Marine Ecology Progress Series* **9**, 51-57.
- Lincoln Smith, M.P. and Jones, G.P. (1995). Fishes of shallow coastal habitats. **In:** *Coastal Marine Ecology of Temperate Australia*. (eds. Underwood, A.J. and Chapman, M.G.) pp. 240-253. UNSW Press.
- *Lincoln Smith, M.P., Hair, C.A. and Bell, J.D. (1992). Jervis Bay Marine Ecology Study. Project 4: Fish Associated with Natural Rocky Reefs and Artificial Breakwaters. Final Report, December 1992. NSW Fisheries, Fisheries Research Institute, Cronulla. 210 pp.
- Lincoln Smith, M.P., Bell, J.D., Pollard, D.A. and Russell, B.C. (1989). Catch and effort of competition spearfishermen in southeastern Australia. *Fisheries Research* **8**: 45-61.
- *McEnally, J. and Thompson, G. (1984). Coastal Resource Atlas for Oil Spills in Botany Bay. State Pollution Control Commission, Sydney. 27 pp.
- *McEnally, J. and Thompson, G. (1989). Coastal Resource Atlas for Oil Spills in Jervis Bay. State Pollution Control Commission, Sydney. 32 pp.
- *McEnally, J., Eskdale, I., Thompson, G. and Zekanovic, I. (1990). Coastal Resource Atlas for Oil Spills in and around Twofold Bay. State Pollution Control Commission, Sydney. 36 pp.
- *McEnally, J., Eskdale, I., Thompson, G. and Zekanovic, I. (1992). Coastal Resource Atlas for Oil Spills from Cape Dromedary to Cape Howe. State Pollution Control Commission, Sydney. 61 pp.
- *McEnally, J., Eskdale, I., Thompson, G., Harris, J., Zekanovic, I. and Otto, K. (1992). Coastal Resource Atlas for Oil Spills from the Clarence River to Smoky Cape. Environment Protection Authority, Sydney. 102 pp.
- *McEnally, J., Thompson, G. and Zekanovic, I. (1989). Coastal Resource Atlas for Oil Spills in and Around Port Kembla. State Pollution Control Commission, Sydney. 32 pp.
- *McEnally, J., Thompson, G. and Zekanovic, I. (1989). Coastal Resource Atlas for Oil Spills in and Around the Port of Newcastle. State Pollution Control Commission, Sydney. 32 pp.

- McLachlan, A. and Hesp, P. (1984). Faunal response to morphology and water circulation of a sandy beach with cusps. *Marine Ecology Progress Series* **19 (1-2)**, 133-144.
- *McVerry, S. (1996). A Socio-Economic Evaluation of the Clarence River Commercial Fisheries. Unpublished undergraduate study, Faculty of Resource Science and Management, Southern Cross University.
- Marchant, S. and Higgins, P.J. (1993). *Handbook of Australian, New Zealand and Antarctic Birds*. Oxford University Press, Melbourne.
- *Marine Parks Authority (2000). Draft Framework for Establishing a System of Marine Protected Areas in NSW. NSW Fisheries and National Parks and Wildlife Service, June 2000. 64 pp.
- *MCFFA (1999). National Policy for the Translocation of Live Aquatic Organisms – Issues, Principles and Guidelines for Implementation. Ministerial Council on Forestry, Fisheries and Aquaculture. Canberra, ACT. 31 pp.
- *Metzner, R. and Rawlinson, P. (1998). Fisheries Structural Adjustment: Towards a National Framework. Commonwealth Department of Primary Industries and Energy, Canberra. p. 2.
- Meyer, T.L., Cooper, R.A. and Pecci, K.J. (1981). The performance and environmental effects of a hydraulic clam dredge. *Marine Fisheries Review* **43**, 14-22.
- *Morrison, M.A.; Taylor, P.; Marriott, P.; Sutton, C. (2001). An Assessment of Information on Blue Mackerel (*Scomber australasicus*) Stocks. New Zealand Fisheries Assessment Report 2001/44. 26 pp.
- *Murphy, P. (1999). Licensing. Paper delivered at the Commercial Fishing Industry Summit Proceedings by NSW Fisheries. pp. 53-58.
- Neira, F.J., Miskiewicz, A.G. and Trnski, T. (1998). *Larvae of temperate Australian fishes*. University of Western Australia Press, Nedlands. 474 pp
- *NSW Fisheries (2000). NSW Fisheries 2000 Research Report. Internal Report. Cronulla Fisheries Centre, Sydney. 499 pp.
- *NSW Fisheries (2001). Status of Fisheries Resources 2000. Internal Report. Cronulla Fisheries Centre, Sydney. 306 pp.
- *NSW National Parks and Wildlife Service (2000a). Recovery Plan for the Endangered Population of Little Penguins (*Eudyptula minor*) at Manly. NSW NPWS, Hurstville.
- *NSW National Parks and Wildlife Service (2000b). Little Tern Recovery Plan. NSW NPWS, Hurstville.
- *NSW National Parks and Wildlife Service (2000c). Gould's Petrel Draft Recovery Plan. NPWS, Hurstville, Sydney.
- *NSW National Parks and Wildlife Service (2001). Recommendation for the Identification of Critical Habitat for the Endangered Population of Little Penguins (*Eudyptula minor*) at Manly. A recommendation report prepared for public exhibition pursuant to Part 3 of the Threatened Species Conservation Act 1995. NSW NPWS, Hurstville, NSW.
- *Otway, N.M. and Macbeth, W.G. (1999). Physical effects of hauling on seagrass beds. FRDC Project Nos. 95/149 & 96/286. NSW Fisheries Final Report Series No. 15. Cronulla Fisheries Centre, Sydney. 86 pp.

- *Paton, D.C., Ziembicki, M., Owen, P. and Heddle, C. (2000). Disturbance Distances for Waterbirds and the Management of Human Recreation with Special Reference to the Coorong Region of South Australia. Report prepared by The University of Adelaide, South Australia for the Migratory Waterbird component of the National Wetlands Program.
- *Pease, B.C. and Grinberg, A. (1995). New South Wales Commercial Fisheries Statistics 1940 to 1992. Fisheries Research Institute, Cronulla NSW. 351 pp.
- Pizze, G. and Doyle, R. (1984). *A Field Guide to the Birds of Australia*. Collins, Sydney, 460 pp.
- *Pogonoski, J.J., Pollard, D.A. and Paxton, J.R. (in preparation). Conservation Overview and Action Plan for Australian Threatened and Potentially Threatened Marine and Estuarine Fishes. Report to Environment Australia Biodiversity Group by the NSW Fisheries Research Institute and the Australian Museum.
- *Pollard, D.A. and Grouns, I.O. (1993). The Fish and Fisheries of the Hawkesbury-Nepean River System, with Particular Reference to the Environmental Effects of the Water Board's Activities on this System. Interim report to the Water Board – April 1993. NSW Fisheries, Fisheries Research Institute, Cronulla. 291 pp. plus appendices.
- Pollard, D.A. and Hutchings, P.A. (1990a). A review of exotic marine organisms introduced into the Australian region. I, Fishes. *Asian Fisheries Science* **3**, 205-221.
- Pollard, D.A. and Hutchings, P.A. (1990b). A review of exotic marine organisms introduced into the Australian region. II, Invertebrates and Algae. *Asian Fisheries Science* **3**, 223-250.
- *Powell, R.A., Jensen, R. and Horwood, L. (1989). The Effects of Policy Change on South-East Trawl Fishing Communities. Report to the Steering Committee on Long-Term Management of the South East Trawl Fishery. University of New England and Department of Primary Industries and Energy, Canberra.
- Reimann, B. and Hoffman, E. (1991). Ecological consequences of dredging and bottom trawling in the Limfjord, Denmark. *Marine Ecology Progress Series* **69**, 171-178.
- Richards, L.J. and Schnute, J.T. (1986). An experimental and statistical approach to the question: is CPUE an index of abundance? *Canadian Journal of Fisheries and Aquatic Science* **55**: 1545-1552.
- Robertson, A.I. and Lenanton R.C.J. (1984). Fish community structure and food chain dynamics in the surf zone of sandy beaches: the role of detached macrophyte detritus. *Journal of Experimental Marine Biology and Ecology*. **84**, 265-283
- Romer, G.S. (1990). Surf zone fish communities and species response to wave gradient. *Journal of Fish Biology*. **36**, 279-287.
- Romer, G.S. and McLachlan, A. (1986). Mullet grazing on surf diatom accumulations. *Journal of Fish Biology* **28**, 93-104.
- Roughley, T.C. (1916). *Fishes of Australia and their Technology*. Technical Education Series No. 21. Government of New South Wales. Sydney. 296 pp.
- *Rowling, K.R. and Raines, L.P. (2000). Description of the Biology and an Assessment of the Fishery for Silver Trevally *Pseudocaranx dentex* off New South Wales. FRDC Project No. 97/125. New South Wales Fisheries, Cronulla. 69 pp.
- *Roy Morgan (1999). Recreational Fishing Licence Survey. Roy Morgan Research, Sydney.

- *Roy Morgan (2001a). Social Survey Preliminary Results. Roy Morgan Research, Sydney.
- *Roy Morgan (2001b). Economic Survey Preliminary Results. Roy Morgan Research, Sydney.
- *Ruello, N.V. (1996). A Study of the Demand and Importance of Seafood Sourced in NSW and Elsewhere to the Catering and Tourism Industries in NSW. FRDC, NSW. 157 pp.
- *Ruello & Associates Pty Ltd (2000). Retail Sale and Consumption of Seafood. Report prepared for the Fisheries Research and Development Corporation. July 2000. 14 pp.
- Sainsbury, K. J., Campbell, R. A., Lindholm, R. and Whitelaw, A. W. (1997). Experimental management of an Australian multi-species fishery: Examining the possibility of trawl induced habitat modification. **In:** *Global Trends: Fisheries management*. John Wiley and Son, pp 107-112.
- *Scandol, J.P. and Forrest, R.E. (2001). Modelling Services for the NSW Estuary General Fishery. Draft Report for NSW Fisheries. July 2001. Centre for Research on Ecological Impacts of Coastal Cities, University of Sydney, NSW. 114 pp.
- Sheridan, A.K. (1995). The genetic impacts of human activities on wild fish populations. *Reviews in Fisheries Science* **3(2)**, 91-108.
- Simpson, K. and Day, N. (1996). *Field guide to the birds of Australia*. Penguin Books Australia Ltd, 400 pp.
- Skilleter, G.A. (1995). Environmental disturbances. **In:** *Coastal Marine Ecology of Temperate Australia*. (eds. Underwood, A.J. and Chapman, M.G.) pp. 263-276. UNSW Press.
- *Smith, A., Pollard, D. and Gillanders, B. (1996). The Blue Groper in NSW. Fishnote DF/63. NSW Fisheries, Sydney. 2 pp.
- *Smith, K. (2001). Review of Eastern Sea Garfish and other Commercially Significant Garfish Species in NSW – their Fishery and Biology. NSW Fisheries unpublished internal report.
- *State Pollution Control Commission (SPCC) (1981). The Ecology of Fish in Botany Bay - Biology of Commercially and Recreationally Valuable Species. Environmental Control Study of Botany Bay. Sydney, Australia. Report No. BBS 23B. 287 pp.
- *Steffe, A.S. and Chapman, D.J. (in review). A Survey of Daytime Recreational Fishing During the Annual Period, March 1999 to February 2000, in Lake Macquarie, New South Wales.
- *Steffe, A.S., Murphy, J.J., Chapman, D.J., Tarlington, B.E., Gordon, G.N.G. and Grinberg, A. (1996a). An Assessment of the Impact of Offshore Recreational Fishing in New South Wales on the Management of Commercial Fisheries. FRDC Project No. 94/053.
- *Steffe, A.S., Staines, J.F. and Murphy, J.J. (1996b). Recreational Use of Fisheries Resources in Northern New South Wales. Project S7-final report. NSW Fisheries Research Institute, Cronulla. 37p.
- *Steffe, A.S., Chapman, D.J. and Murphy, J.J. (1999). A Description of the Charter Boat Fishing Industry Operating in Coastal and Estuarine Waters of New South Wales During 1997-98. Fisheries Research Report Series 3 - ISSN 1442-0147. NSW Fisheries Research Institute, Cronulla, NSW.

- *Stewart, J., Ferrell, D.J. and Andrew, N.L. (1998). Ageing Yellowtail (*Trachurus novaezelandiae*) and Blue Mackerel (*Scomber australasicus*) in NSW. NSW Fisheries Final Report Series No. 3. FRDC Project No. 95/151.
- Stewart, J., Ferrell, D.J. and N.L. Andrew (1999). Validation of the formation and appearance of annual marks in the otoliths of yellowtail (*Trachurus novaezelandiae*) and blue mackerel (*Scomber australasicus*) in New South Wales. *Marine and Freshwater Research* **50**:389-395.
- *Tamblyn, C. and Powell, R.A. (1988). Input and Output Study of the North Coast Agriculture and Fisheries Industries. NSW Department of Agriculture, Wollongbar.
- *Tanner, M. and Liggins, G.W. (2000). New South Wales Commercial Fisheries Statistics 1998/99. NSW Fisheries, Cronulla Fisheries Centre. 21 pp.
- *Tanner, M. and Liggins, G.W. (2001). New South Wales Commercial Fisheries Statistics 1999/00 (DRAFT). NSW Fisheries, Cronulla Fisheries Centre. 21 pp.
- *Thompson, G. and McEnally, J. (1985). Coastal Resource Atlas for Oil Spills in Port Jackson. State Pollution Control Commission, Sydney. 27 pp.
- Underwood, A.J. (1989). The analysis of stress in natural populations. *Biological Journal of the Linnean Society* **37**, 51-78.
- Underwood, A.J., Kingsford, M.J. and Andrew, N.L. (1991). Patterns in shallow subtidal marine assemblages along the coast of New South Wales. *Australian Journal of Ecology* **6**: 231-249.
- *Virgona, J., Deguara, K., Sullings, D., Halliday, I. and Kelly, K. (1998). Assessment of the Stocks of Sea Mullet in New South Wales and Queensland Waters. FRDC Project No. 94/024. New South Wales Fisheries, Cronulla. 104 pp.
- Wassenberg, T.J. and Hill, B.J. (1990). Partitioning of material discarded from prawn trawlers in Moreton Bay. *Australian Journal of Marine and Freshwater Research* **41(1)**, 27-36.
- *West, R.J. (1993). Northern Rivers Report Part A – Estuarine Fisheries Resources Internal Report, NSW Fisheries, Sydney. 173 pp. plus appendices.
- West, R.J. and Gordon, G.N.G. (1994). Commercial and recreational harvest of fish from two Australian coastal rivers. *Australian Journal of Marine and Freshwater Research* **45 (7)**, 1259-1279.
- Whittington, R.J., Jones, J.B., Hine, P.M. and Hyatt, A.D. (1997). Diseases of Aquatic Organisms. Epizootic mortality in the pilchard *Sardinops sagax neopilchardus* in Australia and New Zealand in 1995. I Pathology and epizootiology. *Diseases of Aquatic Organisms* **Vol. 28**. pp. 1-16.
- *Williams, R.J., Henry, G.W., Murphy, J.J., Smith, A.K., Grima, D.M. and Harvey, J.R. (1993). Jervis Bay Marine Ecology Study. Project 9: Commercial and Recreational Fishing and Diving in Jervis Bay. NSW Fisheries, Cronulla NSW.
- Yearsley, G.K., Last, P.R. and Ward, R.D. (1999) *Australian seafood handbook: An identification guide to domestic species*. CSIRO Marine Research, Australia.