

CHAPTER J. REFERENCES

Articles that have not been externally peer reviewed are denoted *

- *Adam, P., Urwin, N., Weiner, P. and Sim, I. (1985). Coastal Wetlands of New South Wales. A survey and report prepared for the Coastal Council of New South Wales.
- Adam, P., Wilson, N.C. and Huntley, B. (1988). The phytosociology of coastal saltmarsh vegetation in New South Wales. *Wetlands (Australia)* **7(2)**, 35-85.
- *AFFA (1999). AQUAPLAN – Australia’s National Strategic Plan for Aquatic Animal Health 1998-2003. Agriculture, Forestry, Fisheries, Australia, Canberra ACT. 72 pp.
- *AFFA (2000). Report of the National Taskforce on the Prevention and Management of Marine Pest Incursions. Environment Australia/Agriculture, Forestry, Fisheries, Australia, Canberra ACT. 231 pp.
- Alabaster, J.S. and Lloyd, R. (1980). *Water Quality Criteria for Freshwater Fish*. Butterworths, London. 297 pp.
- Allen, G.R. (1989). *Freshwater Fishes of Australia*. Tropical Fish Hobbyist Publications. 240 pp.
- *Allen, J., Harris, J. and McEnally, J. (1992a). Coastal Resource Atlas for Oil Spills from Point Danger to the Clarence River. Environmental Protection Authority, Sydney. 107 pp.
- *Allen, J., Harris, J., McEnally, J. and Zekanovic, I. (1992b). Coastal Resource Atlas for Oil Spills in Broken Bay, Pittwater and the Hawkesbury River. Environmental Protection Authority, Sydney. 58 pp.
- Alverson, D.L., Freeberg, M.H., Murawski, S.A. and Pope, J.G. (1994). *A Global Assessment of Fisheries Bycatch and Discards*. FAO Fisheries Technical Paper, No. 339. 233 pp.
- Andrew, N.L. and Pepperell, J.G. (1992). The by-catch of shrimp trawl fisheries. *Oceanography and Marine Biology Annual Review* **30**, 527-565.
- *Anon. (1981). Amateur Angling in Botany Bay. Botany Bay Study No. 24. SPCC and NSW State Fisheries.
- *Anon. (2000). National Strategy for the Management of Coastal Acid Sulfate Soils. NSW Agriculture Wollongbar Agriculture Institute Bruxner Highway, Wollongbar, NSW, Australia. 39 pp.
- *Anon (2001). Management Rules for the Clarence River Estuary Prawn Trawl Fishery. Unpublished Document.
- *ANZECC (1998). Interim Marine and Coastal Regionalisation for Australia: an Ecosystem Based Classification for Marine and Coastal Environments. Version 3.3, IMCRA Technical Group, Environment Australia, Canberra. 80 pp.
- *ANZECC (1999). Strategic Plan of Action for the National Representative System of Marine Protected Areas: a Guide for Action by Australian Governments. Environment Australia, Canberra. 80 pp.

- *Astles, K.L., Winstanley, R.K., Harris, J.H. and Gehrke, P.C. (2000). Regulated Rivers and Fisheries Restoration Project – Part 1: Experimental Study of the Effects of Cold Water Pollution on Native Fish. Unpublished Report, Project No. SW 1. NSW Fisheries Office of Conservation and CRC for Freshwater Ecology, Taylors Beach NSW. 51 pp.
- *Australian Bureau of Meteorology (2002). Main Climatic Zones of Australia. Bureau of Meteorology, Australia. [<http://www.bom.gov.au/climate/environ/travel/map.shtml>].
- *Australian Greenhouse Office (AGO) (2001). Factors and Methodologies, the Greenhouse Challenge. Commonwealth of Australia, Canberra.
- *Bannister, J.L., Kemper, C.M. and Warneke, R.M. (1996). The Action Plan for Australian Cetaceans. Australian Nature Conservation Agency.
- *Bell, F.C. and Edwards, A.R. (1980). An Environmental Inventory of Estuaries and Coastal Lagoons in New South Wales. Total Environment Centre, Sydney. 187 pp.
- Bell, J.D. and Pollard, D.A. (1989). Ecology of fish assemblages and fisheries associated with seagrasses. In: *Biology of Seagrasses* (eds. Larkum, A.W.D., McComb, A.J. and Shepherd, S.A.) pp. 565-609. Elsevier, Amsterdam.
- Bell, J.D., Pollard, D.A., Burchmore, J.J., Pease, B.C., and Middleton, M.J. (1984). Structure of a fish community in a temperate tidal mangrove creek in Botany Bay, New South Wales. *Australian Journal of Marine and Freshwater Research* **35(1)**, 33-46.
- Bell, J.D., Steffe, A.S. and Westoby, M. (1988). Location of seagrass beds in estuaries: effect on associated fish and decapods. *Journal of Experimental Marine Biology and Ecology* **122**, 127-146.
- Birch, G.F. (1996). Sediment-bound metallic contaminants in Sydney's estuaries and adjacent offshore, Australia. *Estuarine, Coastal and Shelf Science* **42**, 31-44.
- Birch, G.F., Evenden, D. and Teutsch, M.E. (1996). Dominance of point source in heavy metal distributions in sediments of a major Sydney estuary (Australia). *Environmental Geology* **28(4)**, 169-174.
- Birch, G.F., Ingleton, T. and Taylor, S. (1997). Environmental implications of dredging in the world's second largest coal exporting harbour, Port Hunter, Australia. *Journal of Marine Environmental Engineering* **4**, 133-145.
- Birch, G.F., Shotter, N. and Steetsel, P. (in press). The environmental status of Hawkesbury River sediments. *Australian Geographical Studies*.
- Blaber, S.J.M. and Blaber, T.G. (1980). Factors affecting the distribution of juvenile estuarine and inshore fish. *Journal of Fish Biology* **17**, 143-162.
- Blaber, S.J.M. and Wassenberg, T.J. (1989). Feeding ecology of the piscivorous birds *Phalacrocorax varius*, *P. melanoleucos* and *Sterna bergii* in Moreton Bay, Australia: diets and dependence on trawler discards. *Marine Biology* **101(1)**, 1-10.
- Blaber, S.J.M., Brewer, D.T., Salini, J.P. and Kerr, J. (1990). Biomasses, catch rates and abundances of demersal fishes, particularly predators of prawns, in a tropical bay in the Gulf of Carpentaria, Australia. *Marine Biology* **107(3)**, 397-408.

- Blaber, S.J.M., Milton, D.A., Smith, G.C., and Farmer, M.J. (1995). Trawl discards in the diets of tropical seabirds of the northern Great Barrier Reef, Australia. *Marine Ecology Progress Series* **127**, 1-13.
- Borowitzka, M.A.B. and Lethebridge, R.L. (1989). Seagrass epiphytes. **In:** *Biology of Seagrasses* (eds. Larkum, A.W.D., McComb, A.J. and Shepherd, S.A.). pp. 458-499. Elsevier, Amsterdam.
- Brewer, D.T., Blaber, S.J.M. and Salini, J.P. (1991). Predation on penaeid prawns by fishes in Albatross Bay, Gulf of Carpentaria. *Marine Biology* **109**, 231-240.
- Brewer, D.T., Blaber, S.J.M., Salini, J.P. and Farmer, M.J. (1995). Feeding ecology of predatory fishes from Groote Eylandt in the Gulf of Carpentaria, Australia, with special reference to predation on penaeid prawns. *Estuarine, Coastal and Shelf Science* **40(5)**, 577-600.
- *Brewer, D.T., Eayrs, S.J., Rawlinson, N.J.F., Salini, J.P., Farmer, M., Blaber, S.J.M., Ramm, D.C., Cartwright, I. and Poiner, I. (1997). Recent advances in environmentally friendly trawl gear research in Australia. **In:** *Developing and Sustaining World Fisheries Resources: The State of Science and Management*. (eds. Hancock, D.A., Smith, D.C., Grant, A. and Beumer, J.P.). pp. 537-543. 2nd World Fisheries Congress proceedings, 1996 Brisbane, Qld. CSIRO Australia.
- Broadhurst, M.K. (1998). Bottlenose dolphins, *Tursiops truncatus*, removing by-catch from prawn-trawl codends during fishing in New South Wales, Australia. *Marine Fisheries Review* **60(3)**, 9-14.
- Broadhurst, M.K. (2000). Modifications to reduce by-catch in prawn trawls: A review and framework for development. *Reviews in Fish Biology and Fisheries* **10**, 27-60.
- Broadhurst, M.K. and Kennelly, S.J. (1994). Reducing the by-catch of juvenile fish (mulloway *Argyrosomus hololepidotus*) using square-mesh panels in codends in the Hawkesbury River prawn-trawl fishery, Australia. *Fisheries Research* **19**, 321-331.
- Broadhurst, M.K. and Kennelly, S.J. (1995). A trouser-trawl experiment to assess codends that exclude juvenile mulloway (*Argyrosomus hololepidotus*) in the Hawkesbury River prawn-trawl fishery. *Marine and Freshwater Research* **46**, 953-958.
- Broadhurst, M. K. and Kennelly, S. J. (1996). Rigid and flexible separator panels in trawls that reduce the by-catch of the small fish in the Clarence River prawn-trawl fishery, Australia. *Marine and Freshwater Research* **47**, 991-998.
- Broadhurst, M.K., Kennelly, S.J. and Isaken, B. (1996). Assessments of modified codends that reduce the by-catch of fish in two estuarine prawn-trawl fisheries in New South Wales, Australia. *Fisheries Research* **27**, 89-111.
- Broadhurst, M.K., Kennelly, S.J., Watson, J.W. and Workman, I.K. (1997). Evaluations of the Nordmore grid and secondary bycatch-reducing devices (BRD's) in the Hunter River prawn-trawl fishery, Australia. *Fishery Bulletin* **95(2)**, 209-218.
- Broadhurst, M.K., Barker, D.T. and Kennelly, S.J. (1999). Scale-loss and survival of juvenile yellowfin bream, *Acanthopagrus australis*, after simulated escape from a Nordmore-grid guiding panel and release from capture by hook and line. *Bulletin of Marine Science* **64(2)**, 255-268.

- Bucher, D. and Saenger, P. (1991). An inventory of Australian estuaries and enclosed marine waters: an overview of results. *Australian Geographical Studies* **29(2)**, 370-381.
- Burchmore, J.J., Pollard, D.A, Bell, J.D., Middleton, M.J., Pease, B.C. and Matthews, J. (1985). An ecological comparison of artificial and natural rocky reef fish communities in Botany Bay, New South Wales, Australia. *Bulletin of Marine Science* **37(1)**, 70-85.
- *Bureau of Resource Science (2000). Aquatic Pests and Diseases. Bureau of Rural Sciences, Agriculture, Forestry and Fisheries, Australia, [<http://www.brs.gov.au:80/fish/status99/aquatic.html>] . June 2000.
- Butler, A. (1995). Subtidal rocky reefs. **In:** *Coastal Marine Ecology of Temperate Australia*. (eds. Underwood, A.J. and M.G. Chapman). pp. 83-105. UNSW Press.
- Callinan, R.B., Fraser, G.C. and Virgona, J.L. (1989). Pathology of red spot disease in sea mullet, *Mugil cephalus* L. from eastern Australia. *Journal of Fish Diseases* **12** 467-479.
- *Callinan, R.B., Fraser, G.C. and Melville, M.D. (1993). Seasonally recurrent fish mortalities and ulcerative disease outbreaks associated with acid sulphate soils in Australian estuaries. **In:** *Selected papers from the Ho Chi Minh City Symposium on acid sulphate soils* (eds. Dent, D.L. and van Mensvoort, M.E.F.) pp. 403-410. ILRI Publication. No. 53.
- Callinan, R.B., Paclibare, J.O., Bondab-Reantaso, M.G., Chin, J.C. and Gogolewski, R.P. (1995a). *Aphanomyces* species associated with epizootic ulcerative syndrome (EUS) in the Philippines and red spot disease (RSD) in Australia: preliminary comparative studies. *Diseases of Aquatic Organisms* **21**, 233-238.
- *Callinan, R.B., Paclibare, J.O., Reantaso, M.B., Lumanlan-Mayo, S.C., Fraser, G.C. and Sammut, J. (1995b). EUS outbreaks in estuarine fish in Australia and the Philippines: associations with acid sulphate soils, rainfall and *Aphanomyces*. **In:** *Diseases in Asian aquaculture II* (eds. Shariff, M.A., Arthur, J.R. and Subasinghe, R.P.) pp. 291-298. Asian Fisheries Society, Manila.
- *Cappo, M., Alongi, D.M., Williams, D.M. and Duke, N. (1998). A Review and Synthesis of Australian Fisheries Habitat Research. FRDC Project No. FRDC 95/055. Australian Institute of Marine Science, Townsville, Queensland. 3 Vol.
- *Carrick, N. (1997). A Preliminary Assessment of the By-catch from the Spencer Gulf Prawn Fishery. South Australian Fisheries Assessment Series, 97/02. pp. 1-14.
- *Carter, S. (1994). Coastal Resource Atlas for Oil Spills in Port Jackson. Environmental Protection Authority, Sydney. 39 pp.
- *Carter, S. (1995). Coastal Resource Atlas for Oil Spills in Brisbane Waters. Environment Protection Authority, Sydney. 33 pp.
- Castilla, J. C. (2000). Roles of experimental marine ecology in coastal management and conservation. *Journal of Experimental Marine Biology and Ecology* **250**, 3-21.
- Chapman, M.G. and Underwood, A.J. (1995). Mangrove forests. **In:** *Coastal Marine Ecology of Temperate Australia*. (eds. Underwood, A.J. and Chapman, M.G.). pp. 187-204. UNSW Press.
- *Chapman, M.G. and Blockley, D. (1999). Intertidal Assemblages on Seawalls at Berry Island and Blues Point Before and After the Oil Spill, August 1999. Uncommissioned Report for the NSW Environment Protection Authority.

- Chopin, F.S. and Arimoto, T. (1995). The condition of fish escaping from fishing gears – a review. *Fisheries Research* **21**, 315-327.
- *Christy, F. (2000). Common property rights: an alternative to ITQs. **In:** *Use of Property Rights in Fisheries Management* (ed. Shotton, R.) Proceedings of the Fishrights99 Conference. Fremantle, Western Australia, 11-19 November 1999. Mini-course lectures and core conference presentations. FAO Fisheries Technical Paper. No.404/1. Rome, FAO. 342 pp.
- Churchill, J.H. (1989). The effect of commercial trawling on sediment resuspension and transport over the Middle Atlantic Bight continental shelf. *Continental Shelf Research* **9(9)**, 841-865.
- Coleman, M.A. and Connell, S.D. (2001). Weak effects of epibiota on the abundances of fishes associated with pier pilings in Sydney Harbour. *Environmental Biology of Fishes* **61**, 231-239.
- Coles, R.G. and Greenwood, J.G. (1983). Seasonal movement and size distribution of three commercially important Australian prawn species (Crustacea: Penaeidae) within an estuarine system. *Australian Journal of Marine and Freshwater Research* **34**, 727-743.
- Collie, J.S., Escanero, G.A. and Valentine, P.C. (1997). Effects of bottom fishing on the benthic megafauna of Georges Bank. *Marine Ecology Progress Series* **155**, 159-172.
- *Commonwealth (2000). Bycatch (Commonwealth policy and National policy). Department of Agriculture, Fisheries and Forestry – Australia.
- Connell, S.D. and Glasby, T.M. (1999). Do urban structures influence local abundance and diversity of subtidal epibiota? A case study from Sydney Harbour, Australia. *Marine Environmental Research* **47**, 373-387.
- Connolly, R.M. (1994). A comparison of fish assemblages from seagrass and unvegetated areas of a southern Australian estuary. *Australian Journal of Marine and Freshwater Research* **45**, 1033-1044.
- Connolly, R.M., Dalton, A. and Bass, D.A. (1997). Fish use of an inundated saltmarsh flat in a temperate Australian estuary. *Australian Journal of Ecology* **22**, 222-226.
- Courtney, A.J., Montgomery, S.S., Die, D.J., Andrew, N.L., Cosgrove, M.G. and Blount, C. (1995). Maturation in the female eastern king prawn *Penaeus plebejus* from coastal waters of eastern Australia, and considerations for quantifying egg production in penaeid prawns. *Marine Biology* **122**, 547-556.
- *CRIMP (2000a). Vessel and Gear Fouling. CRIMP Infosheet 3, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 2 pp.
- *CRIMP (2000b). Aquarium Caulerpa (*Caulerpa taxifolia*). CRIMP Infosheet 13, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- *CRIMP (2000c). Japanese Seaweed (*Undaria pinnatifida*). CRIMP Infosheet 12, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- *CRIMP (2000d). Northern Pacific Seastar (*Asterias amurensis*). CRIMP Infosheet 4, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- *CRIMP (2001a). Black-striped Mussel (*Mytilopsis sallei*). CRIMP Infosheet 10, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.

- *CRIMP (2001b). Broccoli Weed (*Codium fragile* ssp. *tomentosoides*). CRIMP Infosheet 14, Centre for Research on Introduced Marine Pests, CSIRO, Hobart. 1 pp.
- Cryer, M., Whittles, G.N. and Williams, R. (1987). The impact of bait collection by anglers on marine invertebrates. *Biological Conservation* **42**, 83-93.
- *CSIRO (1994). Jervis Bay Baseline Studies, Volume 2. CSIRO Division of Fisheries, Commonwealth of Australia. 406 pp.
- *Currie, D.R. and Parry, G.D. (1995). The Effects of Scallop Dredging on a Soft Sediment Community: a Large-scale Experimental Study. Internal Report. July 1995. DCNR. pp. 1-25.
- Dame, R., Alber, M., Allen, D., Mallin, M., Montague, C., Lewitus, A., Chalmers, A., Gardner, R., Gilman, C., Kjerfve, B. and Pinckney, J. (2000). Estuaries of the South Atlantic coast of North America: their geographical signatures. *Estuaries* **23**, 793-819.
- Das, P., Marchesiello, P. and Middleton, J.H. (2000). Numerical modelling of tide-induced residual circulation in Sydney Harbour. *Marine and Freshwater Research* **51**, 97-112.
- Day, J.H. (1980). What is an estuary? *South African Journal of Science* **76**, 198.
- *Dayton, P. K. (1996). Environmental impacts of fishing on marine communities: Working group report. In: *Solving Bycatch: Considerations for Today and Tomorrow*, pp.121-128. Alaska Sea Grant College Program Report No. 96-03, University of Alaska Fairbanks. ISBN 1-56612-038-1.
- Dayton, P.K., Thrush, S.F., Agardi, M.T. and Hofman, R.J. (1995). Viewpoint: environmental effects of fishing. *Aquatic Conservation: Marine and Freshwater Ecosystems* **5**, 205-232.
- Deville, A. and Harding, R. (1997). *Applying the Precautionary Principle*. The Federation Press, Sydney. 79 pp.
- *DNRE (2000). Marine Pests in Local Ports. Pamphlet. Department of Natural Resources and the Environment, Victoria. 2 pp.
- *DUAP (2001). Guidelines for the Environmental Impact Assessment of Draft Fishery Management Strategies for Commercial Designated Fishing Activities. Department of Urban Affairs and Planning, 6 June. 31 pp. (Note: DUAP is now known as Planning NSW).
- Edgar, G.J. and Shaw, C. (1995a). The production and trophic ecology of shallow-water fish assemblages in southern Australia I. Species richness, size-structure and production of fishes in Western Port, Victoria. *Journal of Experimental Marine Biology and Ecology* **194**, 53-81.
- Edgar, G.J. and Shaw, C. (1995b). The production and trophic ecology of shallow-water fish assemblages in southern Australia II. Diets of fishes and trophic relationships between fishes and benthos at Western Port, Victoria. *Journal of Experimental Marine Biology and Ecology* **194**, 83-106.
- Edgar, G.J. and Shaw, C. (1995c). The production and trophic ecology of shallow-water fish assemblages in southern Australia III. General relationships between sediments, seagrasses, invertebrates and fishes. *Journal of Experimental Marine Biology and Ecology* **194**, 107-131.
- Eliot, I., Finlayson, C.M. and Waterman, P. (1999). Predicted climate changes, sea-level rise and wetland management in Australian wet-dry tropics. *Wetlands Ecology and Management* **7**, 63-81.

- Engel, J. and Kvitek, R. (1998). Effects of otter trawling on a benthic community in Monterey Bay National Marine Sanctuary. *Conservation Biology* **12(6)**, 1204-1214.
- *Environment Australia (1998). Draft Recovery Plan for Marine Turtles in Australia. Environment Australia, Canberra. 107 pp.
- *Environment Australia (2000a). Draft Recovery Plan for Grey Nurse Sharks *Carcharias taurus* in Australia.
- *Environment Australia (2000b). Draft Recovery Plan for Great White Sharks *Carcharodon carcharias* in Australia.
- Erichsen Jones, J.R. (1969). *Fish and River Pollution*. Butterworths, London. 203 pp.
- Fairweather, P.G. (1991). A conceptual framework for ecological studies of coastal resources: an example of a tunicate collected for bait on Australian seashores. *Ocean and Shoreline Mangement* **15**, 125-142.
- *Faragher, R.A. (1995). A Survey of the Threatened Fish, Australian Grayling *Prototroctes maraena* Gunther: Distribution and Abundance in New South Wales. Report prepared for the Cooperative Research Centre for Freshwater Ecology, NSW Fisheries Research Institute, Cronulla, NSW.
- *Fenton, M. and Marshall, N. (2001). A Guide to the Fishes of Queensland (Draft report). CRC Reef Research Centre, James Cook University, Townsville, Queensland.
- Ferrell, D.J. and Bell, J.D. (1991). Differences among assemblages of fish associated with *Zostera capricorni* and bare sand over a large spatial scale. *Marine Ecology Progress Series* **72**, 15-24.
- *Ferrell, D. and Sumpton, W. (1997). Assessment of the Fishery for Snapper (*Pagrus auratus*) in Queensland and New South Wales. Fisheries Research and Development Corporation report No. 93/074. NSW Fisheries and Queensland Department of Primary Industries. 143 pp.
- *Fisheries Scientific Committee (1998). Recommendation, *Carcharodon carcharias* – Great White Shark. Fisheries Scientific Committee, New South Wales. [<http://www.fsc.nsw.gov.au/recommend/pdf/great-white-shark.pdf>].
- *Fisheries Scientific Committee (1999). Recommendation, *Carcharias taurus* – Grey Nurse Shark. Fisheries Scientific Committee, New South Wales. [<http://www.fsc.nsw.gov.au/recommend/pdf/grey-nurse-shark.pdf>].
- Fitzpatrick, J. and Kirkman, H. (1995). Effects of prolonged shading stress on growth and survival of seagrass *Posidonia australis* in Jervis Bay, New South Wales, Australia. *Marine Ecology Progress Series* **127**, 279-289.
- *Fletcher, W. and McVea, T. (eds) (2000). NSW Fisheries 1998/99 Status of Fisheries Resources. NSW Fisheries Research Institute. 219 pp.
- Fogarty, M.J. and Murawski, S.A. (1998). Large-scale disturbance and the structure of marine systems: fishery impacts on Georges Bank. *Ecological Applications* **8**, S6-S22.
- Fonseca, M.S., Fisher, J.S., Zieman, J.C. and Thayer, G.W. (1982). Influence of the seagrass *Zostera marina* L., on current flow. *Estuarine and Coastal Shelf Science* **15**, 357-364.

- Fonesca, M.S., Thayer, G.W. and Chester, A.J. (1984). Impact of scallop harvesting on eelgrass (*Zostera marina*) meadows: implications for management. *North American Journal of Fisheries Management* **4**, 286-293.
- *Fonseca, M.S., Thayer, G.W. and Kenworthy, W. (1985). The use of the ecological data in the implementation and management of seagrass restorations. **In:** *Proceedings of the Symposium on Subtropical – Tropical Seagrasses of the Southeastern United States*. pp. 175-188.
- *Frances, J. (2001). Identification of Candidate Sites for Estuarine Aquatic Reserves in the Hawkesbury and Batemans Shelf Bioregions. Report prepared for Environment Australia by the Office of Conservation, NSW Fisheries, Sydney. 126 pp.
- Francis, R.I.C.C. and Shotton, R. (1997). 'Risk' in fisheries management: a review. *Canadian Journal of Fisheries and Aquatic Sciences* **54(8)**, 1699-1715.
- *Friedlander, J.C. (1980). A Study of the Community in the *Zostera capricorni* Beds of Myuna Bay, in Lake Macquarie, New South Wales. Unpublished MSc Thesis. University of NSW, Sydney. 212 pp.
- *Furlani, D. (1996). A Guide to the Introduced Marine Pests in Australian Waters. Tech Report Number 5, Centre for Research on Introduced Marine Pests, June 1996, CSIRO.
- *Gibbs, P. (1997). A Review of Information on NSW South Coast Estuarine Fisheries. NSW Fisheries Research Institute, Cronulla. 74 pp.
- Gibbs, P.J., Collins, A.J. and Collett, L.C. (1980). Effects of otter prawn trawling on the macrobenthos of a sandy substratum in a NSW estuary. *Australian Journal of Marine and Freshwater Research* **31**, 509-516.
- *Gibbs, P., McVea, T. and Loudon, B. (1999). Utilisation of Restored Wetlands by Fish and Invertebrates. FRDC Project No. 95/150. NSW Fisheries Office of Conservation, Pyrmont, Australia.
- Gill, A.C. and Reader, S.E. (1992). Fishes. In: Reef Biology. A Survey of Elizabeth and Middleton Reefs, South Pacific, by the Australian Museum. *Kowari* **3**, 90-92. ANPWS, Canberra.
- Gillanders, B. (1999). Blue groper. **In:** *Under Southern Seas: The Ecology of Australia's Rocky Reefs*. (ed. Andrew, N.) pp. 188-193. UNSW Press.
- *Glaister, J.P. (1977). Ecological Studies of *Metapenaeus macleayi* (Crustacean, Decapoda, Penaeidae) in the Clarence River Region, Northern New South Wales. MSc Thesis, University of New England. 80 pp.
- Glaister, J.P. (1978a). Impact of river discharge on distribution and production of the school prawn *Metapenaeus macleayi* (Haswell) (Crustacea: Penaeidae) in the Clarence River region, northern New South Wales. *Australian Journal of Marine and Freshwater Research* **29**, 311-323.
- Glaister, J.P. (1978b). Movement and growth of tagged school prawns *Metapenaeus macleayi* (Haswell)(Crustacea:Penaeidae) in the Clarence River region, northern New South Wales. *Australian Journal of Marine and Freshwater Research* **29**, 645-657.
- Glaister, J.P., Montgomery, S.S. and McDonnall, V.C. (1990). Yield-per-recruit analysis of eastern king prawns *Penaeus plebejus* Hess, in eastern Australia. *Australian Journal of Marine and Freshwater Research* **41(1)**, 175-197.

- Glasby, T.M. (1999). Differences between subtidal epibiota on pier pilings and rocky reefs at marinas in Sydney, Australia. *Estuarine, Coastal and Shelf Science* **48**, 281-290.
- Glasby, T.M. (2000). Surface composition and orientation interact to affect subtidal epibiota. *Journal of Experimental Marine Biology and Ecology* **248**, 177-190.
- Gordon, A. (1988). Discard of shrimp by-catch at sea. *Bay of Bengal News* **12**, 9-11.
- Gordon, G.N.G., Andrew, A.L. and Montgomery, S.S. (1995). A deterministic compartmentalised model for the eastern king prawn, *Penaeus plebejus* (Hess). *Australian Journal of Marine and Freshwater Research* **46**, 793-807.
- *Goulstone, A. (1996). Fisheries Management Techniques. Fishnote DF 61. NSW Fisheries, March 1996.
- Gray, C.A. and McDonall, V.C. (1993). Distribution and growth of juvenile mullet, *Argyrosomus hololepidotus* (Pisces: Scianidae), in the Hawkesbury River, south-eastern Australia. *Australian Journal of Marine and Freshwater Research* **44**(3), 401-409.
- Gray, C.A., McDonall, V.C. and Reid, D.D. (1990). By-catch from prawn trawling in the Hawkesbury River, New South Wales: species composition, distribution and abundance. *Australian Journal of Freshwater Research* **41**, 13-26.
- Gray, C.A., McElligott, D.J. and Chick, R.C. (1996). Intra- and inter-estuary difference in assemblages of fishes associated with shallow seagrass and bare sand. *Journal of Marine and Freshwater Research* **47**, 723-735.
- *Gray, C.A., Pease, B.C., Stringfellow, S.L., Raines, L.P., Rankin, B.K. and Walford, T.R. (2000). Sampling Estuarine Fish Species for Stock Assessment. NSW Fisheries Final Report Series, No. 18, FRDC Project No. 94/042.
- Greboval, D and Munro, G. (1999). Overcapitalization and excess fishing capacity in world fisheries: Underlying economics and methods of control. **In:** *Managing Fishing Capacity: Selected Papers on Underlying Concepts and Issues* (ed. Greboval, D.). FAO Fisheries Technical Paper. No.386. Rome, FAO. 206 pp.
- Greenstreet, S.P.R. and Hall, S.J. (1996). Fishing and the ground-fish assemblage structure in the north-western North Sea: an analysis of long-term and spatial trends. *Journal of Animal Ecology* **65**, 577-598.
- *Grey, D (2001). Invasive weed prompts response actions. *Fisheries New South Wales*, Spring 2000/Summer 2001 edition. pp. 4-5.
- *Grey, D.L., Dall, W. and Baker, A. (1983). A Guide to the Australian Penaeid Prawns. Department of Primary Industries, Darwin. 139 pp.
- Guillen, J.E., Ramos, A.A., Martinez, L. and Sanchez Lizaso, J.L. (1994). Anti-trawling reefs and the protection of *Posidonia oceanica* (L.) meadows in the western Mediterranean Sea: demands and aims. *Bulletin of Marine Science* **55**, 645-650.
- *Hair, C.A. and Bell, J.D. (1992). Jervis Bay Marine Ecology Study: Enhancing the Settlement of Fish to Artificial Structures. Final Report, December 1992. Fisheries Research Institute, NSW Fisheries, Cronulla. 67 pp.
- Hall, S.J. (1999). *The Effects of Fishing on Marine Ecosystems and Communities*. Blackwell Science Ltd. Carlton, Victoria. 274 pp.

- Hall, S.J., Robertson, M.R., Basford, D.J. and Heaney, S.D. (1993). The possible effects of fishing disturbance in the northern North Sea: an analysis of spatial patterns in community structure around a wreck. *Netherlands Journal of Sea Research* **31(2)**, 201-208.
- *Hamer, G. (1986). Abalone Biology and Management. Agfact F1.0.1, 1st edition. Department of Agriculture New South Wales, Division of Fisheries, Sydney. 6 pp.
- *Handmer, J. (1995). Risk and uncertainty in environmental management. In: Fenner Conference on the Environment (eds. Norton, T.W., Beer, T. and Dovers, S.R.) pp. 86-171. Australian Academy of Science, November 1995, Canberra.
- *Hannan, J. (1985). A Comparison of Shallow Water Fish Fauna in Mannering Hole and Nearby Lake Macquarie (New South Wales). Unpublished BSc (Hons.) Thesis. University of NSW, Sydney. 111 pp.
- *Hannan, J. (1989). The Seagrass Fish Fauna of Lake Macquarie, New South Wales. Unpublished MSc Thesis. University of NSW, Sydney. 49 pp. plus figures and tables.
- *Hannan, J.C. (1997). A Status Report on the Key Fish Habitats in the Hawkesbury-Nepean Catchment. NSW Fisheries, Sydney. 68 pp.
- *Hannan, J.C. (In prep). Policy and Guidelines for Jetties, Ramps, pontoons and Similar Foreshore Structures. NSW Fisheries.
- Hannan, J.C. and Williams, R.J. (1998). Recruitment of juvenile marine fishes to seagrass habitat in a temperate Australian estuary. *Estuaries* **21(1)**, 29-51.
- *Hannan, J. and Simpson, A. (1999). Scarred seagrass. *Fisheries NSW* **2(4)** Spring 1999, 32.
- Harding, R. (1998). *Environmental Decision-making: the Roles of Scientists, Engineers and the Public*. Federation Press. 366 pp.
- Harlin, M.M. (1975). Epiphyte-host relations in seagrass communities. *Aquatic Botany* **1**, 125-131.
- Harrigan, K.E. (1992). Causes of mortality of little penguins *Eudyptula minor* in Victoria. *Emu* **91(5)**, 273-277.
- Harris, A.N. and Poiner, I.R. (1990). By-catch of the prawn fishery of Torres Strait; composition and partitioning of the discards into components that float or sink. *Australian Journal of Marine and Freshwater Research* **41**, 37-52.
- Harris, J.H. (1984). Impoundment of coastal drainages of south-eastern Australia, and a review of its relevance to fish migrations. *Australian Zoologist* **21(3)**, 235-250.
- Harris, J.H. (1986). Reproduction of the Australian bass, *Macquaria novemaculeata* (Perciformes: Percichthyidae), in the Sydney Basin. *Australian Journal of Marine and Freshwater Research* **37**, 209-235.
- *Hawkesbury Trawl Association (2001). Environmental Action Plan. Hawkesbury Trawl Association. 57 pp.
- Heemstra, P.C. and Randall, J.E. (1993). *FAO Species Catalogue Volume 16 Groupers of the World (family Serranidae, Subfamily Epinephelidae)*. Food and Agriculture Organisation of the United Nations, Rome. 382 pp.

- Hemminga, M.A., Harrison, P.G. and Vanlent, F. (1991). The balance of nutrient losses and gains in seagrass meadows. *Marine Ecology Progress Series* **71**, 85-96.
- *Henrisson, C. and Smith, A. (1994). Black Rock Cod – a Protected Fish. Fishnote DF/39. NSW Fisheries, Sydney. 2 pp.
- *Henry, G.W. (1984). Commercial and recreational fishing in Sydney estuary. *Fisheries Bulletin* No. 1. Department of Agriculture and Fisheries.
- *Henry, G.W. (1987). Recreational Fishing in Lake Conjola. NSW Fisheries, unpublished report.
- *Henry, G.W. and Virgona, J.L. (1980). The Impact of Munmorah Power Station on the Recreational and Commercial Fisheries of Tuggerah Lakes. Report prepared for the Electricity Commission by NSW State Fisheries.
- *Henry, G.W. and Virgona, J.L. (1984). Why is angling so popular? *Australian Fisheries* **43(5)**, 32-33.
- *Henry, G.W., Neave, P. and House, R. (1987). A Survey of Recreational Fishing in the Port Hacking Estuary. Internal Report No. 40. Department of Agriculture and Fisheries.
- Hilborn, R. and Walters, C.J. (1992). *Quantitative Fisheries Stock Assessment: Choice, Dynamics and Uncertainty*. Chapman and Hall, New York. 563 pp.
- Hill, B.J. and Wassenberg, T.J. (1990). Fate discards from prawn trawlers in Torres Strait. *Australian Journal of Marine and Freshwater Research* **41**, 53-64.
- Hillman, K., Walker, D.I., McComb, A.J. and Larkum, A.W.D. (1989). Productivity and nutrient availability. In: *Biology of Seagrasses* (eds. Larkum, A.W.D., McComb, A.J. and Shepherd, S.A.). pp. 458-499. Elsevier, Amsterdam.
- Hoedt, F.E., Dimmlich, W.E. and Dann, P. (1995). Seasonal variation in the species and size composition of the clupeoid assemblages in Western Port, Victoria. *Marine and Freshwater Research* **46(7)**, 1085-1092.
- Howells, G. (1994). *Water Quality for Freshwater Fish: Further Advisory Criteria*. Gordon and Breach Science Publishers. 115 pp.
- Huenneke, L.F. (1995). Involving academic scientists in conservation research: perspectives of a plant ecologist. *Ecological Applications* **5**, 209-214.
- Hughes, P. and Brundrit, G. B. (1995). Sea level rise and coastal planning: a call for stricter control in river mouths. *Journal of Coastal Research* **11**, 887-898.
- Hutchings, P. (1990). Review of the effects of trawling on macrobenthic epifaunal communities. *Australian Journal of Marine and Freshwater Research* **41**, 111-120.
- Hutchings, P.A. and Recher, H.F. (1974). The fauna of Careel Bay with comments on the ecology of mangrove and seagrass communities. *Australian Zoologist* **18**, 99-128.
- Hutchings, P.A. and Saenger, P. (1987). *Ecology of Mangroves*. University of Queensland Press, St Lucia, Queensland.
- Hutchins, B. and Swainston, R. (1986). *Sea Fishes of Southern Australia*. Swainston Publishing, Perth, W.A. 180 pp.

- *Hyland, S.J. (1985). The Moreton Bay, Queensland, beam trawl fishery for penaeid prawns. **In:** *Second Australian National Prawn Seminar* (eds. Rothlisberg, P.C., Hill, B.J. and Staples, D.J.) pp. 205-211. Cleveland, Queensland.
- Hyne, R. V. and Wilson, S. P. (1997). Toxicity of acid-sulphate soil leachate and aluminium to the embryos and larvae of Australian bass (*Macquaria novemaculeata*) in estuarine water. *Environment Pollution* **97**, 221-227.
- Inglis, G.J. (1995). Intertidal muddy shores. **In:** *Coastal Marine Ecology of Temperate Australia*. (eds. A.J Underwood and M.G. Chapman) pp. 171-186. UNSW Press.
- *Intergovernmental Panel on Climate Change (IPCC) (2001a). Summary for Policy Makers – A Report of Working Group 1 of the Intergovernmental Panel on Climate Change. United Nations Environment Programme and the World Meteorological Organisation. [<http://www.ipcc.ch/pub/spm22-01.pdf>].
- *Intergovernmental Panel on Climate Change (IPCC) (2001b). Summary for Policy Makers – Climate Change 2001: Impacts, Adaptation, and Vulnerability. United Nations Environment Programme and the World Meteorological Organisation. [<http://www.gcric.org/OnLnDoc/pdf/wg2spm.pdf>].
- Irvine, I. and Birch, G.F. (in press). Distribution of heavy metals in surficial sediments of Port Jackson, Sydney, New South Wales. *Australian Journal of Earth Sciences*.
- *IUCN (1995). IUCN Position Statement on Translocation of Living Organisms. International Union for the Conservation of Nature. Gland, Switzerland. 9 pp. [<http://www.iucn.org/themes/ssc/pubs/policy/transe.htm>].
- *JCU (1993). An Examination of Links Between Tourism, Tourist Expectations and the Importance of Seafood in Restaurants of the Cairns Region. James Cook University Geography Department. Report for the Queensland Commercial Fishermen's Organisation. 54 pp.
- Jennings, S. and Kaiser, M.J. (1998). The effects of fishing on marine ecosystems. *Advances in Marine Biology* **34**, 203-352.
- Johnson, J.W. (1999). Annotated checklist of the fishes of Moreton Bay, Queensland, Australia. *Memoirs of the Queensland Museum* **43(2)**, 709-762.
- Jones, A.R. (1997). Botany Bay benthos: status and management. *Wetlands (Australia)* **16(1)**, 11-24.
- Jones, A.R., Watson-Russell, C.J. and Murray, A. (1986). Spatial patterns in the macrobenthic communities of the Hawkesbury estuary, New South Wales. *Australian Journal of Marine and Freshwater Research* **37**, 521-543.
- Jones, G. and Candy, S. (1981). Effects of dredging on the macrobenthic infauna of Botany Bay. *Australian Journal of Marine and Freshwater Research* **32**, 379-398.
- Jones, G.P. and Andrew, N.L. (1990). Herbivory and patch dynamics on rocky reefs in temperate Australasia: the roles of fish and sea urchins. *Australian Journal of Ecology* **15**, 505-520.
- Jones, J.B. (1992). Environmental impact of trawling on the seabed: a review. *New Zealand Journal of Marine and Freshwater Research* **26**, 59-67.
- Jorgensen, S.E. (1992). Ecological indicators and ecological modelling. **In:** *Ecological Indicators, Volume 1*. (eds. McKenzie, D.H., Hyatt, E.D. and MacDonald, J.V.) pp. 201-209. Elsevier Applied Science, London.

- Kailola, P.J., Williams, M.J., Stewart, P.C., Reichelt, R.E., McNee, A. and Grieve, C. (1993). *Australian Fisheries Resources*. Bureau of Resource Sciences and the Fisheries Research and Development Corporation. Commonwealth of Australia. 422 pp.
- Kaiser, M.J. (1998). Significance of bottom-fishing disturbance. *Conservation Biology* **12(6)**, 1230-1235.
- Kaiser, M.J. and Spencer, B.E. (1996). The effects of beam-trawl disturbance on infaunal communities in different habitats. *Journal of Animal Ecology* **65**, 348-358.
- Kaiser, M.J. and de Groot S.J. (2000). *The Effects of Fishing on Non-target Species and Habitats: Biological, Conservation and Socio-economic Issues*. The European Commission Fisheries, Agriculture and Agroindustrial Research Program (FAIR). 399 pp.
- *Kaufmann, B., Geen, G. and San, S. (1999). *Fish Futures: Individual Transferable Quotas in Fisheries*. Fisheries Research and Development Corporation and Fisheries Economics, Research and Management Pty Ltd. Kiama, Australia. 240 pp.
- Kennelly, S.J. (1987). Physical disturbances in an Australian kelp community: I. Temporal effects. *Marine Ecology Progress Series* **40**, 145-153.
- *Kennelly, S.J. (1993). Study of the By-catch of the NSW East Coast Trawl Fishery. Final report to the Fisheries Research and Development Corporation. Project No: 88/108.
- Kennelly, S.J. (1995a). The issue of by-catch in Australia's demersal trawl fisheries. *Reviews in Fish Biology and Fisheries* **5**, 213-234.
- Kennelly, S.J. (1995b). Kelp beds. **In:** *Coastal Marine Ecology of Temperate Australia*. (eds. Underwood, A.J. and Chapman, M.G.) pp. 106-120. UNSW Press.
- *Kennelly, S.J. (1997). A framework for solving by-catch problems: examples from New South Wales, Australia, the eastern Pacific and the northwest Atlantic. **In:** *Developing and Sustaining World Fisheries Resources: The State of Science and Management*. 2nd World Fisheries Congress proceedings. (eds. Hancock, D.A., Smith, D.C., Grant, A. and Beumer, J.P.) pp. 544-550. CSIRO Press.
- Kennelly, S.J. and Underwood, A.J. (1992). Fluctuations in the distributions and abundances of species in sublittoral kelp forests in New South Wales. *Australian Journal of Ecology* **17**, 367-382.
- Kennelly, S.J. and Broadhurst, M.K. (1996). Fishermen and scientists solving by-catch problems: examples from Australia and possibilities for the northeastern United States. **In:** *Solving Bycatch: Consideration for Today and Tomorrow*. pp. 121-128. Alaska Sea Grant College Program Report No. 96-03, University of Alaska Fairbanks. ISBN 1-56612-038-1.
- *Kennelly, S.J. and Broadhurst, M.K. (1998). Development of By-catch Reducing Prawn Trawls and Fishing Practices in NSW's Prawn-trawl Fisheries (and Incorporating an Assessment of the Effect of Increasing Mesh Size in Fish Trawl Gear). FRDC Project No. 93/180. NSW Fisheries Final Report Series No. 5, July 1998.
- *Kennelly, S.J., Kearney, R.E., Liggins, G.W. and Broadhurst, M.K. (1993). The effect of shrimp trawling by-catch on other commercial and recreational fisheries – an Australian perspective. **In:** *International Conference on Shrimp By-catch* (ed. Jones, R.P.) pp. 97-114. Lake Buena Vista, Florida. Tallahassee, FL: Southeastern Fisheries Association. May 1992.

- Keough, M.J. and Jenkins, G.P. (1995). Seagrass meadows and their inhabitants. **In:** *Coastal Marine Ecology of Temperate Australia*. (eds. Underwood, A.J. and Chapman, M.G.) pp. 221-239. UNSW Press.
- Keough, M. J. and Quinn, G. P. (1998). Effects of periodic disturbances from trampling on rocky intertidal algal beds. *Ecological Applications* **8**, 141-161.
- *Kerr, R.J. (1994). Water Quality, Hawkesbury-Nepean River System, June 1990 to June 1993. Environment Protection Authority, Sydney. 193 pp.
- King, R.J. (1981a). Marine angiosperms: seagrasses. **In:** *Marine Botany: an Australian Perspective* (eds. Clayton, M.N. and King R.J.) pp. 201-210. Longman Cheshire, Australia.
- King, R.J. (1981b). Mangroves and saltmarsh plants. **In:** *Marine Botany: an Australian Perspective* (eds. Clayton, M.N. and King R.J.) pp. 308-328. Longman Cheshire, Australia.
- King, R.J. (1986). Aquatic angiosperms in coastal saline lagoons of New South Wales. Part I: the vegetation of Lake Macquarie. *Proceedings of the Linnean Society of New South Wales* **109(1)**, 11-23.
- *Klima, E. F. (1993). Shrimp by-catch: hopes and fears. **In:** *International Conference on Shrimp Bycatch, May 1992*. (ed. Jones, R.P.) Lake Buena Vista, Florida, Southeastern Fisheries Association, Tallahassee, FL. pp. 5-12.
- Klumpp, D.W., Howard, R.K. and Pollard, D.A. (1989). Trophodynamics and nutritional ecology of seagrass communities. **In:** *Biology of Seagrasses. A Treatise on the Biology of Seagrasses with Special Reference to the Australian Region*, (eds. Larkum, A.W.D., McComb, A. J. and Shepherd, S. A.) pp. 394-437. Elsevier, New York /Amsterdam.
- Kuiter, R. (1993). *Coastal Fishes of South-Eastern Australia*. Crawford House Press, Bathurst. 437 pp.
- *Kumar. M. (1997). Status of biology, research and development of the blue crab (*Portunus pelagicus*) fishery in South Australia. **In:** *Proceedings of the First National Workshop on Blue Swimmer Crab Portunus pelagicus*. SARDI Research Report Series Number 16, 77-92.
- *Lal, P., Holland, P. and Power, P. (1992). Competition Between Recreational and Commercial Fishers: Management Options and Economic Research. Australian Bureau of Agricultural and Resource Economics. Research Report, No. 92.11, p. 70.
- Larkum, A.W.D. (1981). Marine primary productivity. **In:** *Marine Botany: an Australian Perspective* (eds. Clayton, M.N. and King, R.J.) pp. 369-385. Longman Cheshire, Australia.
- Larkum, A.W.D and West, R.J. (1983). Stability, depletion and restoration of seagrass beds. *Proceedings of the Linnean Society of NSW* **106**, 201-212.
- Last, P.R. and Stevens, J.D. (1994). *Sharks and Rays of Australia*. CSIRO, Melbourne. 513 pp.
- *Laurenson, L.J.B, Unsworth, P., Penn, J.W. and Lenanton, R.C.J. (1993). The Impact of Trawling for Saucer Scallops and Western King Prawns on the Benthic Community in Coastal Waters off Southwestern Australia. Fisheries Research Report, Western Australian Fisheries Department. 100: 93 pp.
- *Leadbitter, D., Ward, T. and Ridge, K. (1999). Maintaining Biodiversity in Sustainable Marine Fisheries - A Review and Scoping of Future Directions. Department of the Environment and Heritage, Commonwealth of Australia. 86 pp.

- Lenanton, R.C.J., Robertson, A.I. and Hansen, J.A. (1982). Nearshore accumulations of detached macrophytes as nursery areas for fish. *Marine Ecology Progress Series* **9**, 51-57.
- Liggins, G.W. and Kennelly, S.J. (1996). By-catch from prawn trawling in the Clarence River estuary, New South Wales, Australia. *Fisheries Research* **25**, 347-367.
- Liggins, G.W., Kennelly, S.J. and Broadhurst, M.K., (1996). Observer-based survey of by-catch from prawn trawling in Botany Bay and Port Jackson, New South Wales. *Marine Freshwater Research* **47**, 877-888.
- Lincoln Smith, M.P. and Jones, G.P. (1995). Fishes of shallow coastal habitats. **In:** *Coastal Marine Ecology of Temperate Australia*. (eds. Underwood, A.J. and Chapman, M.G.) pp. 240-253. UNSW Press.
- Lincoln Smith, M.P., Bell, J.D., Pollard, D.A. and Russell, B.C. (1989). Catch and effort of competition spearfishermen in southeastern Australia. *Fisheries Research* **8**: 45-61.
- *Lincoln Smith, M.P., Hair, C.A. and Bell, J.D. (1992). Jervis Bay Marine Ecology Study. Project 4: Fish Associated with Natural Rocky Reefs and Artificial Breakwaters. Final Report, December 1992. Fisheries Research Institute, NSW Fisheries, Cronulla. 210 pp.
- Lindegarth, M., Valentinsson, D., Hansson, M., and Ulmestrand, M. (2001). Interpreting large scale experiments on the effects of trawling on benthic fauna: an empirical test of the potential effects of spatial confounding in experiments without replicated control and trawled areas. *Journal of Experimental Marine Biology and Ecology* **245(2)**, 155-169.
- Lloyd, R. (1992). *Pollution and Freshwater Fish*. Blackwell Scientific Publications. London. 176 pp.
- Loneragan, N.R., Bunn, S.E. and Kellaway, D.M. (1997). Are mangroves and seagrasses sources of organic carbon for penaeid prawns in a tropical Australian estuary? A multiple stable-isotope study. *Marine Biology* **130**, 289-300.
- *McDonall, V.C. and Thorogood C.A. (1988). The Hawkesbury River. **In:** *A Summary of the Research Conducted on Estuarine Prawn Trawl Fisheries in New South Wales and Recommendations for their Future Management*. (eds. Montgomery, S.S. and McDonall, V.C.) pp. 88-106. NSW Fisheries.
- McDowall, R.M. (1996). *Freshwater Fishes of South-Eastern Australia*. Reed Books, Sydney. 247 pp.
- *McEnally, J., Thompson, G. and Zekanovic, I. (1989). Coastal Resource Atlas for Oil Spills in and around the Port of Newcastle. State Pollution Control Commission, Sydney. 32 pp.
- *McEnally, J., Eskdale, I., Thompson, G., Harris, J., Zekanovic, I. and Otto, K. (1992). Coastal Resource Atlas for Oil Spills from the Clarence River to Smoky Cape. Environment Protection Authority, Sydney. 102 pp.
- McGhie, T. K., Crawford, C. M., Mitchell, I. M. and O'Brien, D. (2000). The degradation of fish-cage waste in sediments during fallowing. *Aquaculture* **187**, 351-366.
- McNeill, S.E., Worthington, D.G., Ferrell, D.J. and Bell, J.D. (1992). Consistently outstanding recruitment of five species of fish to a seagrass bed in Botany Bay, NSW. *Australian Journal of Ecology* **17**, 359-366.

- *McVerry, S. (1996). A Socio-economic Evaluation of the Clarence River Commercial Fisheries. Unpublished undergraduate study, Faculty of Resource Science and Management, Southern Cross University.
- Marchant, S. and Higgins, P.J. (1993). *Handbook of Australian, New Zealand and Antarctic Birds*. Oxford University Press, Melbourne.
- *Marine Parks Authority (2000). Draft Framework for Establishing a System of Marine Protected Areas in NSW. NSW Fisheries and National Parks and Wildlife Service, June 2000. 64 pp.
- *Mather, G. (1993). *Aquaculture: an Australian Environmental Review*. Total Environment Centre Inc., Sydney. 88 pp.
- *MCFFA (1999). National Policy for the Translocation of Live Aquatic Organisms – Issues, Principles and Guidelines for Implementation. Ministerial Council on Forestry, Fisheries and Aquaculture, Canberra. ACT. 31 pp.
- Merrick, J.R. and Schmida, G.E. (1984). *Australian Freshwater Fishes Biology and Management*. Griffin Press, South Australia. 409 pp.
- Middleton, M.J., Bell, J.D., Burchmore, J.J., Pollard, D.A. and Pease, B.C. (1984). Structural differences in the fish communities of *Zostera capricorni* and *Posidonia australis* seagrass meadows in Botany Bay, New South Wales. *Aquatic Botany* **18**, 89-109.
- Montgomery, S.S. (1990). Movements of juvenile eastern king prawns *Penaeus plebejus*, and identification of stock along the east coast of Australia. *Fisheries Research* **9**, 189-208.
- *Montgomery, S.S. (2000). Status of eastern king and school prawn stocks. **In:** *Proceedings of Juvenile Prawn Summit June 26-27*. NSW Fisheries Publication. Sydney. pp. 28-47.
- *Montgomery, S.S. and McDonall, V.C. (1988). A Summary of Research Conducted on Estuarine Prawn Trawl Fisheries in New South Wales and Recommendations for their Future Management. Fisheries Research Institute Internal Report, 46. 177 pp.
- *Montgomery, S.S. and Reid, D.D. (1995). Assessment of Recreational Fishing of Prawn Stocks on the Commercial Fishery for Prawns off New South Wales. Final report to the Fisheries Research and Development Corporation. Project 91/88. NSW Fisheries, Sydney.
- *Montgomery, S.S., Courtney, A.J., Andrew, N.L., Die, D.J., Cosgrove, M.G. and Blount, C. (1995). Patterns in the distribution and abundance of female eastern king prawns, *Penaeus plebejus*, spawning condition in waters off eastern Australia. **In:** *Proceedings of the Workshop on Spawning Stock-recruitment Relationships (SRRs) in Australian Crustacean Fisheries* (eds. Courtney, A.J. and Cosgrove, M.G.) pp. 93. Department of Primary Industries, Queensland.
- *Moran, M.J., Jenke, J., Cassels, G. and Nowara, G. (1995). Research for Allocation of North-west Marine Finfish among Diverse User Groups. Fisheries Department of Western Australia, Draft Final Report to FRDC Project 91/28. 72 pp.
- Morrisey, D.J. (1995). Saltmarshes. **In:** *Coastal Marine Ecology of Temperate Australia* (eds. Underwood, A.J. and Chapman, M.G.) pp. 205-220. UNSW Press.
- Morrisey, D.J., Howitt, L., Underwood, A.J. and Stark, J.S. (1992a). Spatial variation in soft-sediment benthos. *Marine Ecology Progress Series* **81**, 197-204.
- Morrisey, D.J., Underwood, A.J., Howitt, L. and Stark, J.S. (1992b). Temporal variation in soft-sediment benthos. *Journal of Experimental Marine Biology and Ecology* **164**, 233-245.

- Morton, R.M., Pollock, B.R. and Beumer, J.P. (1987). The occurrence and diet of fishes in a tidal inlet to a saltmarsh in southern Moreton Bay, Queensland. *Australian Journal of Ecology* **12**, 217-237.
- Murphy, G. I. (1980). Schooling and ecology and management of marine fish. **In:** *Fish Behaviour and its Use in the Capture and Culture of Fishes* (eds. Bardach, J.E., Magnuson, J.E., May, J.J. and Reinhart, R.C.J.M.) *ICLARM Conference Procedures* **5**, 400-414.
- *NSW Department of Public Works and Services (1992). Draft Estuary Management Manual. NSW Government Printer. 194 pp.
- *NSW Fisheries (1996). Licencing Policy. NSW Fisheries, Sydney. November, 1996.
- *NSW Fisheries (1999a). Policy and Guidelines Aquatic Habitat Management and Fish Conservation 1999. (eds. Smith, A.K. and Pollard, D.A.) NSW Fisheries, Port Stephens Research Centre. 86 pp.
- *NSW Fisheries (1999b). Policy and Guidelines for Bridges, Roads, Causeways, Culverts and Similar Structures 1999. (eds. Fairfull, S. and Carter, S.) NSW Fisheries, Sydney. 19 pp.
- *NSW Fisheries (1999c). Fishery Profile: Estuary Prawn Trawl. NSW Fisheries, Sydney. 12 pp.
- *NSW Fisheries (2000a). NSW Fisheries 2000 Research Report. Internal Report. Cronulla Fisheries Centre, Sydney. 499 pp.
- *NSW Fisheries (2000b). North Coast Aquaculture Strategy. NSW Fisheries.
- *NSW Fisheries (2000c). Indigenous Fisheries Strategy, Working Paper. NSW Fisheries, Sydney.
- *NSW Fisheries (2001a). Status of Fisheries Resources 2000. Internal report. Cronulla Fisheries Centre, Sydney. 306 pp.
- *NSW Fisheries (2001b). Consultation Paper - Selection Process for Candidate Aquatic Reserves for Rocky Shores and Estuaries (Batemans Shelf and Hawkesbury Shelf Bioregions). NSW Fisheries, Office of Conservation. 64 pp.
- *NSW National Parks and Wildlife Service, (2000a). Recovery Plan for the Endangered Population of Little Penguins (*Eudyptula minor*) at Manly. NSW NPWS, Hurstville.
- *NSW National Parks and Wildlife Service, (2000b). Little Tern (*Sterna albifrons*), draft recovery plan. NSW NPWS, Hurstville.
- *O'Loughlin, E., Roberts, D. and Sainty, G. (1999). Guidelines to Management of Wetlands in Lower South Coast, NSW. Sainty and Associates Pty. Ltd. Sydney. 34 pp.
- Ott, W.R. (1978). *Environmental Indices – Theory and Practice*. Ann Arbor Science, Ann Arbor, MI.
- *Otway, N.M. and Macbeth, W.G. (1999). Physical Effects of Hauling on Seagrass Beds. FRDC Project Nos. 95/149 & 96/286. NSW Fisheries Final Report Series No. 15. Cronulla Fisheries Centre, Sydney. 86 pp.
- *Paton, D.C., Ziembicki, M., Owen, P. and Heddle, C. (2000). Disturbance Distances for Waterbirds and the Management of Human Recreation with Special Reference to the Coorong Region of South Australia. Report prepared by The University of Adelaide, South Australia for the Migratory Waterbird component of the National Wetlands Program.

- Patterson, K., Cook, R., Darby, C., Gavaris, S., Laurence, K., Lewy, P., Mesnil, B., Punt, A., Restrepo, V., Skagen, D.W. and Stefansson, G. (2001). Estimating uncertainty in fish stock assessment and forecasting. *Fish and Fisheries* **2**, 125-157.
- Pauly, D. (1988). Fisheries research and the demersal fisheries of southeast Asia. **In:** *Fish Population Dynamics*, 2nd edn. (ed. Gulland, J.A.) pp. 329-348. John Wiley and Sons, Chichester.
- Pauly, D., Christensen, V., Dalsgaard, J., Froese, R. and Torres, F.Jr (1998). Fishing down marine food webs. *Science* **279**, 860-863.
- *Pease, B.C. and Grinberg, A. (1995). New South Wales Commercial Fisheries Statistics 1940-1992. NSW Fisheries, Cronulla. 351 pp.
- Peters, R.H. (1991). *A critique for ecology*. Cambridge University Press, Cambridge, United Kingdom.
- Pilskaln, C.H., Churchill, J.H. and Mayer, L.M. (1998). Resuspension of sediment bottom trawling in the Gulf of Maine and potential geochemical consequences. *Conservation Biology* **12(6)**, 1223-1229.
- Pizzey, G. and Doyle, R. (1984). *A Field Guide to the Birds of Australia*. Collins, Sydney. 460 pp.
- *Pogonoski, J.J., Pollard, D.A. and Paxton, J.R. (in preparation). Conservation Overview and Action Plan for Australian Threatened and Potentially Threatened Marine and Estuarine Fishes. Report to Environment Australia Biodiversity Group by the NSW Fisheries Research Institute and the Australian Museum.
- *Poiner, I.R. and Peterken, C. (1995). Seagrasses. **In:** *The State of the Marine Environment Report for Australia. Technical Annex 1: The Marine Environment* (eds. Zann, L.P. and Kailola, P.) pp. 107-117. Great Barrier Reef Marine Park Authority, Townsville.
- Pollard, D.A. (1984). A review of ecological studies on seagrass-fish communities, with particular reference to Australia. *Aquatic Botany* **18**, 3-42.
- Pollard, D.A. (1989). Artificial habitats for fisheries enhancement in the Australian region. *Marine Fisheries Review* **51(4)**, 11-26.
- *Pollard, D. A. (1991). Spatial and temporal variability in the recruitment of a common estuarine fish, the yellowfin bream (*Acanthopagrus australis*, Sparidae), in south-eastern Australia. **In:** *Recruitment processes, Australian Society for Fish Biology Workshop Proceedings No. 16*, (ed. Hancock, D.A.) pp. 85-88. Australian Government Publishing Service.
- Pollard, D.A. and Hutchings, P.A. (1990a). A review of exotic marine organisms introduced into the Australian region. I, Fishes. *Asian Fisheries Science* **3**, 205-221.
- Pollard, D.A. and Hutchings, P.A. (1990b). A review of exotic marine organisms introduced into the Australian region. II, Invertebrates and Algae. *Asian Fisheries Science* **3**, 223-250.
- Pollard, P.C. and Moriarty, D.J.W. (1991). Organic carbon decomposition, primary and bacterial productivity, and sulphate reduction in tropical seagrass beds of the Gulf of Carpentaria, Australia. *Marine Ecology Progress Series* **69**, 149-159.
- *Pollard, D.A. and Grouns, I.O. (1993). The Fish and Fisheries of the Hawkesbury-Nepean River System, with Particular Reference to the Environmental Effects of the Water Board's Activities on this System. Interim report to the Water Board – April 1993. NSW Fisheries, Fisheries Research Institute, Cronulla. 291 p. plus appendices.

- Pollard, D.A. and Hannan, J.C. (1994). The ecological effects of structural flood mitigation works on fish habitats and fish communities in the lower Clarence River system of south-eastern Australia. *Estuaries* **17**(2), 427-461.
- *Powell, R.A., Jensen, R. and Horwood, L. (1989). The Effects of Policy Change on South-East Trawl Fishing Communities. Report to the Steering Committee on Long-Term Management of the South East Trawl Fishery. University of New England and Department of Primary Industries and Energy, Canberra.
- Quigley, M.P. and Hall, J.A. (1999). Recovery of macrobenthic communities after maintenance dredging in the Blyth Estuary, north-east England. *Aquatic Conservation: Marine and Freshwater Ecosystems* **9**, 63-73.
- *Racek, A.A., (1959). Prawn investigations in eastern Australia. *Research Bulletin State Fisheries, New South Wales* **6**, 1-57.
- Rainer, S.F. (1982). Trophic structure and production in the macrobenthos of a temperate Australian estuary. *Estuarine, Coastal and Shelf Science* **15**, 423-441.
- Roach, A.C. (1997). The effect of acid water inflow on estuarine benthic and fish communities in the Richmond River, NSW Australia. *Australian Journal of Ecotoxicology* **3**, 25-56.
- *Robertson, A.I. and Alongi, D.M. (1995). Mangrove systems in Australia: structure, function and status. **In:** *The State of the Marine Environment Report for Australia, Technical Annex 1: The Marine Environment* (eds. Zann, L.P. and Kailola, P.) pp. 119-133. Great Barrier Reef Marine Park Authority, Townsville.
- Robertson, A.I., Dixon, P. and Daniel, P.A. (1988). Zooplankton dynamics in mangrove and other nearshore habitats in tropical Australia. *Marine Biology* **96**, 193-206.
- Rooker, J.R. and Dennis, G.D. (1991). Diel, lunar and seasonal changes in a mangrove fish assemblage of southwestern Puerto Rico. *Bulletin of Marine Science* **49**, 684-698.
- *Ross, G.J.B. (1996). Status of Australia's seabirds. **In:** *SOMER Technical Papers: Status of Marine Biodiversity* (ed. Zann, L.P.). The State of the Marine Environment Report for Australia. Technical Summary, 17. GBRMPA.
- Roughley, T.C. (1951). *Fish and Fisheries of Australia*. Angus and Robertson, Sydney.
- *Roy, P.S. (1982). Evolution of estuaries in N.S.W. Water Research Foundation of Australia Symposium paper. 27 pp.
- Roy, P.S. (1984). New South Wales estuaries: their origins and evolution. **In:** *Coastal Geomorphology in Australia* (ed. Thom, B.) pp. 99-121. Academic Press Australia.
- Roy, P.S., Thom, B.G. and Wright, L.D. (1980). Holocene sequences on an embayed high-energy coast: an evolutionary model. *Sedimentary Geology* **26**, 1-19.
- Roy, P.S, Williams, R.J., Jones, A.R., Yassini, I., Gibbs, P.J., Coates, B., West, R.J., Scanes, P.R., Hudson, J.P., and Nichol, S. (2001). Structure and function of southeast Australian estuaries. *Estuarine, Coastal and Shelf Science* **56**, (in press).
- *Roy Morgan (1999). Recreational Fishing Licence Survey of 500 Persons in the Community. Confidential Document Prepared for NSW Fisheries, Roy Morgan Research, Sydney.
- *Roy Morgan (2001a). Social Survey Results. Unpublished Research, Roy Morgan Research, Sydney.

- *Roy Morgan (2001b). Economic Survey Results. Unpublished Research, Roy Morgan Research, Sydney.
- *Ruello, N.V. (1969). Hunter region prawn fishery. *Fisherman* **3(5)**, 20-24.
- *Ruello, N.V. (1971). Some Aspects of the Ecology of the School Prawn *Metapenaeus macleayi* in the Hunter region of New South Wales. MSc Thesis, University of Sydney. 145 pp.
- Ruello, N.V. (1973a). Burrowing, feeding and spatial distribution of the school prawn *Metapenaeus macleayi* (Haswell) in the Hunter River region, Australia. *Journal of Experimental Marine Biology and Ecology* **13**, 189-206.
- Ruello, N.V. (1973b). Influence of rainfall on the distribution and abundance of the school prawn *Metapenaeus macleayi* (Haswell) in the Hunter River region, Australia. *Marine Biology* **23**, 221-228.
- *Ruello, N.V. (1975a). An historical review and annotated bibliography of prawns and the prawning industry in Australia. **In:** *First Australian National Prawn Seminar* (ed. Young, P.C.). Australian Government Printing Service, Canberra, Australia. 345 pp.
- *Ruello, N.V. (1975b). Biological research and management of prawn fisheries in New South Wales. **In:** *First Australian National Prawn Seminar* (ed. Young, P.C.) pp. 222-233. Australian Government Printing Service, Canberra.
- Ruello, N.V. (1975c). Geographic distribution, growth and breeding migration of the eastern Australian king prawn *Penaeus plebejus* Hess. *Australian Journal of Marine and Freshwater Research* **26**, 348-354.
- Ruello, N.V. (1977). Migration and stock studies on the Australian school prawn *Metapenaeus macleayi*. *Marine Biology* **41**, 185-190.
- *Ruello, N.V. (1996). A Study of the Demand and Importance of Seafood Sourced in NSW and Elsewhere to the Catering and Tourism Industries in NSW. FRDC, NSW. 157 pp.
- *Ruello & Associates Pty. Ltd. (2000). Retail Sale and Consumption of Seafood. Report prepared for the Fisheries Research and Development Corporation. July 2000. 14 pp.
- *Saila, S.B. (1983). Importance and Assessment of Discards in Commercial Fisheries. FAO Fisheries Circular, 765. 62 pp.
- *Sainsbury, K.J., Campbell, R.A. and Whitelaw, A.W. (1993). Effects of trawling on the marine habitat on the north west shelf of Australia and implications for sustainable fisheries management. **In:** *Proceedings of Australian Society for Fish Biology Workshop "Sustainable Fisheries through Sustaining Fish Habitat"* (ed. Hancock, D.A.) pp. 137-145. Department of Primary Industries and Energy, Bureau of Resource Sciences, Australian Government Publishing Service, Canberra. August, 1992.
- Sainsbury, K.J., Campbell, R.A., Lindholm, R. and Whitelaw, A.W. (1997). Experimental management of an Australian multi-species fishery: Examining the possibility of trawl induced habitat modification. **In:** *Global Trends: Fisheries Management*. pp. 107-112. John Wiley and Son.
- Saintilan, N. and Williams, R.J. (1999). Mangrove transgression into saltmarsh environments in south-east Australia. *Global Ecology and Biogeography* **8**, 117-124.

- Salini, J.P., Blaber, S.J.M. and Brewer, D.T. (1990). Diets of piscivorous fishes in a tropical Australian estuary, with special reference to predation on penaeid prawns. *Marine Biology* **105**, 363-374.
- *Sammut, J., Callinan, R.B. and Fraser, G.C. (1993). The impact of acidified water on freshwater and estuarine fish populations in acid sulphate soil environments. **In:** *Proceedings of National Conference on Acid Sulphate Soils*. pp 26-36. Coolongatta, Australia.
- Sammut, J., Melville, M.D., Callinan, R.B. and Fraser, G.C. (1995). Estuarine acidification: impacts on aquatic biota of draining acid sulphate soils. *Australian Geographical Studies* **33(1)**, 89-100.
- Sammut, J., White, I. and Melville, M.D. (1996). Acidification of an estuarine tributary in eastern Australia due to drainage of acid sulphate soils. *Marine and Freshwater Research* **47**, 669-684.
- *Scandol, J.P. and Forrest, R.E. (2001). Modelling Services for the NSW Estuary General Fishery. Draft Report for NSW Fisheries July 2001. Centre for Research on Ecological Impacts of Coastal Cities, University of Sydney, NSW. 114 pp.
- *Scanes, P.R. (1988). The Impact of Eraring Power Station on the Fish and Fisheries of Lake Macquarie. Report prepared for the Electricity Commission of New South Wales. New South Wales Fisheries, Fisheries Research Institute, Sydney, Australia. 111 pp.
- Scanes, P.R. and Scanes, K. (1995). Environmental problems due to disposal of wastes. **In:** *Coastal Marine Ecology of Temperate Australia*. (eds. Underwood, A.J. and Chapman, M.G.) pp. 297-310. UNSW Press.
- Schwinghamer, P., Gordon Jr, D.C., Rowell, T.W., Prena, J., McKeown, D.L., Sonnichsen, G. and Guigne, J.Y. (1998). Effects of experimental otter trawling on surficial sediment properties of a sandy-bottom ecosystem on the Grand Banks of Newfoundland. *Conservation Biology* **12(6)**, 1215-1222.
- Scoffin, T.P. (1970). The trapping and binding of subtidal carbonate sediments by marine vegetation in Bimini Lagoon, Bahamas. *Journal of Sedimentary Petrology* **40**, 249-273.
- *Shafer, D.J. and Lundin, J. (1999). Design and Construction of Docks to Minimise Seagrass Impacts. WRP Technical Notes Collection (TN WRP-VN-RS-3.1), U.S. Army Engineer Research and Development Center, Vicksburg, MS. 6 pp.
- Shepherd, S.A., McComb, A.J., Bulthuis, D.A., Neverauskas, V., Steffensen, D.A. and West, R. (1989). Decline of seagrasses. **In:** *Biology of Seagrasses* (eds. Larkum, A.W.D., McComb, A.J., and Shepherd, S.A.) pp. 346-393. Elsevier, Amsterdam.
- Sheridan, A.K. (1995). The genetic impacts of human activities on wild fish populations. *Reviews in Fisheries Science* **3(2)**, 91-108.
- *Sherman, B. (2000). Scoping Options for Mitigating Cold Water Discharges from Dams. Report to: Agriculture, Fisheries and Forestry – Australia, NSW Fisheries, CRC for Freshwater Ecology, and NSW Department of Land and Water Conservation as part of the NHT Murray-Darling 2001 Fish Rehab Program. Consultancy Report 00/21. CSIRO Land and Water, Canberra. May 2000.
- *Shotter, N., O'Donnell, M., Steetsel, P. and Birch, G.F. (1995). The environmental status of a large NSW estuary under threat - the Hawkesbury River System. **In:** *Proceedings of the 29th*

Newcastle Symposium on “Advances in the study of the Sydney Basin”. pp. 59-65.
Department of Geology, University of Newcastle.

- Simenstad, C.A. and Thom, R.M. (1996). Functional equivalency trajectories of the restored Gog-Le-Hi-Te estuarine wetland. *Ecological Applications* **6(1)**, 38-56.
- Simpson, K. and Day, N. (1996). *Field Guide to the Birds of Australia (5th ed)*. Penguin Books, Australia. 440 pp.
- Skilleter, G.A. (1995). Environmental disturbances. **In:** *Coastal Marine Ecology of Temperate Australia* (eds. Underwood, A.J. and Chapman, M.G.) pp. 263-276. UNSW Press.
- *Smith, A., Pollard, D. and Gillanders, B. (1996). The Blue Groper in NSW. Fishnote DF/63. NSW Fisheries, Sydney. 2 pp.
- *State Pollution Control Commission (SPCC) (1979). Effects of Dredging on Macrobenthic Infauna of Botany Bay. Environmental Control Study of Botany Bay. Sydney, Australia. Report No. BBS 10. 55 pp.
- *State Pollution Control Commission (SPCC) (1981a). The Ecology of Fish in Botany Bay - Community Structure. Environmental Control Study of Botany Bay. SPCC, Sydney, Australia. Report No. BBS 23A. 127 pp.
- *State Pollution Control Commission (SPCC) (1981b). The Ecology of Fish in Botany Bay - Biology of Commercially and Recreationally Valuable Species. Environmental Control Study of Botany Bay. Sydney, Australia. Report No. BBS 23B. 287 pp.
- Stead, D.G. (1963). *Sharks and Rays of Australian Seas*. Angus and Robertson, Sydney. 211 pp.
- *Steffe, A.S. and Chapman, D.J. (in review). A Survey of Daytime Recreational Fishing During the Annual Period, March 1999 to February 2000, in Lake Macquarie, New South Wales.
- *Steffe, A.S., Murphy, J.J., Chapman, D.J., Tarlington, B.E., Gordon, G.N.G. and Grinberg, A. (1996a). An Assessment of the Impact of Offshore Recreational Fishing in New South Wales on the Management of Commercial Fisheries. FRDC Project No. 94/053.
- *Steffe, A.S., Staines, J.F. and Murphy, J.J. (1996b). Recreational Use of Fisheries Resources in Northern New South Wales. Natural Resources Audit Council Project S7.
- *Sullivan, M.E. (1982). Aboriginal Shell Middens in the Coastal Landscape of New South Wales. Thesis submitted for PhD, Australian National University.
- Suter, G.W. (1993). A critique of ecosystem health concepts and indexes. *Environmental Toxicology and Chemistry* **12**, 1533-1539.
- *Tamblyn, C. and Powell, R.A. (1988). Input and Output Study of the North Coast Agriculture and Fisheries Industries. NSW Department of Agriculture, Wollongbar.
- *Tanner, M. and Liggins, G.W. (2000). New South Wales Commercial Fisheries Statistics 1998/99. Fisheries Centre Cronulla. 21 pp.
- *Tanner, M. and Liggins, G.W. (2001). New South Wales Commercial Fisheries Statistics 1999/00 (draft). NSW Fisheries, Cronulla Fisheries Centre.

- Thomas, B.E. and Connolly, R.M. (2001). Fish use of subtropical saltmarshes in Queensland, Australia. Relationships with vegetation, water depth and distance onto the marsh. *Marine Ecology Progress Series* **209**, 275-288.
- *Thompson, G. and McEnally, J. (1985). Coastal Resource Atlas for Oil Spills in Port Jackson. State Pollution Control Commission, Sydney. 27 pp.
- Thorhaug, A. (1990). Restoration of mangroves and seagrasses – economic benefits for fisheries and mariculture. **In:** *Environmental Restoration Science and Strategies for Restoring the Earth* (ed. Berger, J.J.). Island Press, Washington.
- *Thorncraft, G. and Harris, J. (2000). Fish Passage and Fishways in New South Wales: A Status Report. Cooperative Research Centre for Freshwater Ecology Technical Report 1/2000.
- Thresher, R.E., Sainsbury, K.J., Gunn, J.S. and Whitelaw, A.W. (1986). Life history strategies and recent changes in population structure in the lizardfish genus *Saurida*, on the Australian Northwest Shelf. *Copeia* **4**, 876-885.
- Tuck, I.D., Hall, S.J., Robertson, M.R., Armstrong, E. and Basford, D.J. (1998). Effects of physical trawling disturbance in a previously unfished sheltered Scottish sea loch. *Marine Ecology Progress Series* **192**, 227-242.
- Underwood, A.J. (1989). The analysis of stress in natural populations. *Biological Journal of the Linnean Society* **37**, 51-78.
- Underwood, A.J. (1990). Experiments in ecology and management: their logics, functions and interpretations. *Australian Journal of Ecology* **15**, 365-389.
- Underwood, A.J. (1995). Ecological research and (and research into) environmental management. *Ecological Applications* **5**, 232-247.
- Underwood, A.J. (1998). Relationships between ecological research and environmental management. *Landscape and Urban Planning* **40**, 123-130.
- Underwood, A. J. and Kennelly, S.J. (1990). Pilot studies for designs of surveys of human disturbance of intertidal habitats in New South Wales. *Australian Journal of Marine and Freshwater Research* **41**, 165-173.
- Underwood, A.J., Chapman, M.G. and Connell, S.D. (2000). Observations in ecology: you can't make progress on processes without understanding the patterns. *Journal of Experimental Marine Biology and Ecology* **250**, 97-115.
- *Virgona, J.L. (1983). Lake Macquarie Fish Study. Report prepared for the Electricity Commission of New South Wales. NSW Fisheries, Cronulla. 131pp.
- *Virgona, J., Deguara, K., Sullings, D., Halliday, I. and Kelly, K. (1998). Assessment of the Stocks of Sea Mullet in New South Wales and Queensland Waters. FRDC Project No. 94/024, New South Wales Fisheries, Cronulla (Australia). 104 pp.
- Wassenberg, T.J. and Hill, B.J. (1987). Feeding by the sand crab *Portunus pelagicus* on material discarded from prawn trawlers in Moreton Bay, Australia. *Marine Biology* **95**, 387-393.
- Wassenberg, T.J. and Hill, B.J. (1989). The effect of trawling and subsequent handling on the survival rates of the by-catch of prawn trawlers in Moreton Bay, Australia. *Fisheries Research* **7**, 99-110.

- Wassenburg, T.J. and Hill, B.J. (1990). Partitioning of material discarded from prawn trawlers in Moreton Bay. *Australian Journal of Marine and Freshwater Research* **41(1)**, 27-36.
- Wassenburg, T.J. and Hill, B.J. (1993). Selection of the appropriate duration of experiments to measure the survival of animals discarded from trawlers. *Fisheries Research* **17**, 343-352.
- *Watford, F.A. and Williams, R.J. (1998). Inventory of Estuarine Vegetation in Botany Bay, with Special Reference to Change in the Distribution of Seagrass. NSW Fisheries Final Report Series No.11, NSW Fisheries.
- Watling, L. and Norse, E.A. (1998). Disturbance of the seabed by mobile fishing gear: a comparison to forest clearcutting. *Conservation Biology* **12(6)**, 1180-1197.
- Watson, R.A., Dredge, M.L.C. and Mayer, D.G. (1990). Spatial and seasonal variation in demersal trawl fauna associated with a prawn fishery on the Great Barrier Reef, Australia. *Australian Journal of Marine and Freshwater Research* **41**, 65-78.
- *West, R.J. (1985). Mangroves. Agfact F2.0.1. NSW Agriculture and Fisheries, Fisheries Research Institute, Cronulla. 15 pp.
- *West, R.J. (1989). Seagrasses. Agfact F2.0.2. NSW Agriculture and Fisheries, Fisheries Research Institute, Cronulla. 8 pp.
- West, R.J. and Gordon, G.N.G. (1994). Commercial and recreational harvest of fish from two Australian coastal rivers. *Australian Journal of Marine and Freshwater Research* **45(7)**, 1259-1279.
- *West, R.J., Thorogood, C., Walford, T. and Williams, R.J. (1985). An estuarine inventory for New South Wales, Australia. Fisheries Bulletin 2. Department of Agriculture New South Wales, Division of Fisheries, Sydney. 140 pp.
- Whitley, G.P. (1940). *The Fishes of Australia. Part 1: The Sharks, Rays, etc.* Royal Zoological Society of New South Wales, Sydney. 280 pp.
- *Willett, I.R., Melville, M.D. and White, I. (1993). Acid drainwaters from potential acid sulphate soils and their impact on estuarine ecosystems. **In: Selected Papers from the Ho Chi Minh City Symposium on Acid Sulphate Soils** (eds. Dent, D.L. and van Mensvoort, M.E.F.) ILRI Pubn. No. 53. pp 419-425.
- Williams, R.J. and Watford, F.A. (1996). An inventory of impediments to tidal flow in NSW estuarine fisheries habitat. *Wetlands (Australia)* **15(2)**, 44-54.
- *Williams, R.J., Henry, G.W., Murphy, J.J., Smith, A.K., Grima, D.M. and Harvey, J.R. (1993). Jervis Bay Marine Ecology Study. Project 9: Commercial and Recreational Fishing and Diving in Jervis Bay. NSW Fisheries, Cronulla NSW.
- *Williams, R.J., Hannan, J. and Balashov, V. (1995). Kooragang Wetland Rehabilitation Project: Fish, Decapod Crustaceans and their Habitats. First Interim Report, Summer 1993/94. NSW Fisheries, Fisheries Research Institute, Cronulla. 106 pp.
- Williams, R.J., Watford, F.A., Taylor, M.A. and Button, M.L. (1998). New South Wales coastal aquatic estate. *Wetlands (Australia)* **18**, 25-48.
- *Williams, R.J., Watford, F.A. and Balashov, V. (2000). Kooragang Wetland Rehabilitation Project: History of Changes to Estuarine Wetlands of the Lower Hunter River. NSW Fisheries Final Report Series, No.22. NSW Fisheries. 82 pp.

- Wilson, S.P. and Hyne, R.V. (1997). Toxicity of acid-sulphate soil leachate and aluminium to embryos of the Sydney rock oyster. *Ecotoxicology and Environmental Safety* **37**, 30-36.
- Yearsley, G.K., Last, P.R. and Ward, R.D. (1999). *Australian Seafood Handbook: An Identification Guide to Domestic Species*. CSIRO Marine Research, Australia.
- Young, P.C. (1981). Temporal changes in the vagile epibenthic fauna of two seagrass meadows (*Zostera capricorni* and *Posidonia australis*). *Marine Ecology Progress Series* **5**, 91-102.
- Young, P.C. and Carpenter, S.M. (1977). Recruitment of postlarval Penaeid prawns to nursery areas in Moreton Bay, Queensland. *Australian Journal of Marine and Freshwater Research* **28**, 754-773.
- *Zann, L.P. (1995). Our Sea, Our Future. Major findings of the State of the Marine Environment Report for Australia. Great Barrier Reef Marine Park Authority for the Department of the Environment, Sport and Territories, Ocean Rescue 2000 program. Commonwealth of Australia. 112 pp.
- *Zann, L.P. (1996). State of the Marine Environment Report for Australia: Technical Summary. Great Barrier Reef Marine Park Authority for the Department of the Environment, Sport and Territories, Ocean Rescue 2000 program. Commonwealth of Australia. 531 pp.