

8. REFERENCES

- Aasen O (1963) Length and growth of the porbeagle (*Lamna nasus*, Bonnaterre) in the North West Atlantic. Reports on Norwegian Fishery and Marine Investigations 13:20-37
- Akaike H (1973) Information theory as an extension of the maximum likelihood principle. In: Proceedings of the Second International Symposium on Information Theory Petrov BN, Csaki F (eds), Budapest, Hungary, p 267-281
- Angliss RP, DeMaster DP (1997) Differentiating serious and non-serious injury of marine mammals taken incidental to commercial fishing operations. Report of the Serious Injury Workshop 1-2 April 1997, Silver Spring, Maryland, p 1-53
- Arnason U, Gullberg A, Janke A (2001) Molecular phylogenetics of gnathostomous (jawed) fishes: old bones, new cartilage. Zoologica Scripta 30:249-255
- Arnault S (1987) Tropical Atlantic geostrophic currents and ship drifts. J Geophys Res C 92:5076-5088
- Arzoumanian Z, Holmberg J, Norman B (2005) An astronomical pattern-matching algorithm for computer-aided identification of whale sharks *Rhincodon typus*. Journal of Applied Ecology 42:999-1011
- Auckland JN, Debinski DM, Clark WR (2004) Survival, movement, and resource use of the butterfly *Parnassius clodius*. Ecological Entomology 29:139-149
- Baker CS, Slade RW, Bannister JL, Abernethy RB, Weinrich MT, Lien J, Urban J, Corkeron P, Calmabokidis J, Vasquez O, Palumbi SR (1994) Hierarchical Structure of Mitochondrial-DNA Gene Flow among Humpback Whales Megaptera-Novaeangliae, Worldwide. Molecular Ecology 3:313-327
- Barber PH, Palumbi SR, Erdmann MV, Moosa MK (2000) Biogeography - A marine Wallace's line? Nature 406:692-693
- Barber PH, Palumbi SR, Erdmann MV, Moosa MK (2002) Sharp genetic breaks among populations of *Haptosquilla pulchella* (Stomatopoda) indicate limits to larval transport: patterns, causes, and consequences. Molecular Ecology 11:659-674
- Bateson PPG (1977) Testing an observer's ability to identify individual animals. Animal Behaviour 25:247-248
- Baum JK, Kehler D, Myers RA (2005) Robust estimates of decline for pelagic shark populations in the northwest Atlantic and Gulf of Mexico. Fisheries 30:27-30
- Baum JK, Myers RA, Kehler DG, Worm B, Harley SJ, Doherty PA (2003) Collapse and conservation of shark populations in the Northwest Atlantic. Science 299:389-392
- Beck CA, McMillan JI, Bowen WD (2002) An algorithm to improve geolocation positions using sea surface temperature and diving depth. Marine Mammal Science 18:940-951
- Beckley LE, Cliff G, Smale MJ, Compagno LJV (1997) Recent strandings and sightings of whale sharks in South Africa. Environ Biol Fishes 50:343-348

- Beissinger SR, Westphal MI (1998) On the use of demographic models of population viability in endangered species management. *Journal of Wildlife Management* 62:821-841
- Belovsky GE, Botkin DB, Crowl TA, Cummins KW, Franklin JF, Hunter MLJ, Joern A, Lindenmayer DB, MacMahon JA, Margules CR, Scott JM (2004) Ten suggestions to strengthen the science of ecology. *BioScience* 54:345-351
- Benton TG, Grant A (1996) How to keep fit in the real world: elasticity analyses and selection pressures on life-histories in a variable environment. *American Naturalist* 147:115-139
- Bentzen P, Wright JM, Bryden LT, Sargent M, Zwaneburg KCT (1998) Tandem repeat polymorphism and heteroplasmy in the mitochondrial control region of redfishes (*Sebastes* : *Scorpaenidae*). *Journal of Heredity* 89:1-7
- Berube M, Aguilar A, Dendanto D, Larsen F, Di Sciara GN, Sears R, Sigurjonsson J, Urban-R J, Palsboll PJ (1998) Population genetic structure of North Atlantic, Mediterranean Sea and Sea of Cortez fin whales, *Balaenoptera physalus* (Linnaeus 1758): analysis of mitochondrial and nuclear loci. *Molecular Ecology* 7:585-599
- Bilgmann K, Griffiths OJ, Allen SJ, Moller LM (2007) A biopsy pole system for bow-riding dolphins: Sampling success, behavioral responses, and test for sampling bias. *Marine Mammal Science* 23:218-225
- Block BA, Dewar H, Blackwell SB, Williams TD, Prince ED, Farwell CJ, Boustany A, Teo SLH, Seitz A, Walli A (2001) Migratory movements, depth preferences, and thermal biology of Atlantic Bluefin Tuna. *Science* 293:1310
- Booth DJ (2004) Synergistic effects of conspecifics and food on growth and energy allocation of a damselfish. *Ecology* 85:2881-2887
- Bowditch N (1802) *The New American Practical Navigator*. E.M. Blunt for Brown & Stansbury, New York
- Bowen BW, Bass AL, Rocha LA, Grant WS, Robertson DR (2001) Phylogeography of the trumpetfishes (*Aulostomus*): Ring species complex on a global scale. *Evolution* 55:1029-1039
- Bowen BW, Bass AL, Soares L, Toonen RJ (2005) Conservation implications of complex population structure: lessons from the loggerhead turtle (*Caretta caretta*). *Molecular Ecology* 14:2389-2402
- Bowen BW, Clark AM, Abreu-Grobois FA, Chaves A, Reichart HA, Ferl RJ (1997) Global phylogeography of the ridley sea turtles (*Lepidochelys* spp.) as inferred from mitochondrial DNA sequences. *Genetica* 101:179-189
- Bowen BW, Muss A, Rocha LA, Grant WS (2006) Shallow mtDNA coalescence in atlantic pygmy angelfishes (Genus *Centropyge*) indicates a recent invasion from the Indian Ocean. *Journal of Heredity* 97:1-12
- Boyce MS (1992) Population viability analysis. *Annual Review of Ecology and Systematics* 23:481-506
- Bradshaw CJA, Barker RJ, Davis LS (2000) Modeling tag loss in New Zealand fur seal pups. *Journal of Agricultural, Biological, and Environmental Statistics* 5:475-485
- Bradshaw CJA, Barker RJ, Harcourt RG, Davis LS (2003) Estimating survival and capture probability of fur seal pups using multistate mark-recapture models. *Journal of Mammalogy* 84:65-80
- Bradshaw CJA, Evans K, Hindell M (2005) Mass cetacean strandings - a plea for empiricism. *Conservation Biology* 20:584-586

- Bradshaw CJA, Fitzpatrick BW, Steinberg CC, Brook BW, Meekan MG (In press) The world's largest fish is getting smaller. *Biological Conservation*
- Bradshaw CJA, Mollet HF, Meekan MG (2007) Inferring population trends for the world's largest fish from mark-recapture estimates of survival. *J Anim Ecol* 76:480-489
- Brook BW, Bradshaw CJA (2006) Strength of evidence for density dependence in abundance time series of 1198 species. *Ecology* 87:1445-1451
- Brook BW, Burgman MA, Akçakaya HR, O'Grady JJ, Frankham R (2002) Critiques of PVA ask the wrong questions: throwing the heuristic baby out with the numerical bath water. *Conservation Biology* 16:262-263
- Brook BW, Traill LW, Bradshaw CJA (2006) Minimum viable population size and global extinction risk are unrelated. *Ecology Letters* 9:375-382
- Brown JR, Beckenbach K, Beckenbach AT, Smith MJ (1996) Length variation, heteroplasmy and sequence divergence in the mitochondrial DNA of four species of sturgeon (Acipenser). *Genetics* 142:525-535
- Brown MR, Corkeron PJ, Hale PT, Schultz KW, Bryden MM (1995) Evidence for a Sex-segregated migration in the Humpback Whale (Megaptera-Novaeangliae). *Proceedings of the Royal Society of London Series B-Biological Sciences* 259:229-234
- Burgess GH, Beerkircher LR, Cailliet GM, Carlson JK, Cortes E, Goldman KJ, Grubbs RD, Musick JA, Musyl MK, Simpfendorfer CA (2005a) Is the collapse of shark populations in the Northwest Atlantic Ocean and Gulf of Mexico real? *Fisheries* 30:19-26
- Burgess GH, Beerkircher LR, Cailliet GM, Carlson JK, Cortes E, Goldman KJ, Grubbs RD, Musick JA, Musyl MK, Simpfendorfer CA (2005b) Reply to "Robust estimates of decline for pelagic shark populations in the Northwest Atlantic and Gulf of Mexico". *Fisheries* 30:30-31
- Burks CM, Driggers WB, Mullin KD (2006) Abundance and distribution of whale sharks (*Rhincodon typus*) in the northern Gulf of Mexico. *Fishery Bulletin* 104:579-584
- Burnham KP, Anderson DR (2002) *Model Selection and Multimodal Inference: A Practical Information-Theoretic Approach*. Springer-Verlag, New York, USA
- Burnham KP, Anderson DR (2004) Understanding AIC and BIC in model selection. *Sociol Meth Res* 33:261-304
- Caddy JF, Mahon R (1995) *Reference Points for Fisheries Management*. Report No. 347, FAO Fisheries, Rome, Italy
- Cailliet GM, Mollet HF, Pittinger GG, Bedford D, Ntanson LJ (1992) Growth and demography of the Pacific angel shark (*Squatina californica*), based upon tag returns off California. *Australian Journal of Marine and Freshwater Research* 43:1313-1330
- Cao Y, Waddell PJ, Okada N, Hasegawa M (1998) The complete mitochondrial DNA sequence of the shark *Mustelus manazo*: Evaluating rooting contradictions to living bony vertebrates. *Molecular Biology and Evolution* 15:1637-1646
- Caputi N, Fletcher WJ, Pearce A, Chubb CF (1996) Effect of the Leeuwin Current on the recruitment of fish and invertebrates along the Western Australian coast. *Mar Freshw Res* 47:147-155

- Carlsson J, McDowell JR, Carlsson JEL, Graves JE (2007) Genetic identity of YOY bluefin tuna from the eastern and Western Atlantic spawning areas. *Journal of Heredity* 98:23-28
- Castro ALF, Rosa RS (2005) Use of natural marks on population estimates of the nurse shark, *Ginglymostoma cirratum*, at Atol das Rocas Biological Reserve, Brazil. *Environ Biol Fishes* 72:213-221
- Castro ALF, Stewart BS, Wilson SG, Hueter RE, Meekan MG, Motta PJ, Bowen BW, Karl SA (2007) Population genetic structure of Earth's largest fish, the whale shark (*Rhincodon typus*). *Molecular Ecology* 16:5183-5192
- Caswell H, Fujiwara M, Brault S (1999) Declining survival probability threatens the North Atlantic right whale. *Proceedings of the National Academy of Sciences of the United States of America* 96:3308-3313
- Caughley G (1994) Directions in conservation biology. *J Anim Ecol* 63:215-244
- Cavanagh RD, Kyne PM, Folwer SL, Musick JA, Bennett MB (2003) The Conservation Status of Australasian Chondrichthyans: Report of the IUCN Shark Specialist Group Australia and Oceania Regional Red List Workshop, IUCN Shark Specialist Group, Queensland, Australia
- Chamaillé-Jammes S, Fritz H, Valeix M, Murindagomo F, Clobert J (2008) Resource variability, aggregation and direct density dependence in an open context: the local regulation of an African elephant population. *J Anim Ecol* 77:135-144
- Chang WB, Leu MY, Fang LS (1997) Embryos of the whale shark, *Rhincodon typus*: early growth and size distribution. *Copeia* 1997:444-446
- Chang YP, Chang CC, Wang LW, Chen MT, Wang CH, Yu EF (1999) Planktonic foraminiferal sea surface temperature variations in the southeast Atlantic Ocean: A high-resolution record MD962085 of the past 400,000 years from the IMAGES II-NAUSICAA cruise. *Terrestrial Atmospheric and Oceanic Sciences* 10:185-200
- Chen C-T, Liu K-M, Joung S-J (1997a) Preliminary report on Taiwan's whale shark fishery. *TRAFFIC Bulletin* 17:53-57
- Chen CT, Liu KM, Chang YC (1997b) Reproductive biology of the bigeye thresher shark, *Alopias superciliosus* (Lowe, 1839) (Chondrichthyes: Alopiidae), in the northwestern Pacific. *Ichthyological Research* 44:227-235
- Chen VY, Phipps MJ (2002) Management and Trade of Whale Sharks in Taiwan. A TRAFFIC East Asia Report:1-35
- Chenoweth SF, Hughes JM (2003) Oceanic interchange and nonequilibrium population structure in the estuarine dependent Indo-Pacific tasselfish, *Polynemus sheridani*. *Molecular Ecology* 12:2387-2397
- CITES (2002) CITES Appendix II nomination of the Whale Shark, *Rhincodon typus*. Proposal 12.35. CITES Resolutions of the Conference of the Parties in effect after the 12th Meeting, Santiago, Chile
- Clark E, Nelson DR (1997) Young whale sharks, *Rhincodon typus*, feeding on a copepod bloom near La Paz, Mexico. *Environ Biol Fishes* 50:63-73
- CMS (2005) Bullet Summary of the Dialogue on Whale Shark Conservation. 8th Meeting of the Conference of the Parties, Bangkok
- Coates AG, Obando JA (1996) The geologic evolution of the Central American isthmus. In: Evolution and environment in tropical America. Jackson JBC, Budd AF, Coates AG (eds). University of Chicago Press, Chicago, p 21-56

- Cochran ME, Ellner S (1992) Simple methods for calculating age-based life history parameters for stage-structured populations. *Ecol Monog* 62:345-364
- Colman JG (1997) A review of the biology and ecology of the whale shark. *J Fish Biol* 51:1219-1234
- Compagno LJV (1984) *Sharks of the world, Part 1: Hexanchiformes to Lamniformes*, Rome
- Compagno LJV (2001) *Sharks of the world: an annotated and illustrated catalogue of shark species known to date. Volume 2 Bulhead, mackerel and carpet sharks (Heterodontiformes, Lamniformes and Orectolobiformes)*, Food and Agriculture Organization of the United Nations, Rome, Italy
- Conover DO, Munch SB (2002) Sustaining fisheries yields over evolutionary time scales. *Science* 297:94-96
- Corcoran MJ, Gruber SH (1999) The Use of Photoidentification to Study Social Organization of the Spotted Eagle Ray, *Aetobatus narinari* (Euphrasen 1790), at Bimini, Bahamas: A Preliminary Report. *Bahamas Journal of Science* 7:21-27
- Cormack RM (1964) Models for capture-recapture. *Biometrika* 51:429-438
- Cortés E (2002) Incorporating uncertainty into demographic modeling: application to shark populations and their conservation. *Conservation Biology* 16:1048-1062
- Craig AS, Herman LM (1997) Sex differences in site fidelity and migration of humpback whales (*Megaptera novaeangliae*) to the Hawaiian Islands. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 75:1923-1933
- Craig MT, Eble JA, Bowen BW, Robertson DR (2007) High genetic connectivity across the Indian and Pacific Oceans in the reef fish *Myripristis berndti* (Holocentridae). *Marine Ecology-Progress Series* 334:245-254
- Dalebout ML, Robertson KM, Frantzis A, Engelhaupt D, Mignucci-Giannoni AA, Rosario-Delestre RJ, Baker CS (2005) Worldwide structure of mtDNA diversity among Cuvier's beaked whales (*Ziphius cavirostris*): implications for threatened populations. *Molecular Ecology* 14:3353-3371
- Davis D (1998) Whale shark tourism in Ningaloo Marine Park, Australia. *Anthrozoos* 11:5-11
- Davis D, Banks S, Birtles A, Valentine P, Cuthill M (1997) Whale sharks in Ningaloo Marine Park: managing tourism in an Australian marine protected area. *Tour Manage* 18:259-271
- de Little SC, Bradshaw CJA, McMahon CR, Hindell MA (2007) Complex interplay between intrinsic and extrinsic drivers of long-term survival trends in southern elephant seals. *BMC Ecology* 7:3
- Delarbre C, Spruyt N, Delmarre C, Gallut C, Barriel V, Janvier P, Laudet V, Gachelin G (1998) The complete nucleotide sequence of the mitochondrial DNA of the dogfish, *Scyliorhinus canicula*. *Genetics* 150:331-344
- Delong RL, Stewart BS, Hill RD (1992) Documenting migrations of northern elephant seals using day length. *Marine Mammal Science* 8:155-159
- Domeier ML, Kiefer D, Nasby-Lucas N, Wagschal A, O'Brien F (2005) Tracking Pacific bluefin tuna (*Thunnus thynnus orientalis*) in the northeastern Pacific with an automated algorithm that estimates latitude by

- matching sea-surface-temperature data from satellites with temperature data from tags on fish. *Fish Bull* 103:292-306
- Domeier ML, Nasby-Lucas N (2006) Annual re-sightings of photographically identified White Sharks (*Carcharodon carcharias*) at an eastern Pacific aggregation site (Guadalupe Island, Mexico). *Mar Biol DOI* 10/1007/s00227-006-0380-7
- Drake JM (2005) Density-dependent demographic variation determines extinction rate of experimental populations. *PLoS Biology* 3:e222
- Duffy CAJ (2002) Distribution, seasonality, lengths, and feeding behaviour of whale sharks (*Rhincodon typus*) observed in New Zealand waters. *N Z J Mar Freshw Res* 36:565-570
- Dulvy NK, Sadovy Y, Reynolds JD (2003) Extinction vulnerability in marine populations. *Fish Fish* 4:25-64
- Duncan KM, Martin AP, Bowen BW, De Couet HG (2006) Global phylogeography of the scalloped hammerhead shark (*Sphyrna lewini*). *Molecular Ecology* 15:2239-2251
- Eckert SA (2002) Distribution of juvenile leatherback sea turtle *Dermochelys coriacea* sightings. *Marine Ecology-Progress Series* 230:289-293
- Eckert SA, Dolar LL, Kooyman GL, Perrin W, Rahman RA (2002) Movements of whale sharks (*Rhincodon typus*) in South-east Asian waters as determined by satellite telemetry. *J Zool* 257:111-115
- Eckert SA, Stewart BS (2001) Telemetry and satellite tracking of whale sharks, *Rhincodon typus*, in the Sea of Cortez, Mexico, and the north Pacific Ocean. *Environ Biol Fishes* 60:299-308
- Ellner SP, Fieberg J, Ludwig D, Wilcox C (2002) Precision of Population Viability Analysis. *Conservation Biology* 16:258-261
- Evans PGH (2003) EUROPHLUKES Database Specifications Handbook. <http://www.europhlukes.net>.
- Excoffier L, Laval G, Schneider S (2005) Arlequin ver. 3.0: An integrated software package for population genetics data analysis. *Evolutionary Bioinformatics Online* 1:47-50
- Excoffier L, Smouse PE, Quattro JM (1992) Analysis of molecular variance inferred from etric distances among DNA haplotypes - Application to human mitochondrial-DNA restriction data. *Genetics* 131:479-491
- Fagan WF, Holmes EE (2006) Quantifying the extinction vortex. *Ecology Letters* 9:51-60
- Fancy SG, Pank LF, Douglas DC, Curby CH, Garner GW, Amstrup SC, Regelin WL (1988) Satellite telemetry: a new tool for wildlife research and management. *US Fish and Wildlife Service Research Publications* 172:1-54
- Felsenstein J (1985) Confidence limits on phylogenies: An approach using the bootstrap. *Evolution* 39:783-791
- Fiedler PC, Bernard HJ (1987) Tuna aggregation and feeding near fronts observed in satellite imagery. *Continental Shelf Research* 7:871-881
- Field IC, Bradshaw CJA, Burton HR, Sumner MD, Hindell MA (2005) Resource partitioning through oceanic segregation of foraging juvenile southern elephant seals. *Oecologia* 142:127-135
- Fitzpatrick B, Meekan M, Richards A (2006) Shark attacks on a whale shark (*Rhincodon typus*) at Ningaloo Reef, western Australia. *Bull Mar Sci* 78:397-402

- Flores JA, Gersonde R, Sierro FJ (1999) Pleistocene fluctuations in the Agulhas Current Retroflexion based on the calcareous plankton record. *Marine Micropaleontology* 37:1-22
- Food and Agriculture Organisation of the United Nations (2006) *The State of the World Fisheries and Aquaculture 2006*, FAO, Rome
- Fowler SL (2000) Whale shark *Rhincodon typus*. Policy and research scoping study, Nature Conservation Bureau, Newbury, United Kingdom
- Friday N, Smith TD, Stevick PT, Allen J (2000) Measurement of Photographic Quality and Individual Distinctiveness for the Photographic Identification of Humpback Whales, *Megaptera novaengliae*. *Marine Mammal Science* 16:355-374
- Frisk MG, Miller TJ, Fogarty MJ (2001) Estimation and analysis of biological parameters in elasmobranch fishes: a comparative life history study. *Can J Fish Aquat Sci* 58:969-981
- Frisk MG, Miller TJ, Fogarty MJ (2002) The population dynamics of little skate *Leucoraja erinacea*, winter skate *Leucoraja ocellata*, and barndoor skate *Dipturus laevis*: predicting exploitation limits using matrix analyses. *Ices Journal of Marine Science* 59:576-586
- Fu YX (1997) Statistical tests of neutrality of mutations against population growth, hitchhiking and background selection. *Genetics* 147:915-925
- Fujii T, Nishida M (1997) High sequence variability in the mitochondrial DNA control region of the Japanese flounder *Paralichthys olivaceus*. *Fisheries Science* 63:906-910
- Fujiwara M, Caswell H (2001) Demography of the endangered North Atlantic right whale. *Nature* 414:537-541
- Gallucci VF, Taylor IG, Erzini K (2006) Conservation and management of exploited shark populations based on reproductive value. *Can J Fish Aquat Sci* 63:931-942
- Garcia-Perea P (2000) Survival of injured Iberian lynx (*Lynx pardinus*) and non-natural mortality in central-southern Spain. *Biological Conservation* 93:265-269
- Gauthier-Clerc M, Gendner JP, Ribic CA, Fraser WR, Woehler EJ, Descamps S, Gilly C, Le Bohec C, Le Maho Y (2004) Long-term effects of flipper bands on penguins. *Proceedings of the Royal Society of London Series B-Biological Sciences* 271:S423-S426
- Gerrodette T (1987) A power analysis for detecting trends. *Ecology* 68:1364-1372
- Gibbons MJ, Thibault-Botha D (2002) The match between ocean circulation and zoogeography of epipelagic siphonophores around southern Africa. *Journal of the Marine Biological Association of the United Kingdom* 82:801-810
- Graham RT (2004) Global whale shark tourism: a "golden goose" of sustainable and lucrative income. *Shark News Newsletter of the IUCN Shark Specialist Group* 16:8-9
- Graham RT, Roberts CM (2007) Assessing the size, growth rate and structure of a seasonal population of whale sharks (*Rhincodon typus* Smith 1828) using conventional tagging and photo identification. *Fisheries Research* 84:71-80
- Graham RT, Roberts CM, Smart JCR (2006) Diving behaviour of whale sharks in relation to a predictable food pulse. *J R Soc Interface* 3:109-116

- Grant A, Benton TG (2000) Elasticity analysis for density-dependent populations in stochastic environments. *Ecology* 81:680-693
- Graves JE, McDowell JR (2003) Stock structure of the world's istiophorid billfishes: a genetic perspective. *Mar Freshw Res* 54:287-298
- Greenstreet SPR, Rogers SI (2006) Indicators of the health of the North Sea fish community: identifying reference levels for an ecosystem approach to management. *ICES Journal of Marine Science* 63:573-593
- Gruber SH, de Marignac JR, Hoenig JM (2001) Survival of juvenile lemon sharks (*Negaprion brevirostris*) at Bimini, Bahamas, estimated by mark-depletion experiments. *Transactions of the American Fisheries Society* 130:376-384
- Gudger EW (1940) Whale sharks rammed by ocean vessels. How these sluggish leviathans aid in their own destruction. *New England Naturalist* 7:1-10
- Gunn J, Polacheck T, Davis T, Sherlock M, Betlehem A (1994) The development and use of archival tags for studying the migration, behaviour and physiology of southern bluefin tuna, with an assessment of the potential for transfer of the technology to groundfish research. *ICES Proc Mini Symp on Fish Migration* 21:1-23
- Gunn JS, Patterson TA, Pepperell JG (2003) Short-term movement and behaviour of black marlin *Makaira indica* in the Coral Sea as determined through a pop-up satellite archival tagging experiment. *Marine & Freshwater Research* 54:515-525
- Gunn JS, Stevens JD, Davis TLO, Norman BM (1999) Observations on the short-term movements and behaviour of whale sharks (*Rhincodon typus*) at Ningaloo Reef, Western Australia. *Mar Biol* 135:553-559
- Hammond PS, Mizroch SA, Donovan GP (1990) Individual recognition of Cetaceans: Use of photo-identification and other techniques to Estimate Population Parameters, International Whaling Commission, Cambridge, Massachusetts
- Harpending HC (1994) Signature of ancient population-growth in a low-resolution mitochondrial-DNA mismatch distribution. *Human Biology* 66:591-600
- Hartog JD, Reijns R (2004) I³S Manual-Interactive Raggie Identification System, Version 0.2.
- Hasegawa M, Kishino H, Yano T-A (1985) Dating of the human-ape splitting by a molecular clock of mitochondrial DNA. *Journal of Molecular Evolution* 22:160-174
- Hazin FHV, Fischer AF, Broadhurst MK, Veras D, Oliveira PG, Burgess GH (2006) Notes on the reproduction of *Squalus megalops* off northeastern Brazil. *Fisheries Research* 79:251-257
- Heist EJ (1999) A review of population genetics in sharks. *American Fishery Society Symposium* 23:161-168
- Heist EJ (2004) Genetics of sharks, skates and rays. In: *Biology of sharks and their relatives*. Carrier JC, Musick JA, Heithaus MR (eds). CRC Press, Boca Raton, FL, USA, p 471-485
- Heithaus MR (2001a) The biology of tiger sharks, *Galeocerdo cuvier*, in Shark Bay, Western Australia: sex ratio, size distribution, diet, and seasonal changes in catch rates. *Environ Biol Fishes* 61:25-36

- Heithaus MR (2001b) Shark attacks on bottlenose dolphins (*Tursiops aduncus*) in Shark Bay, Western Australia: attack rate, bite scar frequencies and attack seasonality. *Marine Mammal Science* 17:526-539
- Heppell SS, Caswell H, Crowder LB (2000) Life histories and elasticity patterns: perturbation analysis for species with minimal demographic data. *Ecology* 81:654-665
- Heupel MR, Simpfendorfer CA (2002) Estimation of mortality of juvenile blacktip sharks, *Carcharhinus limbatus*, within a nursery area using telemetry data. *Can J Fish Aquat Sci* 59:624-632
- Heyman WD, Graham RT, Kjerfve B, Johannes RE (2001) Whale sharks *Rhincodon typus* aggregate to feed on fish spawn in Belize. *Marine Ecology-Progress Series* 215:275-282
- Hiby L, Lovell P (2001) An automated system for matching the callosity patterns in aerial photographs of southern right whales. *Journal of Cetacean Research and Management*
- Hillman G, Wursig B, Gailey G, Kehtarnavaz N, Drobyshevsky A, Araabi BN, Tagare HD, Weller DW (2003) Computer-assisted photo-identification of individual marine vertebrates: a multi-species system. *Journal of Aquatic Mammals* 29:117-123
- Hiruki LM, Gilmartin WG, Becker BL, Stirling I (1993) Wounding in Hawaiian monk seals (*Monachus schauinslandi*). *Canadian Journal of Zoology* 71:458-468
- Hoarau G, Holla S, Lescasse R, Stam WT, Olsen JL (2002) Heteroplasmy and evidence for recombination in the mitochondrial control region of the flatfish *Platichthys flesus*. *Molecular Biology and Evolution* 19:2261-2264
- Holloway PE (2001) A regional model of the semi-diurnal internal tide on the Australian North West Shelf. *J Geophys Res* 106:625
- Holloway PE, Nye HC (1985) Leeuwin Current and wind distributions on the Australian North West Shelf between January 1982 and July 1983. *Australian Journal of Marine and Freshwater Research* 36:123-137
- Hsu HH, Joung SJ, Liao YY, Liu KM (2007) Satellite tracking of juvenile whale sharks, *Rhincodon typus*, in the Northwestern Pacific. *Fisheries Research* 84:25-31
- Hughes GR, Luschi P, Mencacci R, Papi F (1998) The 7000-km oceanic journey of a leatherback turtle tracked by satellite. *Journal of Experimental Marine Biology and Ecology* 229:209-217
- Hunter JR (1986) *The Dynamics of Tuna Movements: An Evaluation of Past and Future Research*. Food and Agriculture Organization of the United Nations
- Inagake D, Yamada H, Segawa K, Okazaki M, Nitta A, Itoh T (2001) Migration of young bluefin tuna, *Thunnus orientalis* Temminck et Schlegel, through archival tagging experiments and its relation with oceanographic condition in the western North Pacific. *Bull Nat Res Inst Far Seas Fish* 38:53-81
- IUCN-SSC Shark Specialist Group (2002) *The Role of CITES in the Conservation and Management of Sharks*, IUCN, Gland, Switzerland
- IUCN (2005) *IUCN Red List of Threatened Species*. IUCN, Gland, Switzerland
- Iwasaki Y (1970) On the distribution and environment of the whale shark, *Rhincodon typus* in skipjack fishing groups in the western Pacific Ocean.

- Journal of the College of Marine Science and Technology Tokai University 4:37-51
- James MC, Ottensmeyer CA, Myers RA (2005) Identification of high-use habitat and threats to leatherback sea turtles in northern waters: new directions for conservation. *Ecology Letters* 8:195-201
- Jarman SN, Wilson SG (2004) DNA-based species identification of krill consumed by whale sharks. *J Fish Biol* 65:586-591
- Jellyman D, Tsukamoto K (2002) First use of archival transmitters to track migrating freshwater eels *Anguilla dieffenbachii* at sea. *Marine ecology Progress series*(Halstenbek) 233:207-215
- Jennings S, Kaiser J (1998) The effects of fishing on marine ecosystems. *Advances in Marine Biology* 34:201-352
- Jennings S, Reynolds JD, Mills SC (1998) Life history correlates of responses to fisheries exploitation. *Proceedings of the Royal Society B* 265:333-339
- Jolly GM (1965) Explicit estimates from mark-recapture data with both death and immigration-stochastic models. *Biometrika* 52:225-247
- Joung SJ, Chen CT (1995) Reproduction in the sandbar shark, *Carcharhinus plumbeus*, in the waters off northeastern Taiwan. *Copeia* 1995:659-665
- Joung SJ, Chen CT, Clark E, Uchida S, Huang WYP (1996) The whale shark, *Rhincodon typus*, is a livebearer: 300 embryos found in one 'megamamma' supreme. *Environ Biol Fishes* 46:219-223
- Joung SJ, Liao YY, Liu KM, Chen CT, Leu LC (2005) Age, growth, and reproduction of the spinner shark, *Carcharhinus brevipinna*, in the northeastern waters of Taiwan. *Zoological Studies* 44:102-110
- Kandpal RP, Kandpal G, Weissman SM (1994) Construction of libraries enriched for sequence repeats and jumping clones, and hybridization selection for region-specific markers. *Proceedings of the National Academy of Sciences of the United States of America* 91:88-92
- Karanth KU, Nichols JD (1998) Estimation of tiger densities in India using photographic captures and recaptures. *Ecology* 79:2852-2862
- Karlsson O, Hiby L, Lundberg T, Jussi M, Jussi I, Helander B (2005) Photo-identification, site fidelity, and movement of female gray seals (*Halichoerus grypus*) between haul-outs in the Baltic Sea. *Ambio* 34:628-634
- Keeney DB, Heist EJ (2006) Worldwide phylogeography of the blacktip shark (*Carcharhinus limbatus*) inferred from mitochondrial DNA reveals isolation of western Atlantic populations coupled with recent Pacific dispersal. *Molecular Ecology* 15:3669-3679
- Keeney DB, Heupel MR, Hueter RE, Heist EJ (2005) Microsatellite and mitochondrial DNA analyses of the genetic structure of blacktip shark (*Carcharhinus limbatus*) nurseries in the northwestern Atlantic, Gulf of Mexico, and Caribbean Sea. *Molecular Ecology* 14:1911-1923
- Kelly MJ (2001) Computer-aided photograph matching in studies using individual identification: An example from Serengeti cheetahs. *Journal of Mammalogy* 82:440-449
- Kitamura T, Takemura A, Watabe S, Taniuchi T, Shimizu M (1996) Mitochondrial DNA analysis for the cytochrome b gene and D-loop region from the bull shark *Carcharhinus leucas*. *Fisheries Science* 62:21-27
- Klimley AP (1987) The determinants of sexual segregation in the scalloped hammerhead shark, *Sphyrna lewini*. *Environ Biol Fishes* 18:27-40

- Klimley AP (1993) Highly directional swimming by scalloped hammerhead sharks, *Sphyrna lewini*, and subsurface irradiance, temperature, bathymetry, and geomagnetic field. *Mar Biol* 117:1-22
- Kohler NE, Turner PA (2001) Shark tagging: A review of conventional methods and studies. *Environ Biol Fishes* 60:191-223
- Kraus SD (1990) Rates and potential causes of mortality in North Atlantic right whales (*Eubalaena glacialis*). *Marine Mammal Science* 6:278-291
- Kukuyev IE (1996) The new finds in recently born individuals of the whale shark *Rhincodon typus* (Rhincodontidae) in the Atlantic Ocean. *Journal of Ichthyology* 36:203-205
- Laist DW, Knowlton AR, Mead JG, Collet AS, Podesta M (2001) Collisions between ships and whales. *Marine Mammal Science* 17:35-75
- Laist DW, Shaw C (2006) Preliminary evidence that boat speed restrictions reduce deaths of Florida manatees. *Marine Mammal Science* 22:472-479
- Lambertsen RH (1987) A biopsy system for large whales and its use for cytogenetics. *Journal of Mammalogy* 68:443-445
- Langtimm CA, Beck CA, Edwards HH, Fick-Child KJ, Ackerman BB, Barton SL, Hartley WC (2004) Survival estimates for Florida manatees from the photo-identification of individuals. *Marine Mammal Science* 20:438-463
- Lapolla F (2005) The Dolphin Project <http://thedolphinproject.org>.
- Last PR, Stevens JD (1994) *Sharks and Rays of Australia*. CSIRO, Hobart, Australia
- Lebreton J-D, Burnham KP, Clobert J, Anderson DR (1992) Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecol Monog* 62:67-118
- Lee WJ, Conroy J, Howell WH, Kocher TD (1995) Structure and evolution of teleost mitochondrial control regions. *Journal of Molecular Evolution* 41:54-66
- Lenanton RC, Joll L, Penn J, Jones K (1991) The influence of the Leeuwin Current on coastal fisheries of Western Australia. *J R Soc W Aust* 74:101-114
- Link WA, Barker RJ (2006) Model weights and the foundations of multimodel inference. *Ecology* 87:2626-2635
- Liu KM, Chen CT, Liao TH, Joung SJ (1999) Age, growth, and reproduction of the pelagic thresher shark, *Alopias pelagicus* in the northwestern Pacific. *Copeia* 1999:68-74
- Loader C (1999) *Local Regression and Likelihood*. Springer
- Lohmann KJ, Lohmann CMF (1996) Detection of magnetic field intensity by sea turtles. *Nature* 380:59
- Long DJ, Jones RE (1996) White shark predation and scavenging on cetaceans in the eastern North Pacific Ocean. In: *Great white sharks - the biology of *Carcharodon carcharias** Kimley AP, Ainley DG (eds)
- Lukacs PM, Burnham KP (2005) Review of capture-recapture methods applicable to noninvasive genetic sampling. *Molecular Ecology* 14:3909-3919
- Luschi PL, Hays GC, Papi F (2003) A review of long-distance movements by marine turtles, and the possible role of ocean currents. *Oikos* 103:293-302
- MacArthur RH, Wilson EO (1967) *Island Biogeography*. Princeton University Press, New Jersey
- Maffei L, Cuellar E, Noss A (2004) One thousand jaguars (*Panthera onca*) in Bolivia's Chaco? Camera trapping in the Kaa-lyá National Park. *J Zool* 262:295-304

- Makarieva AM, Gorshkov VG, Li B-L (2005) Temperature-associated upper limits to body size in terrestrial poikilotherms. *Oikos* 111:425-436
- Martin AP, Naylor GJP, Palumbi SR (1992) Rates of Mitochondrial-DNA evolution in sharks are slow compared with mammals. *Nature* 357:153-155
- Matsumoto T, Saito H, Miyabe N (2005) Swimming behavior of adult bigeye tuna using pop-up tags in the central Atlantic Ocean. *ICCAT Coll Vol Sci Pap* 57:151-170
- Maunder MN, Sibert JR, Fonteneau A, Hampton J, Kleiber P, Harley SJ (2006) Interpreting catch per unit effort data to assess the status of individual stocks and communities. *ICES Journal of Marine Science* 63:1373-1385
- McConnell BJ, Chambers C, Fedak MA (1992) Foraging ecology of southern elephant seals in relation to the bathymetry and productivity of the Southern Ocean. *Antarctic Science* 4:393-398
- McKinnon AD, Duggan S (2001) Summer egg production rates of paracalanid copepods in subtropical waters adjacent to Australia's North West Cape. *Hydrobiologia* 453/454:121-132
- McMahon CR, Bradshaw CJA, Hays GC (2006) Branding can be justified in vital conservation research. *Nature* 439:392
- McMahon CR, Burton HR (2005) Climate change and seal survival: evidence for environmentally mediated changes in elephant seal, *Mirounga leonina*, pup survival. *P Roy Soc B-Biol Sci* 272:923-928
- Meekan MG, Bradshaw CJA, Press M, McLean C, Richards A, Quasnicka S, Taylor JG (2006) Population size and structure of whale sharks (*Rhincodon typus*) at Ningaloo Reef, Western Australia. *Mar Ecol Prog Ser* 319:275-285
- Mills LS, Doak DF, Wisdom MJ (1999) Reliability of conservation actions based on elasticity analysis of matrix models. *Conservation Biology* 13:815-829
- Mizroch SA, Beard JA, Lynde M (1990) Computer-assisted photo-identification of humpback whales. Report of the International Whaling Commission: 63-70
- Mollet HF, Cailliet GM (2002) Comparative population demography of elasmobranchs using life history tables, Leslie matrices and stage-based matrix models. *Mar Freshw Res* 53:503-516
- Mollet HF, Cailliet GM (2003a) Reply to comments by Miller *et al.* (2003) on Mollet and Cailliet (2002): confronting models with data. *Marine and Freshwater Research* 54:739-744
- Mollet HF, Cailliet GM (2003b) Reply to comments by Miller *et al.* (2003) on Mollet and Cailliet (2002): confronting models with data. *Mar Freshw Res* 54:739-744
- Mollet HF, Cliff G, Pratt HL, Stevens JD (2000) Reproductive biology of the female shortfin mako, *Isurus oxyrinchus* Rafinesque, 1810, with comments on the embryonic development of lamnoids. *Fishery Bulletin* 98:299-318
- Montgomery JC, Walker MM (2001) Orientation and navigation in elasmobranchs: which way forward? *Environ Biol Fishes* 60:109-116
- Moritz C (1994) Defining "evolutionary significant units" for conservation. *Trends in Ecology and Evolution* 9:373-375
- Morris WF, Doak DF (2002) *Quantitative Conservation Biology: Theory and Practice of Population Viability Analysis*. Sinauer Associates, Sunderland, MA

- Morrow R, Birol F (1998) Variability in the southeast Indian Ocean from altimetry - forcing mechanisms for the Leeuwin Current. *J Geophys Res Oceans* 103:18529-18544
- Musyl MK, Brill RW, Curran DS, Gunn JS, Hartog JR, Hill RD, Welch DW, Eveson JP, Boggs CH, Brainard RE (2001) Ability of archival tags to provide estimates of geographical position based on light intensity. In: *Electronic tagging and tracking in marine fisheries*. Sibert JR, Nielsen JL (eds). Kluwer, Dordrecht, p 343-367
- Myers AE, Lovell P, Hays GC (2006) Tools for studying animal behaviour: validation of dive profiles relayed via the Argos satellite system. *Animal Behaviour* 71:989-993
- Myers RA, Barrowman NJ, Hutchings JA, Rosenberg AA (1995) Population dynamics of exploited fish stocks at low population levels. *Science* 269:1106-1108
- Myers RA, Baum JK, Shepherd TD, Powers SP, Peterson CH (2007) Cascading effects of the loss of apex predatory sharks from a coastal ocean. *Science* 315:1846-1850
- Myrberg AAJ (2001) The acoustical biology of elasmobranchs. *Environ Biol Fishes* 60:31-45
- Naessig PJ, Lanyon JM (2004) Levels and probable origin of predatory scarring on humpback whales (*Megaptera novaeangliae*) in east Australian waters. *Wildlife Research* 31:163-170
- Nautical Almanac Office (1989) *Almanac For Computers 1990*, United States Naval Observatory, Washington, D.C
- Nei M (1987) *Molecular evolutionary genetics*. Columbia University Press, New York, NY, USA
- Neumann DR, Leitenberger A, Orams MB (2002) Photo-identification of short-beaked common dolphins (*Delphinus delphis*) in north-east New Zealand: a photo-catalogue of recognisable individuals. *N Z J Mar Freshw Res* 36:593-604
- Nielsen A, Bigelow KA, Musyl MK, Sibert JR (2006) Improving light-based geolocation by including sea surface temperature. *Fisheries Oceanography* 15:314-325
- Nielsen A, Sibert J (2005) KFSST: an R-package to efficiently estimate the most probable track from light-based longitude, latitude and SST
- Norman BM (1999) *Aspects of the biology and ecotourism industry of the whale shark *Rhincodon typus* in north-western Australia*. MPhil, Murdoch University
- Norman BM (2004) *Review of the Current Conservation Concerns of the Whale Shark (*Rhincodon typus*): A Regional Perspective*. Report No. Technical Report (NHT Coast & Clean Seas Project No/2127)
- O'Neill RV, Hunsaker CT, Timmins SP, Jackson BL, Jones KB, Riitters KH, Wickham JD (1996) Scale problems in reporting landscape pattern at the regional scale. *Landscape Ecology* 11:169-180
- O'Sullivan JB, Mitchell T (2000) A fatal attack on a whale shark *Rhincodon typus*, by killer whales *Orcinus orca* off Bahia de Los Angeles, Baja California. Abstract: American Elasmobranch Society Whale Shark Symposium, June 2000 La Paz, Mexico

- Ogutu JO, Piepho HP, Dublin HT, Reid RS, Bhola N (2006) Application of mark-recapture methods to lions: satisfying assumptions by using covariates to explain heterogeneity. *J Zool* 269:161-174
- Otway NM, Bradshaw CJA, Harcourt RG (2004) Estimating the rate of quasi-extinction of the Australian grey nurse shark (*Carcharias taurus*) population using deterministic age- and stage-classified models. *Biological Conservation* 119:341-350
- Pai MV, Nandakumar G, Telang KY (1983) On a Whale Shark, *Rhincodon typus* Smith landed off Karwar, Karnataka. *Indian Journal of Fisheries* 30:157-160
- Palsboll PJ (1999) Genetic tagging: contemporary molecular ecology. *Biological Journal of the Linnean Society* 68:3-22
- Palsboll PJ, Allen J, Berube M, Clapham PJ, Feddersen TP, Hammond PS, Hudson RR, Jorgensen H, Katona S, Larsen AH, Larsen F, Lien J, Mattila DK, Sigurjonsson J, Sears R, Smith T, Sponer R, Stevick P, Oien N (1997) Genetic tagging of humpback whales. *Nature* 388:767-769
- Pardini AT, Jones CS, Noble LR, Kreiser B, Malcolm H, Bruce BD, Stevens JD, Cliff G, Scholl MC, Francis M, Duffy CAJ, Martin AP (2001) Sex-biased dispersal of great white sharks - In some respects, these sharks behave more like whales and dolphins than other fish. *Nature* 412:139-140
- Parra GJ, Corkeron PJ, Marsh H (2006) Population sizes, site fidelity and residence patterns of Australian snubfin and Indo-Pacific humpback dolphins: Implications for conservation. *Biological Conservation* 129:167-180
- Parsons KM, Durban JW, Claridge DE (2003) Comparing two alternative methods for sampling small cetaceans for molecular analysis. *Marine Mammal Science* 19:224-231
- Pauly D (2002) Growth and mortality of the basking shark *Cetorhinus maximus* and their implications for whale shark *Rhincodon typus*. In: Fowler SL, Reid T, Dipper FA (eds) *Elasmobranch Biodiversity, Conservation and Management Proceedings of an International Seminar and Workshop, Sabah, Malaysia*. Occasional Papers of the IUCN Survival Commission No. 25, Gland, Switzerland
- Pauly D, Christensen V, Dalsgaard J, Froese R, Torres Jr. F (1998) Fishing down marine food webs. *Science* 279:860-863
- Pearce AF, Griffiths RW (1991) The mesoscale structure of the Leeuwin Current: A comparison of laboratory models and satellite imagery. *J Geophys Res* 96:16-739-716-757
- Pearce AF, Phillips BF (1988) ENSO events, the Leeuwin Current and larval recruitment of the western rock lobster. *J Cons Int Explor Mer* 45:13-21
- Peeters FJC, Acheson R, Brummer GJA, de Ruijter WPM, Schneider RR, Ganssen GM, Ufkes E, Kroon D (2004) Vigorous exchange between the Indian and Atlantic oceans at the end of the past five glacial periods. *Nature* 430:661-665
- Penven P, Lutjeharms JRE, Marchesiello P, Roy C, Weeks SJ (2001) Generation of cyclonic eddies by the Agulhas Current in the lee of the Agulhas Bank. *Geophysical Research Letters* 28:1055-1058
- Phillips RA, Silk JRD, Croxall JP, Afanasyev V, Briggs DR (2004) Accuracy of geolocation estimates for flying seabirds. *Mar Ecol Prog Ser* 266:265-272

- Polovina JJ, Balazs GH, Howell EA, Parker DM, Seki MP, Dutton PH (2004) Forage and migration habitat of loggerhead (*Caretta caretta*) and olive ridley (*Lepidochelys olivacea*) sea turtles in the central North Pacific Ocean. *Fisheries Oceanography* 13:36-51
- Polovina JJ, Kleiber P, Kobayashi DR (1999) Application of TOPEX-POSEIDON satellite altimetry to simulate transport dynamics of larvae of spiny lobster, *Panulirus marginatus*, in the Northwestern Hawaiian Islands, 1993-1996. *Fisheries Bulletin* 97:132-143
- Polovina JJ, Kobayashi DR, Ellis DM, Seki MP, Balazs GH (2000) Turtles on the edge: movement of loggerhead turtles (*Caretta caretta*) along oceanic fronts in the central North Pacific, 1997-1998. *Fisheries Oceanography* 9:71-82
- Posada D, Crandall KA (1998) MODELTEST: testing the model of DNA substitution. *Bioinformatics* 14:817-818
- Pravin P (2000) Whale shark in the Indian coast – need for conservation. *Curr Sci* 79:310-315
- R Core Development Team (2004) R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria
- Rasmussen AS, Arnason U (1999) Phylogenetic studies of complete mitochondrial DNA molecules place cartilaginous fishes within the tree of bony fishes. *Journal of Molecular Evolution* 48:118-123
- Ratner S, Lande R (2001) Demographic and evolutionary responses to selective harvesting in populations with discrete generations. *Ecology* 82:3093-3104
- Raymond M, Rousset F (1995) An exact test for population differentiation. *Evolution* 49:1280-1283
- Reynolds JD, Dulvy NK, Goodwin NB, Hutchings JA (2005) Biology of extinction risk in marine fishes. *Proceedings of the Royal Society of London: B* 272:2337-2344
- Ricker WE (1979) Growth rates and models. *Fish Physiology* 8:677-743
- Ricker WE (1981) Change in the average size and average age of Pacific salmon. *Can J Fish Aquat Sci* 38:1636-1956
- Rio MH, Hernandez F (2004) A mean dynamic topography computed over the world ocean from altimetry, in situ measurements, and a geoid model. *J Geophys Res* 109:1-19
- Robbins WD, Hisano M, Connolly SR, Choat JH (2006) Ongoing collapse of coral-reef shark populations. *Current Biology* 16:2314-2319
- Roberts MA, Schwartz TS, Karl SA (2004) Global population genetic structure and male-mediated gene flow in the green sea turtle (*Chelonia mydas*): Analysis of microsatellite loci. *Genetics* 166:1857-1870
- Robinson PW, Tremblay Y, Crocker DE, Kappes MA, Kuhn CE, Shaffer SA, Simmons SE, Costa DP (2007) A comparison of indirect measures of feeding behaviour based on ARGOS tracking data. *Deep-Sea Res Oceanogr B* 54:356-368.
- Rocha LA, Robertson DR, Rocha CR, Van Tassell JL, Craig MT, Bowens BW (2005) Recent invasion of the tropical Atlantic by an Indo-Pacific coral reef fish. *Molecular Ecology* 14:3921-3928

- Rochford DJ (1962) Hydrology of the Indian Ocean. II. The surface waters of the south-east Indian Ocean and Arafura Sea in spring and summer. *Australian Journal of Marine and Freshwater Research* 13:226-251
- Rochford DJ (1984) Some general oceanographical features of the North West Shelf study region abstract, CSIRO Division of Fisheries Research, Cronulla, NSW
- Rogers AR, Harpending H (1992) Population-growth makes waves in the distribution of pairwise genetic-differences. *Molecular Biology and Evolution* 9:552-569
- Rokas A, Ladoukakis E, Zouros E (2003) Animal mitochondrial DNA recombination revisited. *Trends in Ecology & Evolution* 18:411-417
- Roman J, Palumbi SR (2003) Whales before whaling in the North Atlantic. *Science* 301:508-510
- Romanov EV (1998) Bycatch in the purse seine tuna fisheries in the Western Indian Ocean 7th Expert Consultation on Indian Ocean Tunas, Victoria, Seychelles, 9-14 November, 1998, Seychelles
- Rommel SA, Costidis AM, Pitchford TD, Lightsey JD, Snyder RH, Haubold EM (2007) Forensic methods for characterizing watercraft from watercraft-induced wounds on the Florida manatee (*Trichechus manatus latirostris*). *Marine Mammal Science* 23:110-132
- Rossi S, Sabates A, Latasa M, Reyes E (2006) Lipid biomarkers and trophic linkages between phytoplankton, zooplankton and anchovy (*Engraulis encrasicolus*) larvae in the NW Mediterranean. *Journal of Plankton Research* 28:551-562
- Rowat D (1997) Seychelles whale shark tagging project - pilot project report, Phelsuma, Nature Protection Trust of Seychelles
- Rowat D, Gore M (2006) Regional scale horizontal and local scale vertical movements of whale sharks in the Indian Ocean off Seychelles. *Fisheries Research* 84:32-40
- Rowat D, Meekan M, Engelhardt U, Pardigon B, Vely M (2007) Aggregations of juvenile whale sharks (*Rhincodon typus*) in the Gulf of Tadjoura, Djibouti. *Environ Biol Fishes* DOI: 10.1007/s10641-006-9148-7
- Royer F, Fromentin JM, Gaspar P (2005) A state-space model to derive bluefin tuna movement and habitat from archival tags. *Oikos* 109:473-484
- Saitou N, Nei M (1987) The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* 4:406-425
- Sambrook J, Fritsch EF, Maniatis T (1989) *Molecular cloning: a laboratory manual*. Cold Spring Harbor Laboratory Press, New York, USA
- Satyanarayana Rao K (1986) On the capture of whale sharks off Dakshina Kannada coast, Marine Fisheries Information Service (India)
- Schaefer KM, Fuller DW (2002) Movements, behavior, and habitat selection of bigeye tuna (*Thunnus obesus*) in the eastern equatorial Pacific, ascertained through archival tags. *Fish Bull* 100:765-788
- Schwarz CJ, Arnason AN (1996) A general methodology for the analysis of open-population capture recapture experiments. *Biometrics* 52:860-873
- Schwarz CJ, Seber GAF (1999) Estimating animal abundance: Review III. *Statistical Science* 14:427-456
- Seber GAF (1970) Estimating time-specific survival and reporting rates for adult birds from band returns. *Biometrika* 57:313-318

- Seber GAF (1982) The Estimation of Animal Abundance and Related Parameters. Charles Griffin and Company, London
- Seitz AC, Norcross BL, Wilson D, Nielsen JL (2006) Evaluating light-based geolocation for estimating demersal fish movements in high latitudes. *Fishery Bulletin* 104:571-578
- Seitz AC, Weng KC, Boustany AM, Block BA (2002) Behaviour of a sharptail mola in the Gulf of Mexico. *J Fish Biol* 60:1597-1602
- Shaffer SA, Tremblay Y, Awkerman JA, Henry RW, Teo SLH, Anderson DJ, Croll DA, Block BA, Costa DP (2005) Comparison of light-and SST-based geolocation with satellite telemetry in free-ranging albatrosses. *Mar Biol* 147:833-843
- Shin Y-J, Rochet M-J, Jennings S, Field JG, Gislason H (2005) Using size-based indicators to evaluate the ecosystem effects of fishing. *ICES Journal of Marine Science* 62:384-396
- Shipping LRo (1939-2005) World Fleet Statistics. Lloyd's Register Printing Services Ltd, Burgess Hill, West Sussex, U.K
- Sibert J, Fournier D (2001) Possible models for combining tracking data with conventional tagging data. *Electronic Tagging and Tracking in Marine Fisheries: Proceedings of the Symposium on Tagging and Tracking Marine Fish with Electronic Devices, February 7-11, 2000, East-West Center, University of Hawaii*
- Sibert J, Hampton J, Kleiber P, Maunder M (2006) Biomass, size, and trophic status of top predators in the Pacific Ocean. *Science* 314:1773-1776
- Sibert JR, Musyl MK, Brill RW (2003) Horizontal movements of bigeye tuna (*Thunnus obesus*) near Hawaii determined by Kalman filter analysis of archival tagging data. *Fisheries Oceanography* 12:141-151
- Sibert JR, Nielsen A (2003) KTrack (Kalman Filter tracking): An Add-on Package for the Statistical Environment R to Efficiently Estimate Movement Parameters and Predict Most Probable Track from Raw Geo-locations of Archival Tagged Individuals
- Sibly RM, Barker D, Denham MC, Hone J, Pagel M (2005) On the Regulation of Populations of Mammals, Birds, Fish, and Insects. *American Association for the Advancement of Science*, p 607-610
- Sibly RM, Hone J (2002) Population growth and its determinants. *Philosophical Transactions of the Royal Society of London Series B* 357:1153-1170
- Sims DW (2003) Tractable models for testing theories about natural strategies: foraging behaviour and habitat selection of free-ranging sharks. *J Fish Biol* 63:53-73
- Sims DW, Nash JP, Morritt D (2001) Movements and activity of male and female dogfish in a tidal sea lough: alternative behavioural strategies and apparent sexual segregation. *Mar Biol* 139:1165-1175
- Sims DW, Quayle VA (1998) Selective foraging behaviour of basking sharks on zooplankton in a small-scale front. *Nature* 393:460-464
- Sims DW (2006) Differences in habitat selection and reproductive strategies of male and female sharks. In: *Sexual Segregation of the Vertebrates: Ecology of the Two Sexes*. Ruckstuhl KE, Neuhaus P (eds). Cambridge University Press, Cambridge, United Kingdom, p 127-147
- Slatkin M, Hudson RH (1991) Pairwise comparisons of mitochondrial DNA sequences in stable and exponentially growing populations. *Genetics* 129:555-562

- Smale MJ, Goosen AJJ (1999) Reproduction and feeding of spotted gully shark, *Triakis megalopterus*, off the Eastern Cape, South Africa. *Fishery Bulletin* 97:987-998
- Smith SE, Au DW, Show C (1998) Intrinsic rebound potential of 26 species of Pacific sharks. *Mar Freshw Res* 49:663-678
- Sokal RR, Rohlf FJ (1981) *Biometry*. Freeman, New York
- Speed CW, Meekan M, Bradshaw CJA (2007) Spot the match - wildlife photo-identification using information theory. *Frontiers in Zoology* 4:2
- Speed CW, Meekan MG, Rowat D, Pierce S, Marshall AD, Bradshaw CJA (2008) Scarring patterns and relative mortality rates of Indian Ocean whale sharks. *J Fish Biol* DOI: 10.1111/j.1095-8649.2008.01810.x
- Springer S (1967) Social organisation of shark populations. In: *Sharks, skates and rays*. Gilbert PW, Mathewson RF, Rall DP (eds). Johns Hopkins Press, Baltimore, p 149-174
- Squire JJJ (1990) Distribution and apparent abundance of the basking shark, *Cetorhinus maximus*, off the central and southern California coast. *Marine Fisheries Review* 52:8-11
- Stanford A (1927) *Navigator: The Story of Nathaniel Bowditch*. William Morrow & Co, New York
- Stergiou K (2002) Overfishing, tropicalization of fish stocks, uncertainty and ecosystem management: resharpening Ockham's razor. *Fisheries Research* 55:1-9
- Stevens JD (2007) Whale shark (*Rhincodon typus*) biology and ecology: a review of the primary literature. *Fisheries Research* 84:4-9
- Stevens JD, Bonfil R, Dulvy NK, Walker PA (2000) The effects of fishing on sharks, rays, and chimaeras (chondrichthyans), and the implications for marine ecosystems. *ICES Journal of Marine Science* 57:476-494
- Stevick PT, Palsboll PJ, Smith TD, Bravington MV, Hammond PS (2001) Errors in identification using natural markings: rates, sources, and effects on capture-recapture estimates of abundance. *Can J Fish Aquat Sci* 58:1861-1870
- Stewart BS, DeLong RL (1995) Double migrations of the northern Elephant Seal, *Mirounga angustirostris*. *Journal of Mammalogy* 76:196-205
- Stewart BS, Wilson SG (2005) Threatened fishes of the world: *Rhincodon typus* (Smith 1828) (Rhincodontidae). *Environ Biol Fishes* 74:184-185
- Stokes K, Law R (2000) Fishing as an evolutionary force. *Mar Ecol Prog Ser* 208:307-309
- Strong DR (1986) Density-vague population change. *Trends in Ecology and Evolution* 1:39-42
- Sumner MD, Michael KJ, Bradshaw CJA, Hindell MA (2003) Remote sensing of Southern Ocean sea surface temperature: implications for marine biophysical models. *Remote Sensing of Environment* 84:161-173
- Swofford DL (2003) PAUP*. Phylogenetic analysis using parsimony (*and other methods). Version 4. Sinauer Associates, Sunderland, MA
- Tajima F (1989) Statistical method for testing the neutral mutation hypothesis by DNA polymorphism. *Genetics* 123:585-595
- Tamura K, Nei M (1993) Estimation of the number of nucleotide substitutions in the control region of mitochondrial-DNA in humans and chimpanzees. *Molecular Biology and Evolution* 10:512-526

- Taylor G (1994a) Whale Sharks: the giants of Ningaloo Reef. Angus and Robertson, Sydney. 176 pp.
- Taylor G, Grigg G (1991) Whale sharks of Ningaloo Reef, Canberra
- Taylor JG (1994b) Gentle giants of the deep. Australian Geographic
- Taylor JG (1996) Seasonal occurrence, distribution and movements of the whale shark, *Rhincodon typus*, at Ningaloo Reef, Western Australia. Mar Freshw Res 47:637-642
- Taylor JG, Pearce AF (1999) Ningaloo Reef currents: implications for coral spawn dispersal, zooplankton and whale shark abundance. J R Soc W Aust 82:57-65
- Tenhumberg B, Tyre AJ, Pople AR, Possingham HP (2004) Do harvest refuges buffer kangaroos against evolutionary responses to selective harvesting? Ecology 85:2003-2017
- Teo SLH, Boustany A, Blackwell S, Walli A, Weng KC, Block BA (2004) Validation of geolocation estimates based on light level and sea surface temperature from electronic tags. Mar Ecol Prog Ser 283:81-98
- Terborgh J, Winter B (1980) Some causes of extinction. In: Conservation Biology: An Ecological-Evolutionary Perspective. Soulé ME, Wilcox BA (eds). Sinauer, Sunderland, MA, p 119-134
- Theberge MM, Dearden P (2006) Detecting a decline in whale shark *Rhincodon typus* sightings in the Andaman Sea, Thailand, using ecotourist operator-collected data. Oryx 40:337-342
- Tremblay Y, Robinson PW, Crocker DE, Kuhn CE, Simmons S, Costa DP (2006a) Hotspots defined by Top-Predators in the Ocean: What, Where, and How. The 13th Ocean Sciences Meeting. American Geophysical Union, Honolulu, Hawaii, 20-24 February 2006
- Tremblay Y, Shaffer SA, Fowler SL, Kuhn CE, McDonald BI, Weise MJ, Bost C-A, Weimerskirch H, Crocker DE, Goebel ME, Costa DP (2006b) Interpolation of animal tracking data in a fluid environment. J Exp Biol 209:128-140
- Tsaousis AD, Martin DP, Ladoukakis ED, Posada D, Zouros E (2005) Widespread recombination in published animal mtDNA sequences. Molecular Biology and Evolution 22:925-933
- Tuck GN, Polacheck T, Croxall JP, Weimerskirch H, Prince PA, Wotherspoon S (1999) The potential of archival tags to provide long-term movement and behaviour data for seabirds: First results from Wandering Albatross *Diomedea exulans* of South Georgia and the Crozet Islands. Emu 99:60-68
- Turchin P (2003) Complex Population Dynamics: A Theoretical/Empirical Synthesis. Princeton University Press, Princeton, NJ, USA
- Urian K (2005) Mid-Atlantic Bottlenose Dolphin Catalog. <http://moray.ml.duke.edu/faculty/ead/mabdc.html>
- Van Dykhuizen G, Mollet HF (1992) Growth, age estimation, and feeding of captive sevengill sharks, *Notorynchus cepedianus*, at the Monterey Bay Aquarium. Australian Journal of Marine and Freshwater Research 43:297-318
- van Pijlen IA, Amos B, Burke T (1995) Patterns of genetic-variability at individual minisatellite loci in Minke Whale *Balaenoptera-Acutorostrata* populations from 3 different oceans. Molecular Biology and Evolution 12:459-472

- Van Tienhoven AM, Den Hartog JE, Reijns R, Peddemors VM (2007a) A computer-aided program for pattern-matching of natural marks of the spotted raggedtooth shark *Carcharias taurus*. *Journal of Applied Ecology*
- Van Tienhoven AM, Den Hartog JE, Reijns RA, Peddemors VM (2007b) A computer-aided program for pattern-matching of natural marks on the spotted raggedtooth shark *Carcharias taurus*. *Journal of Applied Ecology* 44:273-280
- Vas P (1990) The abundance of the blue shark, *Prionace glizuca*, in the western English Channel. *Environ Biol Fishes* 29:209-225
- Vogler AP, Desalle R (1994) Diagnosing Units of Conservation Management. *Conservation Biology* 8:354-363
- von Bertalanffy L (1938) A quantitative theory of organic growth. *Human Biology* 10:181-213
- Walker TI (1998) Can shark resources be harvested sustainably? A question revisited with a review of shark fisheries. *Mar Freshw Res* 49:553-572
- Walsh HE, Metzger DA, Higuchi R (1991) Chelix medium for simple extraction of DNA for PCR-based typing from forensic material. *Biological Techniques* 10:506-513
- Walters C (1995) Estimation of historical stock sizes and recruitment anomalies from relative abundance time-series. *Can J Fish Aquat Sci* 52:1523-1534
- Walters CJ, Martell SJD (2004) *Fisheries Ecology and Management*. Princeton University Press, Princeton, NJ
- Walther BA, Moore JL (2005) The concepts of bias, precision and accuracy, and their use in testing the performance of species richness estimators, with a literature review of estimator performance. *Ecography* 28:815-829
- Waples RS (1995) Evolutionary significant units and the conservation of biological diversity under the Endangered Species Act. *American Fisheries Society Symposium* 17:8-27
- Ward-Geiger LI, Silber GK, Baumstark RD, Pulfer TL (2005) Characterization of ship traffic in right whale critical habitat. *Coastal Management* 33:263-278
- Watkins WA, Daher MA, Fristrup KM, Howald TJ, Disciara GN (1993) Sperm whales tagged with transponders and tracked underwater by sonar. *Marine Mammal Science* 9:55-67
- Weiss RF (1970) The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Research II* 17:721-735
- Welch DW, Eveson JP (1999) An assessment of light-based geolocation estimates from archival tags. *Can J Fish Aquat Sci* 56:1317-1327
- West GJ, Stevens JD (2001) Archival tagging of school shark, *Galeorhinus galeus*. Australia: initial results *Environ Biol Fish* 60:283-298
- White GC, Burnham KP (1999) Program MARK: survival estimation from populations of marked animals. *Bird Study* 46:120-138
- Wilkin DJ, Debure KR, Roberts ZW (1998) Query by sketch in DARWIN: digital analysis to recognize whale images on a network. In: *Storage and Retrieval for Image and Video Databases VII Proceedings of the International Society for Optical Engineering (SPIE) Vol 3656* Yeung MM, Yeo B-L, Bouman CA (eds). SPIE, Bellingham, Washington, p 41-48

- Wilson RP, McMahon CR (2006) Measuring devices on wild animals: what constitutes acceptable practice? *Frontiers in Ecology and the Environment* 4:147-154
- Wilson RP, Scolaro JA, Peters G, Laurenti S, Kierspel M, Gallelli H, Upton J (1995) Foraging areas of Magellanic penguins *Spheniscus magellanicus* breeding at San Lorenzo, Argentina, during the incubation period. *MEPS* 129:1-6
- Wilson SG, Lutcavage ME, Brill RW, Genovese MP, Cooper AB, Everly AW (2005) Movements of bluefin tuna (*Thunnus thynnus*) in the northwestern Atlantic Ocean recorded by pop-up satellite archival tags. *Mar Biol* 146:409-423
- Wilson SG, Pauly T, Meekan MG (2002) Distribution of zooplankton inferred from hydroacoustic backscatter data in coastal waters off Ningaloo Reef, Western Australia. *Mar Freshw Res* 53:1005-1015
- Wilson SG, Polovina JJ, Stewart BS, Meekan MG (2006) Movements of whale sharks (*Rhincodon typus*) tagged at Ningaloo Reef, Western Australia. *Mar Biol* 148:1157-1166
- Wilson SG, Stewart BS, Polovina JJ, Meekan MG, Stevens JD, Galuardi B (2007) Accuracy and precision of archival tag data: a multiple-tagging study conducted on a whale shark (*Rhincodon typus*) in the Indian Ocean. *Fisheries Oceanography* 16:547-554
- Wilson SG, Taylor JG, Pearce AF (2001a) The seasonal aggregation of whale sharks at Ningaloo reef, western Australia: currents, migrations and the El Niño/Southern oscillation. *Environ Biol Fishes* 61:1-11
- Wilson SG, Taylor JG, Pearce AF (2001b) The seasonal aggregation of whale sharks at Ningaloo reef, western Australia: currents, migrations and the El Niño/Southern oscillation. *Environ Biol Fishes* 61:1-11
- Wintner SP (2000) Preliminary study of vertebral growth rings in the whale shark, *Rhincodon typus*, from the east coast of South Africa. *Environ Biol Fishes* 59:441-451
- Yan B, Stamnes K, Toratani M, Li W, Stamnes JJ (2001) Evaluation of a Reflectance Model Used in the SeaWiFS Ocean Color Algorithm: Implications for Chlorophyll Concentration Retrievals. *Appl Opt* 41:6243-6259
- Yang G-J, Bradshaw CJA, Whelan PI, Brook BW (2008) Importance of endogenous feedback controlling the long-term abundance of tropical mosquito species. *Population Ecology* In press
- Zar JH (1989) *Biostatistical Analysis*. Prentice-Hall, Inc., Englewood Cliffs, NJ