

REFERENCES

- AACM (1995). National Grassland Conservation Overview, Final Report, June 1995 for the Australian Nature Conservation Agency.
- ACT Government (1997a). Natural temperate grassland: An endangered ecological community. Action Plan No. 1 Environment ACT, Canberra
- ACT Government (1997b). Striped Legless Lizard (*Delma impar*): An endangered species. Action Plan No. 2 Environment ACT, Canberra
- ACT Government (1997c). Eastern Lined Earless Dragon (*Tympanocryptis lineata pinguicollis*): An endangered species. Action Plan No. 3 Environment ACT, Canberra
- ANCA (1996). Application of IUCN Protected Area Management Categories. Draft Australian Handbook. Australian Nature Conservation Agency, Canberra.
- ANZECC (1997). Interim Scientific Guidelines for the National Reserve System. Environment Australia, Canberra.
- Baker-Gabb, D.J. (1987). The Conservation and Management of the Plains-wanderer *Pedionomus torquatus*. World Wildlife Fund Report No. 49, Sydney.
- Baker-Gabb, D.J. (1988). The diet and foraging behaviour of the Plains-wanderer *Pedionomus torquatus*. *Emu*. 115-118.
- Baker-Gabb, D.J. (1993). Managing native grasslands to maintain biodiversity and conserve the Plains-wanderer. RAOU Conservation Statement No. 8. RAOU, Melbourne.
- Baker-Gabb, D.J. (1995). Plains-wanderer *Pedionomus torquatus*. Flora and Fauna Guarantee Action Statement No. 66. DNRE, Victoria.
- Baker-Gabb, D.J. (1998). Native grasslands and the Plains-wanderer. Birds Australia Conservation Statement No. 1. *Wingspan* 8(1).
- Baker-Gabb, D.J., Benshemesh, J. & Maher, P.N. (1990). A revision of the distribution, status and management of the Plains-wanderer *Pedionomus torquatus*. *Emu* 90:161-168.
- Barlow, T.J. (1996). The vegetation of twenty-five grassland and grassy woodland remnants on farms in south-western Victoria. Trust for Nature (Victoria).
- Barlow, T.J. (1997). New National Park for the Northern Plains? *Parkwatch* 191: 9-11.
- Barlow, T.J. (1998). Grassy Guidelines. How to manage native grasslands and grassy woodlands on your property. Trust for Nature (Victoria).
- Barlow, T.J. (1999a). The conservation and management of grasslands in south-eastern Australia: an overview. In Craigie, V. & Hocking, C. (eds) (1999). Down to Grass Roots. Proceedings of a conference on the management of grassy ecosystems, 9 & 10 July 1998. Victoria University, St Albans.
- Barlow, T.J. (1999b). Thurlgona: farming with nature. *Bush*, February 1999, Environment Australia - Bushcare. Rural Press Magazines.
- Benson, J.S. (1994). The native grasslands of the Monaro Region: Southern Tablelands of New South Wales. *Cunninghamiana* Vol. 3(3): pp. 609-650.
- Benson, J.S. (1996). What is native grassland? Proceedings of the 1996 Annual Conference of the Grasslands Society of NSW, Wagga Wagga.
- Benson, J.S. (1997). Conservation of native lowland grassland remnants in south-eastern Australia. In *Conservation Outside Nature Reserves*. Eds. P.Hale & D. Lamb. Centre for Conservation Biology, The University of Queensland.
- Benson, J.S, Ashby, E.M. & Porteners, M.F. (1996). The native grasslands of the southern Riverina, New South Wales. National Herbarium of New South Wales, Royal Botanic Gardens, Sydney.
- Binning, C. & Young, M. (1997). Motivating People - Using Management Agreements to Conserve Remnant Vegetation. Paper 1/97; National Research and Development Program on Rehabilitation, Management and Conservation of Remnant Vegetation. Land and Water Resources Research and Development Corporation.
- Bland, R.A. (1997). The Grasslands Ecology Program – an Evaluation. Biodiversity Group, Environment Australia, Canberra.
- Bride, T.F. (1898). Letters from Victorian Pioneers (1983 ed.) Currey O'Neil, Melbourne.
- Carey, J., Williams, K. & Edgar, R. (1998). Perceived values of native vegetation: a simulation study of landholder attitudes to broadscale farm landscapes. Institute of Land Food and Resources, University of Melbourne.

- Carey, J., Williams, K. & Edgar, R. (1999). Guidelines for promoting native vegetation protection. Institute of Land Food and Resources, University of Melbourne.
- Carr, D. (1995). Wildlife in the long paddock. *Wildlife Australia* 32.3 pp 14-15.
- Commonwealth of Australia (1996). The National Strategy for the Conservation of Australia's Biological Biodiversity. Canberra.
- Commonwealth of Australia (1999). Scientific Guidelines for establishing the National Reserve System. Environment Australia, Canberra.
- Craigie, V. & Ross, J.R. (1995) Grassy Ecosystem Implementation Schedule. A report of the Grassy Ecosystem Reference Group, Victoria.
- Crosthwaite, J. (1996). Directions for future work in evaluating economic values associated with native grasslands as a genetic resource. Environment Australia – Biodiversity Group. Grassland Ecology Program Project No. GEP 017.
- Crosthwaite, J. (1997a). The Economic Benefits of Native Grassland on Farms. Environment Australia – Biodiversity Group. Grassland Ecology Program Project Number GEP 017.
- Crosthwaite, J. (1997b). Native grassland: at what cost? Paper to the 41st Annual Conference of the Australian Agriculture and Resource Economics Society, Gold Coast 22-24 January 1997.
- Crosthwaite, J. & Macleod, N.D. (*in press*). Retaining native vegetation on farms: understanding its private value. In Craig, J.L, Mitchell, N. and Saunders, D.A. (eds), *Nature Conservation 5: Nature Conservation in Production Environments – Managing the Matrix*. Surrey Beatty and Sons, Chipping Norton, New South Wales.
- Davies, R.J.P. (1997). Weed management in Temperate Native Grasslands and Box Grassy Woodlands in South Australia. Black Hill Flora Centre, Botanic Gardens of Adelaide and Environment Australia.
- DCE & VNPA (1992). Native Grassland Management in the Melbourne Area. Department of Conservation & Environment & Victorian National Parks Association, Melbourne.
- Diez, S. & Foreman, P. (1996). DRAFT Practical guidelines for the management of native grasslands on the Riverine Plain. Department of Natural Resources and Environment, Bendigo.
- Diez, S. & Foreman, P. (1997). Remnant vegetation survey and botanical inventory of the Loddon Shire (part2) (Former Shires of East Loddon, Korong and the former City of Marong). Unpublished report to Loddon Shire Council and Natural Resources & Environment.
- DNRE (1997). Victoria's Biodiversity: Directions in Management. Department of Natural Resources and Environment, Melbourne.
- Dorough, J. (1996). Monaro remnant native grasslands management guide. World Wide Fund for Nature, Sydney.
- Eddy, D., Mallinson, D., Rehwinkel, R., & Sharp, S. (1998). Grassland Flora: a field guide for the Southern Tablelands (NSW & ACT). Environment ACT, NSWNPWS, World Wide Fund for Nature, Australian National Botanic Gardens, Canberra.
- Elix, J. & Lambert, J. (1997). More than just the odd tree: Report on incentives and barriers to rural woodland conservation using Grassy White Box Woodlands as a model. National Research and Development Program on Rehabilitation, Management and Conservation of Remnant Vegetation, Research Report 1/98.
- Fensham R. J. (1989). The pre-European vegetation of the Midlands, Tasmania: a floristic and historical analysis of vegetation patterns. *Journal of Biogeography* 16: 29 – 45.
- Fensham, R.J. (1997). Options for conserving large vegetation remnants in the Darling Downs, south Queensland. In *Conservation Outside Nature Reserves*. Eds. P.Hale & D. Lamb. Centre for Conservation Biology, The University of Queensland.
- Fensham, R.J. (1998). The grassy vegetation of the Darling Downs, south-eastern Queensland, Australia. Floristics and grazing effects. *Biol. Cons.* 84: 301-310.
- Fensham, R.J. (*in press*). Native grasslands of the Central Highlands, Queensland, Australia. Floristics, regional context and conservation. *Rangelands Journal*.
- Foreman, P.W. (1995). Understanding the ecological value of native grasslands in the winter rainfall region of the Murray-Darling basin using natural history as a framework. In Curtis, A. & Millar, J. (1995). Community Grasses Project Workshop Proceedings, Albury 1995. Johnstone Centre of Parks Recreation and Heritage, Report No. 39. Charles Sturt University, Albury.
- Foreman, P.W. (1996). Ecology of native grasslands on Victoria's Northern Riverine Plain. Masters thesis, La Trobe University, Melbourne.

- Foreman, P.W. (1997a). A floristic classification and description of natural vegetation of the Victorian Riverina. (Draft). Flora and Fauna Technical Report, DNRE, Bendigo.
- Foreman, P.W. (1997b). Terrick Terrick Grassland: Interim Management Statement. Unpublished Report to Parks, Flora and Fauna, Department of Natural Resources and Environment, Melbourne.
- Foreman, P. & Bailey, L. (1996). Remnant vegetation survey & botanical inventory of the Shire of Buloke. Unpublished report to the Shire of Buloke, Birchip Landcare Group, Southern Mallee Trees on Farms Group and DNRE.
- Foreman, P. W. & Garner, S. (1996). Remnant vegetation survey and botanical inventory of part of the Shire of Gannawarra. Unpublished report to the Shire of Gannawarra, Barr Creek Tree Group and the DCNR. (Unpublished report).
- Foreman, P.W. & Westerway, J. (1994). Remnant vegetation survey and botanical inventory of the Shire of Gordon, Northern Victoria - Statement of Results. Unpublished report to the Shire of Gordon, Mid-Loddon Landcare Group, Department of Conservation and Natural Resources.
- Frood D. (1994). South Gippsland. In *Conservation of lowland native grasslands in south-eastern Australia*. (eds) K. McDougall & J. B. Kirkpatrick. World Wide Fund for Nature, Sydney.
- Gilfedder, L. & Kirkpatrick, J.B. (1995). A survey of landholder attitudes and intentions towards the long-term conservation of native lowland grasslands. Report to the Australian Nature Conservation Agency. University of Tasmania, Hobart.
- Hobbs, R.J. & Yates, C.J. (1997). Moving from the general to the specific: remnant management in rural Australia. In *Frontiers in Ecology: building the links*. (eds) Lunt, I. D. & Klomp, N., Elsevier Science, Oxford.
- Howard, B. & Young, M. (1995). Selecting and costing a representative expansion of the NSW Protected Area Network. CSIRO Wildlife & Ecology Working Document, Canberra.
- Hyde, M.K. (1995). The temperate native grasslands of South Australia; their composition and conservation status. World Wide Fund for Nature, Sydney.
- IUCN (1994). IUCN Red List Categories. IUCN, Gland.
- Kirkpatrick, J.B. (1983). An iterative method for establishing priorities for the selection of nature reserve: an example from Tasmania. *Biological Conservation* 25: 127-134.
- Kirkpatrick, J.B., Gilfedder, L. & Fensham, R. (1988). City Parks and Cemeteries - Tasmania's Remnant Grasslands and Grassy Woodlands. Tasmanian Conservation Trust, Hobart.
- Kirkpatrick, J.B., McDougall, K. & Hyde, M. (1995). Australia's most threatened ecosystem: the southeastern lowland native grasslands. World Wide Fund for Nature Australia. Surrey Beatty & Sons, Chipping Norton NSW.
- Lambeck, R.J. (1999). Landscape planning for biodiversity conservation in agricultural regions: a case study from the wheatbelt of Western Australia. Department of Environment and Heritage, Canberra.
- Lunt, I.D. (1990). Species-area curves and growth-form spectra for some herb-rich woodlands in western Victoria. *Aust J Ecol* 15: 155-161.
- Lunt, I.D. (1991). Management of remnant lowland grasslands and grassy woodland for nature conservation: a review. *Vic Nat* 108(3): 56-66.
- Lunt, I.D. (1994). The extinct grasslands of the lowland Gippsland plains. In *Conservation of lowland native grasslands in south-eastern Australia*. (eds) K. McDougall & J. B. Kirkpatrick. World Wide Fund for Nature, Sydney.
- Lunt, I. D. (1995). European Management of Remnant Grassy Forests and Woodlands in South-eastern Australia - Past Present and Future? *Vic Nat* 112 (6): 239-249.
- Lunt, I.D., Barlow, T.J. & Ross, J.R. (1998). Plains Wandering: exploring the grassy plains of south-eastern Australia. Victorian National Parks Association, Trust for Nature (Victoria), Melbourne.
- Lunt, I.D., Foreman, P. & Wilson, B. (1999). Terrick Terrick National Park environmental information, assessment and mapping. Unpublished report to Parks Victoria, Melbourne.
- Lunt, I.D. & Morgan, J.W. (1998a). Second generation management of grassland reserves: lessons from first generation reserves. Report to Environment Australia and the Victorian Grassy Ecosystems Reference Group. La Trobe University, Melbourne.
- Lunt, I.D. & Morgan, J.W. (1998b). Warning: Kangaroo Grass dies from neglect. *Land for Wildlife News*, Vol. 3, No. 10: 8-10.
- Maher, P.N. (1997). A Survey of Plains-wanderers *Pedionomus torquatus* and native grasslands on the Riverine Plain, New South Wales. Unpublished Report to Birds Australia, Melbourne.

- Maher, P.N. & Baker-Gabb, D.J. (1993). Surveys and conservation of the Plains-wanderer in northern Victoria. Arthur Rylah Inst. Env. Res. Tech. Rep. No. 131. DCNR, Victoria.
- Marriot, N. & J. (1998). Grassland Plants of South-eastern Australia. Bloomings Books, Hawthorn.
- McDougall, K. & Kirkpatrick, J. (eds.) (1994). Conservation of Lowland Native Grasslands and Grassy Woodlands in South-eastern Australia. World Wide Fund for Nature, Sydney.
- McDougall, K., Barlow, T. & Appleby, M. (1992). Native grassland sites of significance and species rescue on the Western Plains, Victoria. Final Report for 1991/92. A report to the Australian National Parks & Wildlife Service. Dept. Botany, La Trobe University, Melbourne.
- McDougall, K., Barlow, T. & Appleby, M. (1994). Western Basalt Plains, Lake Omeo, Murray Valley Riverine Plains and the Wimmera. In *Conservation of lowland native grasslands in south-eastern Australia*. (eds) K. McDougall & J. B. Kirkpatrick. World Wide Fund for Nature, Sydney.
- McDougall, K., Barlow, T., Appleby, M. & Morgan, J. (1991). Native grassland sites of significance and species rescue in the Ballarat - Skipton area, Victoria. Final Report for 1990/91. A report to the Australian National Parks & Wildlife Service. Dept. Botany, La Trobe University, Melbourne.
- McIntyre, S., Huang, Z. & Smith A.P. (1993). Patterns of abundance in grassy vegetation of the New England Tablelands: Identifying regional rarity in a threatened vegetation type. *Australian Journal of Botany* 41: 49-64.
- Morgan, J.W., Scarlett, N.H. & Rollason, T.S. (1993). Native grassland sites of significance and species rescue on the Western Basalt Plains, Victoria. Final Report 1993. Report to the Australian Nature Conservation Agency, Endangered Species Unit, Canberra prepared on behalf of the Department of Botany, La Trobe University.
- Muir, A. (1992). Recovery Plan for Western Plains Grassland (Victoria). ANPWS Endangered Species Program. DCE, Melbourne.
- Muir, A. (1996). Significant Grassland and Grassy Woodland sites of the Victorian Volcanic, Coastal and Riverine Plains. Preliminary Report - Stage One. Dept of Natural Resources and Environment. A Report to the Australian Nature Conservaiton Agency. NRSCP Project no. N408.
- Neagle, N. (1995). An update of the conservation status of Major Plant Communities of South Australia, Department of Environment and Land Management, South Australia.
- NSW NPWS (*in prep*). Plains-wanderer: Draft Recovery Plan. National Parks and Wildlife Service, Sydney.
- Owen, R. (1997). The native grasslands and grassy woodlands of Gippsland's Red Gum Plains. Trust for Nature (Victoria).
- Prescott, A. (1998). New reserve: a first in the protection of our native temperate grasslands. In *Parks & Wildlife*, Journal of National Parks and Wildlife South Australia, Summer 1998/99.
- Pressey, R.L., Ferrier, S., Hutchinson, C.D., Siverston, D.P. & Manion, G. (1995). Planning for negotiation: using an interactive geographic information system to explore alternative protected area networks. In *Nature Conservation 4: the role of networks*. D.A. Saunders, J.L. Craig & E.M. Matiske (eds.). Surrey Beatty & Sons, Chipping Norton.
- Prober, S. & Thiele, K. (1993). Surviving in Cemeteries - the Grassy White Box Woodlands. *National Parks Journal* 37 (1): 13-15.
- Prober, S. & Thiele, K. (1998). Establishment and management of the "Grassy White Box Woodlands Reserve". Final Report to Environment Australia, Canberra.
- Prober, S. & Thiele, K. (1999). A preferred model for the Grassy White Box Woodlands Conservation Management Network. Prepared by Ecological Interactions for the Grassy White Box Woodlands Project Steering Committee.
- Prober, S. & Thiele, K. (*in press*). Reserve concepts and conceptual reserves: options for the protection of fragmented ecosystems. In *Temperate Eucalypt Woodlands in Australia: Biology, Conservation, Management and Restoration*. R.J. Hobbs & C.J. Yates (eds), Surrey Beatty & Sons, Chipping Norton.
- Rehwinkel, R. (1997). Grassy ecosystems of the South Eastern Highlands Technical Report (Literature review, data audit, information gap analysis and research strategy). Stage 1 Joint Regional Biodiversity Survey of Grassy Ecosystems of the South Eastern Highlands Project, EACT, NSW NPWS ACTPA, NCA, Housing industry Association (ACT & S NSW), Queanbeyan City Council, Yass Shire Council, Yarrawlumla Shire Council.
- Robertson, M.A. (1998). A biological survey of grasslands and grassy woodlands of the Lofty Block Bioregion South Australia. Department for Environment, Heritage and Aboriginal Affairs, South Australia.
- Robertson, P. (1999). Habitat assessment for five species of threatened vertebrates within the former Davies property at Terrick Terrick National Park. Unpublished report to Parks Victoria, Melbourne.
- Ross, J.R. (1995). The Evans Street Native Grassland Sunbury - Management Plan. Victorian National Parks Association for the Friends of Evans Street Grassland Inc.

- Ross, J.R. (1998). Craigieburn Grassland: Interim Management Statement. Unpublished Report to Parks, Flora and Fauna, Department of Natural Resources and Environment, Melbourne.
- Ross, J.R. (1999). Identification of priority areas for protection and establishment of protected areas: Victorian Volcanic Plain Bioregion. Unpublished Report to Parks, Flora and Fauna, Department of Natural Resources and Environment, Melbourne.
- Sharp, S. (1994). Lowland native grasslands in the ACT and surrounding region: a review and research strategy for a recovery plan. Tech. Report No. 8 ACT Parks and Conservation Service, ACT.
- Sharp, S. & Shorthouse, D.J. (1996). Native grasslands and threatened species in the Australian Capital Territory: Steps towards protection and recovery. In Stephens, S. & Maxwell, S. (eds) Back from the brink: refining the threatened species recovery process, pp 138-149. Surrey Beatty & Sons, Chipping Norton.
- Sim, I. & Urwin, N. (eds). (1984). The Natural Grasslands of the Liverpool Plains, New South Wales. Dept. of Env. & Planning, Sydney.
- Stuwe, J. (1986). An Assessment of the Conservation Status of Native Grasslands on the Western Plains, Victoria, and Sites of Botanical Significance. Arthur Rylah Inst. Env. Res. Tech. Rep. No 48. Fish. Wildl. Div., Dept. Cons. Forests Lands, Melbourne.
- Taylor, S. (1998). A review of grassy ecosystem management techniques – are there any lessons from overseas? Unpublished report to Environment Australia.
- Thackway, R. & Creswell, I.D. (eds) (1995). An Interim Biogeographic Regionalisation for Australia: a framework for setting priorities in the National Reserves System Cooperative Program. Australian Nature Conservation Agency, Canberra.
- Tilman, D. & Downing, J.A. (1994). Biodiversity and stability in grasslands. *Nature* 367:363-365.
- Todd, J.A. (1998). Identification of priority areas for protection and the establishment of protected area networks in the Riverina Bioregion Victoria. Unpublished Report to Parks, Flora and Fauna, Department of Natural Resources and Environment, Melbourne.
- Webster, R. (1996a). Survey and conservation of the Plains-wanderer *Pedionomus torquatus* on the Western Plains of Victoria. Unpublished report to RAOU, Melbourne. 14 pp, 11 maps.
- Webster, R. (1996b). Survey and conservation of the Plains-wanderer *Pedionomus torquatus* in south-east South Australia. Unpublished Report to RAOU, Melbourne. 18 pp, 13 maps.
- Wellington, A. B. (1996). Victorian Grassy Ecosystems Strategic Priorities for Research 1996-1998. A report prepared for the Research Advisory Group of the Grassy Ecosystem Reference Group, Melbourne.
- Williams, K., Carey, J. & Edgar, R. (1999). Perception of native vegetation in rural landscapes: Implications for ecosystem protection and sustainable land management. Institute of Land Food and Resources, University of Melbourne.
- Young, M.D., Gunningham, N., Elix, J., Lambert, J., Howard, B., Grabosky, P. & McCrone, E. (1996). Reimbursing the Future. An evaluation of motivational, voluntary, price-based, property-right and regulatory incentives for the conservation of biodiversity. Biodiversity series, Paper No. 9. Biodiversity Unit, Department of Environment, Sport and Territories, Canberra.