

References

- Ahsanullah M & Williams AR 1991. Sublethal effects and bioaccumulation of cadmium, chromium, copper and zinc in the marine amphipod, *Allorchestes compressa*. *Marine Biology* 108, 59–65.
- Allison HE & Holdway DA 1988. Toxicity of uranium to hydra. In *Alligator Rivers Region Research Institute Annual Research Summary 1987–88*, Australian Government Publishing Service, Canberra, 68–69.
- Allison HE, Holdway DA, Hyne RV & Rippon GD 1991. *OSS procedures for the biological testing of waste waters for release into Magela Creek. XII. Hydra test (Hydra viridissima and Hydra vulgaris)*. Open File Record 72, Supervising Scientist for the Alligator Rivers Region, Australian Government Publishing Service, Canberra.
- APHA (American Public Health Association) 1998. *Standard methods for the examination of water and wastewater*. 20th edn, American Public Health Association, Washington DC, USA.
- Andrew RW, Biesinger KE & Glass GE 1977. Effects of inorganic complexing on the toxicity of copper to *Daphnia magna*. *Water Research* 11, 309–315.
- Anselme K, Julliard K & Blaineu S 1990. Degradation of metal-labeled collagen implants: Ultrastructural and X-ray microanalysis. *Tissue and Cell* 22, 81–91.
- ANZECC 1992. *Australian water quality guidelines for fresh and marine waters*. Australian and New Zealand Environment and Conservation Council, Canberra.
- ANZECC & ARMCANZ 2001. *Australian and New Zealand guidelines for fresh and marine water quality*. National Water Quality Management Strategy Paper No 4, Australian and New Zealand Environment and Conservation Council & Agriculture and Resource Management Council of Australia and New Zealand, Canberra.
- Apte SC & Day GM 1993. *Organic complexation and partitioning of copper in river waters: A review*. OTML/CSIRO Joint report, Sydney.
- ASTEC 1993. *Research and technology in tropical Australia and their application to the development of the region*. Australian Government Publishing Service, Canberra.
- Azenha M, Vasconcelos MT & Cabral JPS 1995. Organic ligands reduce copper toxicity in *Pseudomonas syringae*. *Environmental Toxicology and Chemistry* 14, 369–373.
- Baker L & Walden D 1984. *Acute toxicity of copper and zinc to three fish species from the Alligator Rivers Region*. Technical memorandum 8, Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra.
- Bale WM 1919. Further notes on Australian hydroids. IV. *Proceedings of the Royal Society Victoria* 31, 327–361.
- Barata C, Baird DJ & Markich SJ 1998. Influence of genetic and environmental factors on the tolerance of *Daphnia magna* (Straus) to essential and non-essential metals. *Aquatic Toxicology* 42, 115–137.
- Barnes RD 1980. *Invertebrate zoology*. 4th edn, Saunders College, Philadelphia.
- Beach M & Pascoe D 1998. The role of *Hydra vulgaris* in assessing the toxicity of freshwater pollutants. *Water Research* 32, 101–106.

- Belanger SE & Cherry DS 1990. Interacting effects of pH acclimation, pH, and heavy metals on acute and chronic toxicity to *Ceriodaphnia dubia* (Cladocera). *Journal of Crustacean Biology* 10, 225–235.
- Berlin M & Rudell B 1979. Uranium. In *Handbook on the toxicology of metals*, eds GF Friberg, GF Nordberg & VB Vouk, Elsevier, Amsterdam, 647–658.
- Blaise C & Kusui T 1997. Acute toxicity assessment of industrial effluents with a microplate-based *Hydra attenuata* assay. *Environmental Toxicology and Water Quality* 12, 53–60.
- Blanquet R & Lenhoff HM 1966. A disulfide-linked collagenous protein of nematocyst capsules. *Science* 154, 152–153.
- Boileau LJR, Nieboer E & Richardson DHS 1985. Uranium accumulation in the lichen *Cladonia rangiferina*. Part II. Toxic effects of cationic, neutral, and anionic forms of the uranyl ion. *Canadian Journal of Botany* 63, 390–397.
- Borgman U 1983. Metal speciation and toxicity of free metal ions to aquatic biota. In *Aquatic Toxicology*, ed JO Nriagu, John Wiley, Toronto, Canada, 48–72.
- Bradley RW & Sprague JB 1985. The influence of pH, water hardness, and alkalinity on the acute lethality of zinc to rainbow trout (*Salmo gairdneri*). *Canadian Journal of Fisheries and Aquatic Sciences* 42, 731–736.
- Breault RF, Colman JA, Aiken GR & McKnight D 1996. Copper speciation and binding by organic matter in copper-contaminated streamwater. *Environmental Science and Technology* 30, 3477–3486.
- Brown PL, Haworth A, Sharland SM & Tweed CJ 1991. *HARPHRQ: An extended version of the geochemical code PHREEQE*. NSS/R188, UK Atomic Energy Authority, Harwell Laboratory, Oxon.
- Brown PL, Markich SJ & Jeffree RA 1994. Migration of uranium: Intergrating geochemistry with biomonitoring to evaluate and predict its environmental impact. *Radiochimica Acta* 66/67, 351–357.
- Bryan GW 1976. Some aspects of heavy metal tolerance in aquatic organisms. In *Effects of pollutants on aquatic organisms*, eds APM Lockwood, University of Cambridge Press, Cambridge, 7–34.
- Buchwalter DB, Linder G & Curtis LR 1996. Modulation of cupric ion activity by pH and fulvic acid as determinants of toxicity in *Xenopus laevis* embryos and larvae. *Environmental Toxicology and Chemistry* 15, 568–573.
- Bywater JF, Banaczowski R & Bailey M 1991. Sensitivity to uranium of six species of tropical freshwater fishes and four species of cladoceran from northern Australia. *Environmental Toxicology and Chemistry* 10, 1449–1458.
- Camilleri C, Markich S, van Dam R & Pfeifle V 1998. *Toxicity of the herbicide Tebuthiuron to Australian tropical freshwater organisms: Towards an ecological risk assessment*. Supervising Scientist Report 131, Supervising Scientist, Canberra.
- Campbell PGC 1995. Interactions between trace metals and aquatic organisms: A critique of the Free-ion Activity Model (ch 2). In *Metal speciation and bioavailability in aquatic systems*, eds A Tessier & DR Turner, John Wiley, Chichester, West Sussex, 45–102.
- Campbell PGC & Stokes PM 1985. Acidification and toxicity of metals to aquatic biota. *Canadian Journal of Fisheries and Aquatic Sciences* 42, 2034–2049.

- Carroll JJ, Ellis SJ & Oliver WO 1979. Influences of hardness constituents on the acute toxicity of cadmium to brook trout (*Salvelinus fontinalis*). *Bulletin of Environmental Contamination and Toxicology* 22, 575–581.
- CCREM 1991. *Canadian Water Quality Guidelines*. Environment Canada, Ottawa.
- Chapman JC 1995. The role of ecotoxicity testing in assessing water quality. *Australian Journal of Ecology* 20, 20–27.
- Chapman PM, Cladwell RS & Chapman PF 1996. A warning: NOECs are inappropriate for regulatory use. *Environmental Toxicology and Chemistry* 15, 77–79.
- Choppin GR 1992. The role of natural organics in radionuclide migration in natural aquifer systems. *Radiochimica Acta* 58/59, 113–120.
- Crist RH, Oberholser K, Schwartz D, Marzoff J & Ryder D 1988. Interactions of metals and protons with algae. *Environmental Science and Technology* 22, 755–760.
- Cusimano RF, Brakke DF & Chapman GA 1986. Effects of pH on the toxicities of cadmium, copper, and zinc to steelhead trout. *Canadian Journal Fisheries and Aquatic Sciences* 43, 1497–1503.
- Daly HR, Campbell IC & Hart BT 1990a. Copper toxicity to *Paratya australiensis*: I. Influence of nitrilotriacetic acid and glycine. *Environmental Toxicology and Chemistry* 9, 997–1006.
- Daly HR, Campbell IC & Hart BT 1990b. Copper toxicity to *Paratya australiensis*: II. Influence of bicarbonate and ionic strength. *Environmental Toxicology and Chemistry* 9, 1007–1011.
- Davies PE, Cook LSJ & Goenarso D 1994. Sublethal responses to pesticides of several species of Australian freshwater fish and crustaceans and rainbow trout. *Environmental Toxicology and Chemistry* 13, 1341–1354.
- Denton DL & Norberg-King TJ 1996. Whole effluent toxicity statistics: A regulatory perspective. In *Whole effluent toxicity testing: An evaluation of methods and prediction of receiving system impacts*, eds DR Grothe, KL Dickson & DK Reed-Judkins, SETAC Press, Pensacola, 83–102.
- Dhaliwal BS, Dolan RJ, Batts CW & Kelly JM 1997. Warning: Replacing NOECs with point estimates may not solve regulatory contradictions. *Environmental Toxicology and Chemistry* 16, 124–126.
- Dzombak DA & Morel FMM 1990. *Surface complexation modeling: Hydrous ferric oxide*. John Wiley, New York.
- Ellender G, Jobson S, Hyne RV & Rippon GD 1992. Bioaccumulation of uranium by *Hydra viridissima* and its implications for bioassay. Open file record 94, Supervising Scientist for the Alligator Rivers Region, Canberra. Unpublished paper.
- Erickson RJ, Benoi DA, Mattson VR, Nelson Jr HP & Leonard EN 1996. The effects of water chemistry on the toxicity of copper to fathead minnows. *Environmental Toxicology and Chemistry* 15, 181–193.
- Flemming CA & Trevors JT 1989. Copper toxicity and chemistry in the environment. *Water, Air and Soil Pollution* 44, 143–505.

- Flik G & Verboost PM 1994. Calcium transport in fish gills and intestine. *Journal of Experimental Biology* 184, 17–29.
- Florence TM & Batley GE 1980. Chemical speciation in natural waters. *Critical Reviews in Analytical Chemistry* 9, 219–296.
- Franklin N, Stauber J, Markich S & Lim R 1998. *A new tropical algal test to assess the toxicity of metals in freshwaters*. Supervising Scientist Report 133, Supervising Scientist, Canberra.
- French P 1986. *The speciation and solubility of copper and cadmium in natural waters*. Environmental Report 1226-M, Water Research Centre – Environment, Medmedham, UK.
- Gascoyne M 1992. Geochemistry of the Actinides and their daughters. 2nd edn, In *Uranium-series disequilibrium: Applications to earth, marine, and environmental sciences*, eds M Ivanovich & RS Harmon, Clarendon Press, Oxford, 34–61.
- Gauss JD, Woods PE, Winner RW & Skillings JH 1985. Acute toxicity of copper to three life stages of *Chironomus tentans* as affected by water hardness-alkalinity. *Environmental Pollution (Series A)* 37, 149–157.
- Gerhardt A 1993. Review of impact of heavy metals on stream invertebrates with special emphasis on acid conditions. *Water, Air and Soil Pollution* 66, 289–314.
- Giles MS 1974. Toxicity studies on aquatic organisms and grass-sedge communities in the Magela Creek area. In *The Alligator Rivers area fact finding study*. Four AAED Reports, eds PJF Newton, AAEC/E305, Australian Atomic Energy Commission, Sydney.
- Good NE, Winget GD, Winter W, Connolly TN, Izawa S & Singh RMM 1966. Hydrogen ion buffers for biological research. *Biochemistry* 5, 467–477.
- Greene B, Henzl MT, Hosea JM & Darnall DW 1986. Elimination of bicarbonate interference in the binding of U(VI) in mill-waters to freeze-dried *Chlorella vulgaris*. *Biotechnology and Bioengineering* 28, 746–767.
- Grenthe I, Fuger J, Konings RJM, Lemire RJ, Muller AB, Nguyen-Trung C & Wanner H 1992. *Chemical thermodynamics of uranium*. North-Holland, Amsterdam.
- Guy RD & Kean AR 1980. Algae as a chemical speciation monitor – I: A comparison of algal growth and computer calculated speciation. *Water Research* 14, 891–899.
- Hamelink JL, Landrum PF, Bergman HL & Benson WH (eds) 1994. *Bioavailability: Physical, chemical and biological interactions*. Lewis Publishers, Boca Raton.
- Hansten C, Heino M & Pynnonen K 1996. Viability of glochidia of *Anodonta anatina* (Unionidae) exposed to selected metals and chelating agents. *Aquatic Toxicology* 34, 1–12.
- Harris JH 1995. The use of fish in ecological assessments. *Australian Journal of Ecology* 20, 65–80.
- Hart BT 1981. Trace metal complexing capacity of natural waters: A review. *Environmental Technology Letters* 2, 95–110.
- Hart BT, Ottaway EM & Noller BN 1987. Magela Creek system, Northern Australia. I. 1982–83 Wet-season water quality. *Australian Journal of Marine and Freshwater Research* 38, 261–288.

- Hendriks AJ 1995. Modeling response of species to microcontaminants: Comparative ecotoxicology by (sub)lethal body burdens as a function of species size and partition ratio of chemicals. *Ecotoxicology and Environmental Safety* 32, 103–130.
- Hoekstra JA & van Ewijk PH 1993a. The bounded-effect-concentration as an alternative to the NOEC. *The Science of the Total Environment*, Supplement, 705–711.
- Hoekstra JA & van Ewijk PH 1993b. Alternatives for the no-observed-effect level. *Environmental Toxicology and Chemistry* 12, 187–194.
- Hogstrand C, Wilson RD, Polger D & Wood CM 1994. Effects of zinc on the kinetics of branchial calcium uptake in freshwater rainbow trout during adaption to waterborne zinc. *Journal of Experimental Biology* 186, 55–74.
- Holdway DA 1992. Uranium toxicity to two species of Australian tropical fish. *The Science of the Total Environment* 125, 137–158.
- Holdway DA & Wiecek MM 1989. OSS test procedures for the biological testing of waste waters for release into Magela Creek. II: Larval Gudgeon test (*Mogurnda mogurnda*). Open file record 52, Supervising Scientist for the Alligator Rivers Region, Canberra. Unpublished paper.
- Horne MT & Dunson WA 1995. Effects of low pH, metals, and water hardness on larval amphibians. *Archives of Environmental Contamination and Toxicology* 29, 500–505.
- Howarth RW & Sprague JB 1978. Copper lethality to rainbow trout in waters of various hardness and pH. *Water Resources* 12, 455–462.
- Hunt DTE 1987. *Trace metal speciation and toxicity to aquatic organisms – A review*. TR 247, Water Resource Centre – Environment, Marlow, UK.
- Hyne RV, Padovan A, Parry DL & Renaud SM 1993. Increased fecundity of the Cladoceran *Moinodaphnia macleayi* on a diet supplemented with a green alga, and its use in uranium toxicity tests. *Australian Journal of Marine and Freshwater Research* 44, 389–399.
- Hyne RV, Rippon GD, Hunt SM & Brown GH 1996. *Procedures for the biological toxicity testing of mine waste waters using freshwater organisms*. Supervising Scientist Report 110, Supervising Scientist, Canberra.
- Issa AA, Abdel-Basset R & Adam MS 1995. Abolition of heavy metal toxicity on *Kirchneriella lunaris* (Chlorophyta) by calcium. *Annals of Botany* 75, 189–192.
- Jackson BP, Lasier PJ, Miller WP & Winger PW 2000. Effects of Ca, Mg and Na on alleviating Cd toxicity to *Hyalella azteca*. *Bulletin of Environmental Contamination and Toxicology* 64, 279–286.
- Jeffrey RA & Simpson RD 1986. An experimental study of the uptake and loss of Ra-226 by the tissue of the tropical freshwater mussel *Velesunio angasi* (Sowerby) under varying Ca and Mg water concentrations. *Hydrobiologia* 139, 59–80.
- Kennedy PL, Clements WH, Myers OB, Bestgen HT & Jenkin DG 1995. *Evaluation of depleted uranium in the environment at Aberdeen proving grounds, Maryland and Yuma proving grounds, Arizona*. LA-SUB-94-173. Los Alamos National Laboratory, Los Alamos, New Mexico.
- Kohler M, Curtis GP, Kent DB & Davis JA 1996. Experimental investigations and modelling of uranium VI transport under variable chemical conditions. *Water Research* 33, 3539–3551.

- Kong I-C, Bitton G, Koopman B & Jung K-H 1995. Heavy metal toxicity testing in environmental samples. *Reviews in Environmental Contamination and Toxicology* 142, 119–147.
- Lage O, Vasconcelos MTSD, Soares HMVM, Osswald JM, Sansonetty F, Parente AM & Salema R 1996. Suitability of the pH buffers 3-[N–N–bis(hydroxyethyl) amino]–2-hydroxypropanesulfonic acid and N-2-hydroxyethylpiperazine-N'-2-ethane- sulfonic acid for in vitro copper toxicity studies. *Archives of Environmental Contamination and Toxicology* 31, 199–205.
- Langmuir D 1978. Uranium solution-mineral equilibria at low temperatures with applications to sedimentary ore deposits. *Geochimica et Cosmochimica Acta* 42, 547–569.
- Laurén DJ & McDonald DG 1986. Influence of water hardness, pH, and alkalinity on the mechanisms of copper toxicity in juvenile rainbow trout, *Salmo gairdneri*. *Canadian Journal of Fisheries and Aquatic Sciences* 43, 1488–1496.
- Leckie J & Davis J 1979. Aqueous environmental chemistry of copper. In *Copper in the environment*, ed J Nriagu, Wiley Interscience, New York.
- Lesh-Laurie GE 1982. Hydra. In *Developmental biology of freshwater invertebrates*, eds FW Harrison, RR Cowden & R Alan, Liss Inc, New York USA, 69–127.
- Macfie SM, Tarmohamed Y & Welbourn PM 1994. Effects of cadmium, cobalt, copper, and nickel on growth of the green alga *Chlamydomonas reinhardtii*: The influence of the cell wall and pH. *Archives of Environmental Contamination and Toxicology* 27, 454–458.
- Markich SJ 1998. Effects of biological and physiological variables on the valve movement responses of freshwater bivalves to Mn, U, Cd or Cu. PhD Thesis, University of Technology, Sydney.
- Markich SJ & Brown PL 1999. *Thermochemical data for environmentally-relevant elements. 1. Na, K, Ca, Mg, Mn, Fe, Al, U, Cu, Cd, Zn and Pb with model fulvic acid (aspartate, citrate, malonate, salicylate and tricarballate)*. ANSTO/E735. Australian Nuclear Science and Technology Organisation, Sydney.
- Markich SJ & Camilleri C 1997. *Investigation of metal toxicity to tropical biota: Recommendations for Revision of the Australian Water Quality Guidelines*. Supervising Scientist Report 127, Supervising Scientist, Canberra.
- Markich SJ & Jeffree RA 1994. Absorption of divalent trace metals as analogues of calcium by Australian freshwater bivalves: An explanation of how water hardness reduces metal toxicity. *Aquatic Toxicology* 29, 257–290.
- Markich SJ, Brown PL & Jeffree RA 1996. The use of geochemical speciation modelling to predict the impact of uranium to freshwater biota. *Radiochimica Acta* 74, 321–326.
- Markich SJ, Brown PL, Batley GE, Apte SC & Stauber JL 2000. Incorporating metal speciation and bioavailability into water quality guidelines for protecting aquatic ecosystems. *Australasian Journal of Ecotoxicology* (in press).
- Markich SJ, Brown PL, Jeffree RA & Lim RP 2000. Valve movement responses of *Velesunio angasi* (Bivalvia: Hyriidae) to manganese and uranium: An exception to the free ion activity model. *Aquatic Toxicology* 51, 155–175.
- Mayer Jr FL, Marking LL, Bills TD & Howe GE 1994. Physicochemical factors affecting toxicity in freshwater: Hardness, pH, and temperature. In *Bioavailability: Physical,*

- chemical and biological interactions*, eds JL Hamelink, PF Landrum, HL Bergman & WH Benson, Lewis Publishers, Boca Raton, 5–22.
- McDonald DG & Wood CM 1993. Branchial mechanisms of acclimation to metals in freshwater fish. In *Fish ecophysiology*, eds JC Rankin & FB Jensen, Chapman and Hall, London, 297–321.
- McKinley JP, Zachara JM, Smith SC & Turner GD 1995. The influence of uranyl hydrolysis and multiple site-binding reactions on absorption of U(VI) to montmorillonite. *Clays and Minerals* 43, 586–598.
- Meador JP 1991. The interaction of pH, dissolved organic carbon, and total copper in the determination of ionic copper and toxicity. *Aquatic Toxicology* 19, 13–32.
- Merrick JR & Schmida GE 1984. *Australian freshwater fish: Biology and management*. Griffin Press, South Australia.
- Mierle G 1981. Modification of copper toxicity by other cations. *Journal of Plant Nutrition* 3, 293–308.
- Miller TG & Mackay WC 1980. The effects of hardness, alkalinity and pH of test water on the toxicity of Copper to rainbow trout (*Salmo gairdneri*). *Water Resources* 14, 129–133.
- Miwa T, Murakami M & Mizuike A 1989. Speciation of copper in fresh waters. *Analytica Chimica Acta* 219, 1–8.
- Moore DRJ & Caux P-Y 1997. Estimating low toxic effects. *Environmental Toxicology and Chemistry* 16, 794–801.
- Moore JW & Ramamoorthy S 1984. Copper. In *Heavy metals in natural waters: Applied monitoring and impact assessments*, Springer-Verlag, Berlin, 77–99.
- Morse JW & Choppin GR 1991. The chemistry of transuranic elements in natural waters. *Reviews in Aquatic Sciences* 4, 1–22.
- Moulin V, Tits J & Ouzounian G 1992. Actinide speciation in the presence of humic substances in natural water conditions. *Radiochimica Acta* 58/59, 179–190.
- Nakajima A, Horikoshi T & Sakaguchi T 1979. Ion effects on the uptake of uranium by *Chlorella regularis*. *Agricultural Biology and Chemistry* 43, 625–629.
- Nor YM 1987. Ecotoxicity of copper to aquatic biota: A review. *Environmental Research* 43, 274–282.
- NTDTW 1983. *Alligator Rivers Region regional surface water quality monitoring, November 1978 – April 1981*. Northern Territory Department of Transport and Works, Darwin.
- O’Shea TA & Mancy KH 1978. The effect of pH and hardness metal ions on the competitive interaction between trace metal ions and inorganic and organic complexing agents found in natural waters. *Water Research* 12, 703–711.
- Osmond JK & Ivanovich M 1992. Uranium-series mobilization and surface hydrology. 2nd edn, In *Uranium-series disequilibrium: Applications to earth, marine, and environmental sciences*, eds M Ivanovich & RS Harmon, Clarendon Press, Oxford, 259–289.
- Pagenkopf GK 1983. Gill surface interaction model for trace metal toxicity to fishes: Role of complexation, pH and water hardness. *Environmental Science and Technology* 17, 342–347.

- Parent L & Campbell PGC 1994. Aluminum bioavailability to the green alga *Chlorella pyrenoidosa* in acidified synthetic soft water. *Environmental Toxicology and Chemistry* 13, 587–598.
- Parkhurst BR, Elder RG, Meyer JS, Sanchez DA, Pennak RW & Waller WT 1984. An environmental hazard evaluation of uranium in a Rocky Mountain stream. *Environmental Toxicology and Chemistry* 3, 113–124.
- Part P, Svanberg O & Kiessling A 1985. The availability of cadmium to perfused rainbow trout gills in different water qualities. *Water Research* 19, 427–434.
- Playle RC, Gresemer RW & Dixon DG 1992. Copper accumulation on gills of flathead minnows: Influence of water hardness, complexation and pH of the gill micro-environment. *Environmental Toxicology and Chemistry* 11, 381–391.
- Pollino CA & Holdway DA 1999. The potential of hydra species as standard toxicity test animals. *Ecotoxicology and Environmental Safety* 43, 309–316.
- Poston TM, Hanf RW & Simmons MA 1984. Toxicity of uranium to *Daphnia magna*. *Water, Air and Soil Pollution* 22, 289–298.
- Reid SD & McDonald DG 1988. Effects of cadmium, copper, and low pH on ion fluxes in the rainbow trout, *Salmo gairdneri*. *Canadian Journal of Fisheries and Aquatic Sciences* 45, 244–253.
- Reid SD & McDonald DG 1991. Metal binding activity of the gills of rainbow trout (*Oncorhynchus mykiss*). *Canadian Journal of Fisheries and Aquatic Science* 48, 1061–1068.
- Riethmuller N 2000. The effect of true water hardness and alkalinity on the toxicity of Cu and U to two tropical Australian freshwater organisms. Internal Report 348, Supervising Scientist, Canberra.
- Rippon GD & Hyne RV 1992. Purple spotted gudgeon: Its use as a standard toxicity test animal in tropical northern Australia. *Bulletin of Environmental Contamination and Toxicology* 49, 471–476.
- Rump HH & Krist H 1992. *Laboratory manual for the examination of water, waste water and soil*. 2nd edn, VCH Publications, Weinheim.
- Schenck RC, Tessier A & Campbell PGC 1988. The effect of pH on iron and manganese uptake by green alga. *Limnology and Oceanography* 33, 538–550.
- Schubauer-Berigan MK, Dierkes JR, Monson PD & Ankley GT 1993. pH-dependent toxicity of Cd, Cu, Ni, Pb and Zn to *Ceriodaphnia dubia*, *Pimephales promelas*, *Hyaella azteca* and *Lumbriculus variegatus*. *Environmental Toxicology and Chemistry* 12, 1261–1266.
- Seefeldt SS, Jenson JE & Fuerst EP 1995. Log-logistic analysis of herbicide dose-response relationships. *Weed Technology* 9, 218–227.
- Skidmore JF 1986. Toxicity of copper to selected Australian freshwater animals. In *Water quality management: Freshwater ecotoxicology in Australia*, ed BT Hart, Chisholm Institute of Technology, Melbourne, 41–52.
- Skidmore JF & Firth IC 1983. *Acute sensitivity of selected Australian freshwater animals to copper and zinc*. Australian Water Resources Council, Technical Paper No 81, Australian Government Publishing Service, Canberra.

- Sorensen EMB 1991. *Metal poisoning in fish*. CRC Press, Boca Raton, Florida.
- Stauber JL, Vsai J, Vaughan GT, Peterson SM & Brockbank CI 1994. *Algae as indicators of toxicity of the effluent from bleached eucalypt kraft pulp mills*. National Pulp Mills Research Program. Technical Report No. 3, CSIRO, Canberra.
- Stebbing ARD & Pomroy AJ 1978. A sublethal technique for assessing the effects of contaminants using *Hydra littoralis*. *Water Research* 12, 631–635.
- Stumm W & Morgan JJ 1981. *Aquatic Chemistry: An introduction emphasizing chemical equilibria in natural waters*. J Wiley, New York.
- Sylva RN 1976. The environmental chemistry of copper (II) in aquatic systems. *Water Research* 10, 789–792.
- Tarzwel CM & Henderson C 1960. Toxicity of less common metals to fishes. *Industrial Wastes* 5, 12.
- Tubbing DMJ, Admiraal W, Cleven RFMJ, Iqbal M, van de Meent D & Verweij W 1994. The contribution of complexed copper to the metabolic inhibition of algae and bacteria in synthetic media and river water. *Water Research* 28, 37–44.
- US EPA 1985. *Ambient water quality criteria for copper – 1984*. EPA-440/5-84-031. United States Environmental Protection Agency, Washington DC.
- Verboost PM, Laféber FPJG, Spanings FAT, Aarden EM & Wendelaar Bonga SE 1992. Inhibition of Ca²⁺ uptake in freshwater carp, *Cyprinus carpio*, during short-term exposure to aluminium. *Journal of Experimental Zoology* 262, 247–254.
- Waiwood KG & Beamish FWH 1978. The effect of copper, hardness, and pH on the growth of rainbow trout (*Salmo gairdneri*). *Journal of Fish Biology* 13, 591–598.
- Welsh PG, Skidmore JF, Spry DJ, Dixon DG, Hodson PV, Hutchinson NJ & Hickie BE 1993. Effect of pH and dissolved organic carbon on the toxicity of copper to larval fathead minnow (*Pimephales promelas*) in natural lake waters of low alkalinity. *Canadian Journal of Fisheries and Aquatic Sciences* 50, 1356–1362.
- Williams NJ, Kool KM & Simpson RD 1991. Copper toxicity to fishes and an extremely sensitive shrimp in relation to a potential Australian tropical mining-waste seep. *International Journal of Environmental Studies* 38, 165–180.
- Winner RW 1985. Bioaccumulation and toxicity of copper as affected by interactions between humic acid and water hardness. *Water Research* 19, 449–455.
- Yong P & Macaskie LE 1995. Role of citrate as a complexing ligand which permits enzymatically-mediated uranyl ion bioaccumulation. *Bulletin of Environmental Contamination and Toxicology* 54, 892–899.