

References

- Aldrick JM 1976. Soils of the Alligator Rivers area. In *Lands of the Alligator Rivers Area, Northern Territory*, Story R, Galloway RW, M^cAlpine JR, Aldrick JM & Williams MAJ, CSIRO Land Research Series 38, Melbourne, 71–88.
- Allen JRL 1985. *Principles of physical sedimentology*. George Allen & Unwin, London.
- Andrus CW, Long BA & Froehlich HA 1988. Woody debris and its contribution to pool formation in a coastal stream 50 years after logging. *Canadian Journal of Fisheries and Aquatic Science* 45, 2080–2086.
- Bettenay E, Russell WGR & Mann AW 1981. *A description of the regolith at Jabiluka, Northern Territory*. Land Resources Management Technical Paper 9, CSIRO, Melbourne.
- Boggs G, Devonport C & Evans K 1999. Application of geographic information systems to the assessment and management of mining impact: A project outline. Internal Report 320, Supervising Scientist, Canberra. Unpublished paper.
- Brush LM Jr, Einstein HA, Simons DB, Vanoni VA & Kennedy JF 1966. Nomenclature for bed forms in alluvial channels. *Journal of the Hydraulics Division, Proceedings of the American Society of Civil Engineers* 92 (HY3), 51–64.
- Brush LM Jr & Wolman MG 1960. Knickpoint behaviour in noncohesive material: a laboratory study. *Geological Society of America Bulletin* 71, 59–74.
- Bureau of Meteorology 1999. *Hydrometeorological analyses relevant to Jabiluka*. Supervising Scientist Report 140, Supervising Scientist, Canberra.
- Carey WP 1984. A field technique for weighing bedload samples. *Water Resources Bulletin* 20, 261–265.
- Carey WP 1985. Variability in measured bedload-transport rates. *Water Resources Bulletin* 21, 39–48.
- Chiew FHS & Wang QJ 1999. *Hydrological analysis relevant to surface water storage at Jabiluka*. Supervising Scientist Report 142, Supervising Scientist, Canberra.
- Christian CS & Stewart GA 1953. *General report on survey of Katherine-Darwin region*. CSIRO Land Research Series 1, CSIRO, Melbourne.
- Church MA, McLean DG & Wolcott JF 1987. River bed gravels: sampling and analysis. In *Sediment transport in gravel-bed rivers*, eds CR Thorne, JC Bathurst & RD Hey, Wiley, Chichester, 43–88.
- Clark RL, Guppy J, Mahon D, McBride P & Wasson RJ 1992. Late Quaternary evolution of the Magela plain. In *Modern sedimentation and late quaternary evolution of the Magela Creek Plain*, ed Wasson RJ, Research report 6, Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra, 81–157.
- Cull RF, Hancock G, Johnston A, Martin P, Martin R, Murray AS, Pfitzner J, Warner RF & Wasson RJ 1992. Past, present and future sedimentation on the Magela plain and in its catchment. In *Modern sedimentation and late quaternary evolution of the Magela Creek Plain*. ed Wasson RJ, Research report 6, Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra, 226–268.
- de Vries M 1971. On the accuracy of bed-material sampling. *Journal of Hydraulic Research* 8, 523–533.

- Duggan K 1988. Mining and erosion in the Alligator Rivers Region of northern Australia. PhD Thesis, School of Earth Sciences, Macquarie University.
- East TJ 1996. Landform evolution. In *Landscape and vegetation ecology of the Kakadu region, Northern Australia*. eds CM Finlayson & I Von Oertzen, Kluwer, Dordrecht, 37–55.
- Emerson WW 1967. A classification of soil aggregates based on their coherence in water. *Australian Journal of Soil Research* 5, 47–57.
- Emmett WW 1979. *A field calibration of the sediment trapping characteristics of the Helley-Smith bedload sampler*. US Geological Survey Professional Paper 1139. Washington.
- Erskine WD 1986a. River metamorphosis and environmental change in the Hunter Valley, New South Wales. PhD Thesis, University of New South Wales, Sydney.
- Erskine WD 1986b. River metamorphosis and environmental change in the Macdonald Valley, New South Wales, since 1949. *Australian Geographical Studies* 24, 88–107.
- Erskine WD 1992. Channel response to large-scale river training works: Hunter River, Australia. *Regulated Rivers: Research and Management* 7, 261–278.
- Erskine WD 1993. Erosion and deposition produced by a catastrophic flood on the Genoa River, Victoria. *Australian Journal of Soil and Water Conservation* 6(4), 35–43.
- Erskine WD 1994. Sand slugs generated by catastrophic floods on the Goulburn River, New South Wales In *Variability in stream erosion and sediment transport*, eds LJ Olive, RJ Loughran & JA Kesby, International Association of Hydrological Sciences Publication 224, IAHS, Wallingford, Oxfordshire, 143–151.
- Erskine WD 1996. Response and recovery of a sand-bed stream to a catastrophic flood. *Zeitschrift fur Geomorphologie* 40(3), 359–383.
- Erskine WD 1999. Oscillatory response versus progressive degradation of incised channels in southeastern Australia. In *Incised river channels*, eds SE Darby & A Simon, Wiley, Chichester, 67–95.
- Erskine WD & Livingstone EA 1999. In-channel benches: the role of floods in their formation and destruction on bedrock-confined rivers. In *Varieties of fluvial forms*, eds A Miller & A Gupta, Wiley, Chichester, 445–475.
- Erskine WD & Melville MD 1983a. Sedimentary properties and processes in a sandstone valley: Fernances Creek, Hunter Valley, New South Wales. In *Aspects of Australian sandstone landscapes*, eds RW Young & GC Nanson, Australian and New Zealand Geomorphology Group Special Publication 1, University of Wollongong, Wollongong NSW, 94–105.
- Erskine WD & Melville MD 1983b. Impact of the 1978 floods on the channel and floodplain of the lower Macdonald River, NSW. *Australian Geographer* 15, 284–292.
- Erskine WD, Rutherford ID & Tilleard JW 1990. *Fluvial geomorphology of tributaries to the Gippsland Lakes*. Department of Conservation and Environment, Victoria.
- Erskine WD & Saynor MJ 1996a. Effects of catastrophic floods on sediment yields in southeastern. In *Erosion and sediment yield: Global and regional perspectives*, eds DE Walling & BW Webb, International Association of Hydrological Sciences Publication No 236, IAHS, Wallingford, Oxfordshire, 381–388.

- Erskine WD & Saynor MJ 1996b. *The influence of waterway management on water quality with particular reference to suspended solids, phosphorus and nitrogen*. Broken River Management Board and Department of Conservation and Natural Resources, Victoria, Wangaratta.
- Erskine WD & Saynor MJ 2000. *Assessment of the off-site geomorphic impacts of uranium mining on Magela Creek, Northern Territory, Australia*. Supervising Scientist Report 156, Supervising Scientist, Darwin.
- Erskine WD, Warner RF, Tilleard JW & Shanahan KF 1995. Morphological impacts and implications of a trial release on the Wingecarribee River, New South Wales. *Australian Geographical Studies* 33,44–59.
- Erskine WD & White LJ 1996. Historical river metamorphosis of the Cann River, East Gippsland, Victoria. In *Proceedings of First National Conference on Stream Management in Australia*, Meerijig, 19–23 February 1996, 277–282.
- Evans KG 1997. Runoff and erosion characteristics of a post-mining rehabilitated landform at Ranger Uranium Mine, Northern Territory, Australia and the implications for its topographic evolution. PhD thesis, University of Newcastle, Newcastle NSW.
- Evans KG, Willgoose GR, Saynor MJ & House T 1998. *Effect of vegetation and surface amelioration on simulated landform evolution of the post-mining landscape at ERA Ranger Mine, Northern Territory*. Supervising Scientist Report 134, Supervising Scientist, Canberra.
- Ferguson RI & Paola C 1997. Bias and precision of percentiles of bulk grain size distributions. *Earth Surface Processes and Landforms* 22, 1061–1077.
- Folk RL 1974. *Petrology of sedimentary rocks*. Hemphill, Austin.
- Friedman JM, Osterkamp WR & Lewis WM Jr 1996. The role of vegetation and bed-level fluctuations in the process of channel narrowing. *Geomorphology* 14, 41–351.
- Gale SJ & Hoare PG 1992. Bulk sampling of coarse clastic sediments for particle-size analysis. *Earth Surface Processes and Landforms* 17, 729–733.
- Gale SJ & Hoare PG 1994. Reply: Bulk sampling of coarse clastic sediments for particle-size analysis. *Earth Surface Processes and Landforms* 19, 263–268.
- Galloway RW, Aldrick JM, Williams MAJ & Story R 1976. Land systems of the Alligator Rivers area. In *Lands of the Alligator Rivers area, Northern Territory*, R Story, RW Galloway, JR McAlpine, JM Aldrick & MAJ Williams, CSIRO Land Research Series 38, Melbourne, 15–34.
- Gee GW & Bauder JW 1986. Particle size analysis. In *Methods of soil analysis Vol. 1, Physical and mineralogical methods*, ed A Klute, American Society of Soil Agronomy and Soil Science Society of America, Madison, 357–376.
- Gippel CJ 1989a. *The use of turbidity instruments to measure stream water suspended sediment concentration*. Australian Defence Force Academy Monograph Series No. 4, Department of Geography and Oceanography, University College, University of New South Wales, Canberra.
- Gippel CJ 1989b. The use of turbidimeters in suspended sediment research. *Hydrobiologia* 176/177, 465–480.

- Gippel CJ 1994. Monitoring turbidity of stream water. *Australian Journal of Soil and Water Conservation* 7(4), 37–44.
- Grant GE, Swanson FJ & Wolman MG 1990. Pattern and origin of stepped-bed morphology in high gradient streams, Western Cascades, Oregon. *Geological Society of America Bulletin* 102, 340–352.
- Gregory KJ 1992. Vegetation and river channel process interactions. In *River conservation and management*, eds PJ Boon, P Calow & GE Petts, Wiley, Chichester, 255–269.
- Gregory KJ & Davis RJ 1992. Coarse woody debris in stream channels in relation to river channel management in woodland areas. *Regulated Rivers: Research and Management* 7, 117–136.
- Gregory KJ & Walling DE 1973. *Drainage basin form and process*. Edward Arnold. London.
- Guy HP & Norman VW 1970. *Field methods for measurement of fluvial sediment*. Techniques of Water-resource Investigations of the United States Geological Survey C2(3), Washington.
- Hart BT & McGregor RJ 1982. *Water quality characteristics of eight billabongs in the Magela Creek catchment*. Research report 2, Supervising Scientist for the Alligator Rivers Region, AGPS, Canberra.
- Hart BT, Ottaway EM & Noller BN 1987. Magela Creek system, northern Australia. II. Material budget for the floodplain. *Australian Journal of Marine and Freshwater Research* 38, 861–76.
- Hays J 1967. Land surfaces and laterite in the north of the Northern Territory. In *Landform studies from Australia and New Guinea*, eds JN Jennings & JA Mabbutt, Australian National University Press, Canberra, 182–210.
- Heede BH 1972. Influences of a forest on the hydraulic geometry of two mountain streams. *Water Resources Bulletin* 8, 523–530.
- Heede BH 1981. Dynamics of selected mountain streams in the western United States of America. *Zeitschriche fur Geomorphologie* 25(1), 17–32.
- Helley EJ & Smith W 1971. Development and calibration of a pressure difference bedload sampler. US Geological Survey Open File Report.
- Hickin EJ 1984. Vegetation and river channel dynamics. *Canadian Geographer* 28, 111–126.
- Hooper ADL 1969. Soils of the Adelaide-Alligator area. In *Lands of the Adelaide-Alligator area, Northern Territory*, Story R, Williams MAJ, Hooper ADL, O’Ferral RE & M^cAlpine JR, CSIRO Land Research Series 25, Melbourne, 95–113.
- Johnston A & Prendergast B 1999. *Assessment of the Jabiluka Project: Report of the Supervising Scientist to the World Heritage Committee*. Supervising Scientist Report 138, Supervising Scientist, Canberra.
- Keller EA & Swanson FJ 1979. Effects of large organic material on channel form and fluvial processes. *Earth Surface Processes* 4, 361–380.
- Kellerhals R & Bray DI 1971. Sampling procedures for coarse fluvial sediments. *Journal of the Hydraulics Division, Proceedings of the American Society of Civil Engineers* 97, 1165–1180.

- Kellerhals R, Church M & Bray DI 1976. Classification and analysis of river processes. *Journal of the Hydraulics Division, Proceedings of the American Society of Civil Engineers* 102, 813–829.
- Kinhill Engineers & ERA Environmental Services 1996. *The Jabiluka Project Main Report Draft Environmental Impact Statement*. Energy Resources of Australia Ltd.
- Kinhill & Energy Resources of Australia Ltd 1998. *The Jabiluka Project. The Jabiluka Mill Alternative. Public Environment Report*. Energy Resources of Australia Ltd.
- Kondolf GM & Downs PW 1996. Catchment approach to planning channel restoration. In *River channel restoration: Guiding principles for sustainable projects*, eds A Brookes & FD Shields Jr, Wiley, Chichester, 129–148.
- Leopold LB 1970. An improved method for size distribution of stream bed gravel. *Water Resources Research* 6, 1357–1366.
- Leopold LB, Emmett WW & Myrick RW 1966. *Channel and hillslope processes in a semi-arid area, New Mexico*. US Geological Survey Professional Paper 352G, Washington.
- Letcher RA, Jakeman AJ, Merritt WS, McKee LJ, Eyre BD & Baginska B 1999. *Review of techniques to estimate catchment exports*. Environment Protection Authority, Sydney.
- Lisle TE 1986. Stabilization of a gravel channel by large streamside obstructions and bedrock bends, Jacoby Creek, northwestern California. *Geological Society of America Bulletin* 97, 999–1011.
- Marston RA 1982. The geomorphic significance of log steps in forest streams. *Annals of Association of American Geographers* 72, 99–108.
- McDonald NS & McAlpine J 1991. Floods and droughts: the northern climate. In *Monsoonal Australia: Landscape, ecology and man in the northern lowlands*, eds CD Haynes, MG Ridpath & MAJ Williams, AA Balkema, Rotterdam, 19–29.
- McDonald RC & Isbell RF 1990. Soil profile. In *Australian soil and land survey field handbook*, eds RC McDonald, RF Isbell, JC Speight, J Walker & MS Hopkins, Inkata Press, Melbourne, 103–152.
- McQuade CV, Arthur JT & Butterworth IJ 1996. Climate and hydrology. In *Landscape and vegetation ecology of the Kakadu region, northern Australia*, eds CM Finlayson & I Von Oertzen, Kluwer, Dordrecht, 17–35.
- Melville MD & Erskine WD 1986. Sediment remobilization and storage by discontinuous gullying in humid southeastern Australia. *International Association of Hydrological Sciences Publ. No. 159*, 277–286.
- Moglen G & Bras RL 1994. *Simulation of observed topography using a physically-based basin evolution model*. MA. Report no. 340, Ralph M. Parsons Laboratory, Department of Civil and Environmental Engineering, MIT, Boston.
- Montgomery DR, Buffington JM, Smith RD, Schmidt KM & Pess G 1995. Pool spacing in forest channels. *Water Resources Research* 31, 1097–1105.
- Mosley MP 1981. The influence of organic debris on channel morphology and bedload transport in a New Zealand forest stream. *Earth Surface Processes and Landforms* 6, 571–579.

- Mosley MP & Tindale DS 1985. Sediment variability and bed material sampling in gravel-bed rivers. *Earth Surface Processes and Landforms* 10, 465–482.
- Muir TC 1969. Sampling and analysis of coarse riverbed sediments. *Proceedings 4th Mississippi Water Resources Conference*, Water Resources Research Institute, Mississippi State University, State College, Mississippi, 73–83.
- Murray AS, Johnson A, Martin P, Hancock G, Marten R & Pfitzner J 1993. Transport of naturally occurring radionuclides by a seasonal tropical river, northern Australia. *Journal of Hydrology* 150, 19–39.
- Nanson GC 1980. Point bar and floodplain formation of the meandering Beatton River, northeastern British Columbia, Canada. *Sedimentology* 27, 3–29.
- Nanson GC, Barbetti M & Taylor G 1995. River stabilisation due to changing climate and vegetation during the late Quaternary in western Tasmania, Australia. *Geomorphology* 13, 145–158.
- Nanson GC, East TJ & Roberts RG 1993. Quaternary stratigraphy, geochronology and evolution of the Magela Creek catchment in the monsoon tropics of northern Australia. *Sedimentary Geology* 83, 277–302.
- Needham RS 1984. *1:250000 Geological Series – Explanatory Notes Alligator River, Northern Territory (Second Edition) Sheet SD/53-1, International Index*. Bureau of Mineral Resources, Geology and Geophysics, Canberra.
- Needham RS 1988. *Geology of the Alligator Rivers Uranium Field, Northern Territory*. Geology and Geophysics Bulletin 224, Bureau of Mineral Resources, Canberra.
- Needham RS & Stuart-Smith PG 1984. *Geology of the Pine Creek Geosyncline, Northern Territory 1:500000 scale map*. Bureau of Mineral Resources, Canberra.
- Neil DT & Fogarty P 1991. Land use and sediment yield on the Southern Tablelands of New South Wales. *Australian Journal of Soil and Water Conservation* 4(2), 33–39.
- Northcote KH 1971. *A factual key for the recognition of Australian soils*. Rellim Technical Publications, Glenside.
- O'Connor NA & Lake PS 1994. Long-term and seasonal large scale disturbances of a small lowland stream. *Australian Journal of Marine and Freshwater Research* 45, 243–55.
- Olive LJ & Rieger WA 1985. Variation in suspended sediment concentration during storms in five small catchments in southeast New South Wales. *Australian Geographical Studies* 23, 38–51.
- Olive LJ & Rieger WA 1987. *Eden catchment project: Sediment transport and catchment disturbance 1977–1983*. Monograph Series No. 1, Department of Geography and Oceanography, University College, University of New South Wales, Australian Defence Force Academy, Canberra.
- Pancontinental Mining Ltd 1977. *The Jabiluka Project. Draft Environmental Impact Statement*. Pancontinental Mining Ltd and Getty Oil Development Company Ltd.
- Pancontinental Mining Ltd 1979. *The Jabiluka Project. Environmental Impact Statement*. Pancontinental Mining Ltd and Getty Oil Development Company Ltd.
- Pancontinental Mining Ltd 1981. *A Review of Jabiluka Environmental Studies*. Pancontinental Mining Ltd.

- Patton PC & Schumm SA 1981. Ephemeral-stream processes: implications to studies of Quaternary valley fills. *Quaternary Research* 15, 24–43.
- Petts GE 1984. Sedimentation within a regulated river. *Earth Surface Processes and Landforms* 9, 125–134.
- Pickup G 1976. Alternative measures of river channel shape and their significance. *Journal of Hydrology (New Zealand)* 15, 9–16.
- Pickup G, Wasson RJ, Warner RF, Tongway D & Clark RL 1987. *A feasibility study of geomorphic research for the long term management of uranium mill tailings*. CSIRO Division of Water Resources Research Divisional Report 87/2, Canberra.
- Reid LM & Dunne T 1996. *Rapid evaluation of sediment budgets*. Geocology Paperback, Catena Verlag, Reiskirchen.
- Rhoads BL & Welford MR 1991. Initiation of river meandering. *Progress in Physical Geography* 15(2), 127–156.
- Rieger WA & Olive LJ 1988. Channel sediment loads: comparisons and estimation. In *Fluvial geomorphology of Australia*, ed RF Warner, Academic Press, Sydney, 69–85.
- Riley SJ 1972. A comparison of morphometric measures of bankfull. *Journal of Hydrology* 17, 23–31.
- Riley SJ 1997. The sediment concentration–turbidity relation: Its value in monitoring at Ranger uranium mine. Internal report 235, Supervising Scientist, Canberra. Unpublished paper.
- Riley SJ 1998. The sediment concentration-turbidity relation: its value in monitoring at Ranger Uranium Mine, Northern Territory, Australia. *Catena* 32, 1–14.
- Roberts RG 1991. Sediment budgets and Quaternary history of the Magela Creek catchment, tropical northern Australia. PhD Thesis, Department of Geography, University of Wollongong, Wollongong NSW.
- Roberts RG, Jones R & Smith MA 1990. Thermoluminescence dating of a 50,000-year-old human occupation site in northern Australia. *Nature* 345, 153–156.
- Robison EG & Beschta RL 1990. Coarse woody debris and channel morphology interactions for undisturbed streams in southeast Alaska, USA. *Earth Surface Landforms and Processes* 15, 149–156.
- Rosgen DL 1994. A classification of natural rivers. *Catena* 22, 169–199.
- Rosgen DL 1996. *Applied river morphology*. Wildland Hydrology, Pagosa Springs, Colorado.
- Schumm SA 1977. *The fluvial system*. Wiley, New York.
- Schumm SA, Erskine WD & Tilleard JW 1996. Morphology, hydrology and evolution of the anastomosed Ovens and King Rivers, Victoria, Australia. *Geological Society of America Bulletin* 108, 1212–1224.
- Schumm SA, Harvey MD & Watson CC 1984. *Incised channels*. Water Resources Publication, Littleton, Colorado.
- Schumm SA, Mosley MP & Weaver WE 1987. *Experimental fluvial geomorphology*. Wiley, New York.

- Scott PF & Erskine WD 1994. Geomorphic effects of a large flood on fluvial fans. *Earth Surface Processes and Landforms* 19, 95–108.
- Sherard JL, Dunnigan LP, Decker RS & Steele EF 1976. Pinhole test for identifying dispersive soils. *Journal of the Geotechnical Engineering Division, Proceedings of the American Society of Civil Engineers* 102, 69–85.
- Sherrard JJ & Erskine WD 1991. Complex response of a sand-bed stream to upstream impoundment. *Regulated Rivers: Research and Management* 6, 53–70.
- Simons DB, Richardson EV & Nordin CF 1965. Sedimentary structures generated by flow in alluvial channels. In *Primary sedimentary structures and their hydrodynamic interpretation*, ed GV Middleton, Society of Economic Paleontologists & Mineralogists Special Publication 12, Tulsa, Oklahoma, 34–52.
- Simons DB & Richardson EV 1966. *Resistance to flow in alluvial channels*. US Geological Survey Professional Paper 422-J, Washington.
- Smith DG 1976. Effect of vegetation on lateral migration of anastomosed channels of a glacier meltwater river. *Geological Society of America Bulletin* 87, 857–860.
- Story R, Williams MAJ, Hooper ADL, O’Ferral RE & McAlpine JR 1969. *Lands of the Adelaide-Alligator area, Northern Territory*. CSIRO Land Research Series 25, CSIRO, Melbourne.
- Story R, Galloway RW, McAlpine JR, Aldrick JM & Williams MAJ 1976. *Lands of the Alligator Rivers Area, Northern Territory*. CSIRO Land Research Series 38, CSIRO, Melbourne.
- Thompson DM 1995. The effects of large organic debris on sediment processes and stream morphology in Vermont. *Geomorphology* 11, 235–244.
- Tooth S 1999. Floodouts in Central Australia. In *Varieties of fluvial form*, eds AJ Miller & A Gupta, Wiley, Chichester, 219–247.
- Unger C, Mitchell P & Nisbett H 1996. A new approach to soil survey applied to a mining feasibility study in the wet-dry tropics. *Australian Journal of Soil and Water Conservation* 9(2), 16–21.
- Wasson RJ, Donnelly TH & Murray AS 1996. Imports can be dangerous – appropriate approaches to Australian rivers and catchments. *Proceedings of First National Conference on Stream Management in Australia*, Meerijig, 19–23 February 1996, 313–319.
- Wasson RJ, White I, Mackey B & Fleming PM 1998. The Jabiluka Project. Environmental issues that threaten Kakadu National Park. Submission to UNESCO World Heritage Committee delegation to Australia. In *Assessment of the Jabiluka Project: Report of the Supervising Scientist to the World Heritage Committee*. Johnston A & Prendergast JB, Supervising Scientist Report 138, Supervising Scientist, Canberra, 91–109.
- Wells MR 1979. *Soil studies in the Magela Creek catchment 1978 Part 1*. Land Conservation Unit, Territory Parks and Wildlife Commission, Darwin.
- Willgoose GR, Bras RL & Rodriguez-Iturbe I 1989. *A physically based channel network and catchment evolution model*. Report 322, Ralph M. Parsons Laboratory, Department of Civil Engineering, MIT, Boston, MA.

- Willgoose G & Riley SJ 1998. *Application of a catchment evolution model to the production of long-term erosion on the spoil heap at the Ranger uranium mine: Initial analysis*. Supervising Scientist Report 132, Supervising Scientist, Canberra.
- Williams MAJ 1969. Geomorphology of the Adelaide-Alligator area. In *Lands of the Adelaide-Alligator area, Northern Territory*, eds R Story, MAJ Williams, ADL Hooper, RE O’Ferral & JR McAlpine, CSIRO Land Research Series 25, CSIRO, Melbourne, 71–94.
- Williams MAJ, Hooper ADL & Story R 1969. Land systems of the Adelaide-Alligator area. In *Lands of the Adelaide-Alligator area, Northern Territory*, eds R Story, MAJ Williams, ADL Hooper, RE O’Ferral & JR McAlpine, CSIRO Land Research Series 25, CSIRO, Melbourne, 24–48.
- Wohl E, Madsen S & MacDonald L 1997. Characteristics of log and clast bed-steps in step-pool streams of northwestern Montana, USA. *Geomorphology* 20, 1–10.
- Wolman MG 1954. A method of sampling coarse river-bed material. *Transactions of American Geophysical Union* 35, 951–956.
- Wolman MG 1959. Factors influencing erosion of a cohesive river bank. *American Journal of Science* 257, 204–216.
- Wolman MG & Brush LM Jr 1961. *Factors controlling the size and shape of streams in coarse noncohesive sands*. US Geological Survey Professional Paper 282-G, Washington.
- Wolman MG & Leopold LB 1957. *River flood plains: some observations on their formation*. US Geological Survey Professional Paper 282-C.
- Woodroffe CD, Thom BG, Chappell J, Wallensky E, Grindrod J & Head J 1987. Relative sea level in the South Alligator River region, north Australia, during the Holocene. *Search* 18, 198–200.
- Woodyer KD 1975. Concave-bank benches on the Barwon River, NSW. *Australian Geographer* 13, 36–40.
- Zimmerman RC, Goodlett JC & Comer GH 1967. The influence of vegetation on channel form of small streams. *International Association of Scientific Hydrology* Publ. No. 75, 255–275.